56995-1(W) A

# VITAL STATISTICS
# 1980

Division of Vital Statistics

**RHODE ISLAND DEPARTMENT OF HEALTH**

Joseph E. Cannon, M.D., M.P.H. Director

BEST AVAILABLE COPY

# STATE

# OF

# RHODE ISLAND AND PROVIDENCE PLANTATIONS

# DEPARTMENT OF HEALTH

## VITAL STATISTICS---1980

STATE OF
RHODE ISLAND

DEPARTMENT OF
HEALTH


Joseph E. Cannon, M.D., M.P.H.
Director of Health

Lera L. O'Hara, Administrator
Division of Vital Statistics

Roberta A. Chevoya,
Data Preparation Specialist

# PREFACE

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Statistics, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Statistics, with partial support from federal contract HRA-230-76-0248. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the vital statistics component of the Cooperative Health Statistics System.



Joseph E. Cannon, M.D., M.P.H.
DIRECTOR OF HEALTH

October 1981

# TABLE OF CONTENTS


| | | Page |
|---|---|---|
| Introduction | | 1 |
| Table A | Vital Statistics Summary | 1 |
| Figure 1 | Population Densities of Rhode Island Cities and Towns, 1980. | 2 |
| Figure 2 | Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1951-1980 | 4 |
| Table B | Rhode Island Occurrence Births at Home, 1972-1980 | 5 |
| Figure 3 | Birth Out-of-Wedlock Ratios by Age of Mother: Rhode Island Residents, 1971-1980 | 7 |
| Figure 4 | Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1956-1980 | 11 |
| Figure 5 | Death Rates from the Ten Leading Causes in 1980 with Comparable Rates for 1971-1979, Rhode Island Residents | 14 |
| Table C | Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1980 | 15 |
| Figure 6 | Leading Causes of Death for Each Sex: Rhode Island, 1980 | 16 |
| Figure 7 | Five Leading Primary Sites of Malignant Neoplasm Deaths by Sex: Rhode Island, 1980 | 17 |
| Table D | Resident Accidental Deaths by Type by Sex: Rhode Island, 1980 | 18 |
| Figure 8 | Leading Causes of Death by Specified Age Group: Rhode Island, 1980 | 19 |
| Figure 9 | Leading Causes of Death by Specified Age Group: Rhode Island, 1980 | 20 |
| Figure 10 | Leading Causes of Death by Specified Age Group: Rhode Island, 1980 | 21 |
| Figure 11 | Death Rates from Accidents, by Type of Accident: Rhode Island, 1980 | 21 |
| Table E | Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1971-1980 | 22 |
| Table F | Rhode Island Resident Deaths and Death Rates for other Leading Causes in 1980, with Provisional U.S. Rates | 24 |
| Figure 12 | Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1971-1980 | 26 |
| Figure 13 | Divorce Rates per 1,000 Population: Rhode Island and the United States, 1971-1980 | 26 |

## TABLE OF CONTENTS
(cont'd)


| | | Page |
|---|---|---|
| Table 1 (a) | Rhode Island Population According to the 1970 and 1980 Census by Age | |
| (b) | By Sex, Race, and Spanish Origin . . . . . | 29 |
| Table 2 | Population of Rhode Island Cities and Towns by County: 1970 and 1980, with Population Density in 1980 . . . . . | 30 |
| Table 3 | Number of Live Births, Deaths, and Marriages with Rates by City and Town: Rhode Island, 1980 . . . . . | 31 |
| Table 4 | Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1951-1980 . . . . . | 32 |
| Table 5 | Number of Infant, Neonatal and Perinatal Deaths with Rates, Rhode Island Residents, 1951-1980 . . . . . | 33 |
| Table 6 | Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1980 . . . . . | 34 |
| Table 7 | Deaths and Death Rates for Leading Causes in 1980 and for Comparable Causes in 1971-1979 . . . . . | 39 |
| Table 8 | Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1976-1980 . . . . . | 40 |
| Table 9 | Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1957-1980 . . . . . | 43 |
| Table 10 | Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1971-1980 . . . . | 43 |
| Table 11 | Resident Live Births by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island, 1980 . . . . . | 44 |
| Table 12 | Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island, 1980 . . . . . | 48 |
| Table 13 | Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1980 . . . . . | 52 |
| Table 14 | Resident Plural Live Births by Age of Mother, Race and Birth Weight, Rhode Island, 1980 . . . . . | 55 |
| Table 15 | Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1980 . . . . . | 58 |
| Table 16 | Births by Selected Characteristics by City or Town of Residence, Rhode Island, 1980 . . . . . | 61 |
| Table 17 | Resident Live Births by City or Town by Month, Rhode Island, 1980 | 62 |

# TABLE OF CONTENTS
(cont'd)


| | | Page |
|---|---|---|
| Table 18 | Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1980 . . . . . | 63 |
| Table 18A | Births and Births Out of Wedlock, 1980, All Ages and Teenagers by City or Town of Residence . . . . . | 70 |
| Table 19A | Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1980. . . . . | 71 |
| Table 19B | Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1980 . . . . . | 71 |
| Table 20 | Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1980 . . . . . | 72 |
| Table 21 | Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, 1980. | 80 |
| Table 22A | Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother, 1980 . | 84 |
| Table 22B | Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1980 . . . . . | 85 |
| Table 23 | Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1980 . . . . . | 86 |
| Table 24 | Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1980 . . . . . | 87 |
| Table 25 | Resident Deaths from 72 Selected Causes by Race, Age and Sex: Rhode Island 1980 . . . . . | 88 |
| Table 26 | Resident Deaths by City or Town by Month, Rhode Island, 1980 . . | 101 |
| Table 27 | Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1980 . . . . . | 102 |
| Table 28 | Resident Accidental Deaths with Non-Motor Vehicle Accidents Shown by New England Standard Location by Sex and Age: Rhode Island, 1980 . . . . . | 104 |
| Table 29A | Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1980 . . . . . | 107 |
| Table 29B | Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1980 . . . . . | 115 |
| Table 30 | Resident Accident Deaths by Type and Age: Rhode Island, 1979 . | 123 |
| Table 31 | Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1980. . . . . | 124 |

## TABLE OF CONTENTS
(cont'd)


| | | Page |
|---|---|---|
| Table 32 | Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1980 . . . . . | 125 |
| Table 33 | Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island, 1980 . . . . . | 127 |
| Table 34 | Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1980 . . . . . | 128 |
| Table 35 | Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1980 . . . . . | 129 |
| Table 36 | Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1980 . . . . . | 130 |
| Table 37 | Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1980 . . . . . | 130 |
| Table 38 | Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1980 . . . . . | 131 |
| Table 39 | Divorces by Age of Wife, by Age of Husband, Rhode Island, 1980. | 132 |
| Table 40 | Divorces by Number of Times Married before this Divorce by Sex: Rhode Island, 1980 . . . . . | 132 |
| Table 41 | Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1980 . . . . . | 133 |
| Table 42 | Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1980 . . . . . | 133 |
| Table 43 | Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1980 . . . . . | 134 |
| Table 44 | Divorces According to Last Grade of School Completed by Sex: Rhode Island, 1980 . . . . . | 135 |

# INTRODUCTION

Data from all 1980 vital records received by 15 April 1981 are included in this report. The interstate exchange of vital records makes possible the inclusion of resident statistics, regardless of where the vital event may have occurred. Most of the tables contain resident data. Both resident data and Rhode Island occurrence data are shown for births and deaths in Table 3 by city or town.

There were 12,574 births recorded in Rhode Island in 1980, of which 927 were non-residents; and 519 births occurred outside the state to Rhode Island residents, yielding a total of 12,166 resident live births in 1980. The resident rate was 12.8 per 1,000 population. The average birth rate over the past five years (12.4 per 1,000 estimated population) was 28 per cent lower than the five-year average rate of 17.2 observed a decade ago, (Table A).

Table A - Vital Statistics Summary: Rhode Island, 1976-1980 and 1966-1970
(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

| | 1976-1980 | | Five-Year Average 1966-1970 | | Per Cent |
|---|---|---|---|---|---|
| Item | Number | Rate | Number | Rate | Change in Rate |
| Live Births# | 11,589 | 12.4 | 15,722 | 17.2 | - 27.9 |
| Deaths# | 9,082 | 9.7 | 9,465 | 10.4 | - 6.7 |
| Infant Mortality* | 150 | 13.0 | 321 | 20.4 | - 36.3 |
| Neonatal Mortality* | 111 | 9.6 | 248 | 15.8 | - 39.2 |
| Perinatal Mortality** | 164 | 14.1 | 351 | 22.1 | - 36.2 |
| Maternal Mortality*** | 1 | 0.9 | 2 | 1.5 | - 33.3 |
| Fetal Deaths (of 28 weeks or More Uterogestation)* | 70 | 6.1 | 145 | 9.2 | - 33.7 |
| Marriages# | 7,230 | 7.7 | 7,010 | 7.7 | -0- |
| Divorces# | 3,473 | 3.7 | 1,214 | 1.3 | +184.6 |
| Population Estimate (1978 and 1968) | 935,000 | | 914,000 | | + 2.3 |

\# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

In 1980, the number of deaths recorded in the state was 9,559; non-residents accounted for 629; and 370 deaths were recorded in other states to Rhode Island residents. The total number of resident deaths, therefore, was 9,300, yielding a rate of 9.8 deaths per 1,000 population. The average death rate over the past five years (9.7) was seven per cent below the five-year average rate of 10.4 a decade ago (Table A). The five-year average infant mortality rate (13.0 per 1,000 live births) was 36 per cent lower than the five-year average of 20.4 a decade ago (Table A). Neonatal mortality (infants who died before the 28th day of life) was 39 per cent lower in the more recent five-year period (Table A). Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths (products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 14.1 per 1,000 live births combined with late fetal deaths, 36 per cent lower than the five-year average a decade ago (22.1).

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS



The average divorce rate over the past five years (3.7 per 1,000 estimated population) was nearly three times the average rate of a decade ago(1.3). There was no change in the five-year average marriage rate for the more recent period, compared with a decade ago. Both marriage and divorce data refer to occurrences within the state because there is not a complete exchange of these events among the states. Marriage and divorce rates should not be compared with each other in any given year since the divorce rate refers to any persons divorced during the year, some of whom have been married for many years, and, therefore, is no indication as to the rate of divorce among persons married in that period. Another problem is that many residents are married and divorced outside the state; these records would not be included here.

## RHODE ISLAND POPULATION

Table I shows the 1970 and 1980 population figures for the state by race and by sex with the per cent change between 1970 and 1980. Figure I illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence, 5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66; Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980. The male population declined three per cent between 1970 and 1980 (decreasing from 464,291 to 451,251); the female population increased by three per cent (going from 482,434 to 495,903. The Black population increased nine per cent (25,338 to 27,584); other non-white population was 2½ times as great in 1980 and the white population decreased two per cent (914,757 to 896,692).

## LIVE BIRTHS

There were 12,166 resident live births recorded in Rhode Island in 1980, yielding a rate of 12.8 per 1,000 population. This rate was equal to the rate of 12.8 observed in 1979. The birth rate decreased steadily between 1959 and 1975 and reached an all-time low rate of 11.6 in 1975 and 1976. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years). It will take several years to determine whether the increases occurring after 1976 represent a true reversal of the long-term decreasing trend, whether they represent a general levelling off of the birth rate, or whether there will be a return to declining rates. Since the rate has not changed in the last two years, a general levelling off could be indicated.

Increased attention has recently been focused on midwifery and home births, both nationally and locally. Up until 1978, only one midwife had practiced in Rhode Island. In that year, the Rhode Island Department of Health adopted procedures regulating the licensing and practice of midwives. There are currently nine licensed midwives in the state.

Although the figures are low, there was an increase in both the number and percentages of live births where delivery occurred at home between 1975 and 1979. (see Table B below). In 1980, however, the number of home births declined 7 per cent over 1979. Since home deliveries still represent less than one per cent of all births occurring in Rhode Island, the numbers are too small to show a significant statistical trend.

FIGURE 2 - CRUDE BIRTH AND DEATH RATES PER 1,000 POPULATION : RHODE ISLAND, 1951 - 1980



Fertility rates can be accurately determined only during census years when the number of women 15-44 years of age is known. The population of females 15-44 has not been determined for the 1980 census; therefore, the fertility rate cannot be estimated accurately for 1980.

Table B - Rhode Island Occurrence Births at Home, 1972-1980

| Year | Occurrence Births | Home Births | |
|---|---|---|---|
| | Total Number | Number | Per Cent |
| 1972 | 13,496 | 33 | 0.2 |
| 1973 | 12,647 | 28 | 0.2 |
| 1974 | 11,696 | 26 | 0.2 |
| 1975 | 10,957 | 20 | 0.2 |
| 1976 | 11,102 | 24 | 0.2 |
| 1977 | 11,937 | 36 | 0.3 |
| 1978 | 11,785 | 51 | 0.4 |
| 1979 | 12,251 | 71 | 0.6 |
| 1980 | 12,574 | 66 | 0.5 |

Natural increase (the excess of births over deaths) resulted in the net addition of 2,866 persons to the population in 1980. This is the fourth consecutive year that the natural increase has been higher in comparison to the preceding year. The amount of natural increase has been decreasing steadily over the last several years until 1975 (Figure 2).

Of the municipalities in Rhode Island with population over 5,000, there were five cities which had birth rates 20 per cent or more above the state rate (12.8) in 1980 (rates of 15.4 and over): Central Falls, 19.0; West Warwick, 16.8; Glocester, 15.9; Hopkinton, 15.5; and Westerly, 15.5. Seven cities and towns with populations above 5,000 had rates 20 per cent or more below the state rate (rates of 10.2 and less): North Providence, 9.0; Cumberland, 9.3; Lincoln, 9.4; East Greenwich, 9.6; Cranston, 9.7; Barrington, 10.0; and Smithfield, 10.2.

Average annual rates for the past five years may be seen in Table 8 by city or town and neighborhood of residence. Birth rates were computed, using the 1975 population estimates because 1980 figures will not be available for some time and reliable estimates by small areas so late in the census decade are too difficult to attempt for the mid-year period (1978). The average birth rate for the state for 1976 to 1980 was 12.5 per 1,000 population in 1975.

Excluding areas with less than 5,000 population, there were eleven municipalities (without census tract breakdowns) and neighborhoods (in addition to the inner city of Providence) that had average rates 30 per cent or more above the state average (16.2 and over). These eleven, with rates, were as follows: South Providence, 22.8; Elmwood, Providence, 21.3; West End, Providence, 20.5; Middletown, 18.1; North Kingstown, 17.3; Washington Park, Providence, 17.1; Fairmount-Central, Woonsocket, 17.0; Narragansett and West Warwick, each 16.3; and Portsmouth and Woodlawn-Downtown, Pawtucket, each 16.2 per 1,000 population. Providence Inner City is included in other neighborhoods and experienced an average rate of 17.6 per 1,000 live births. Eight neighborhoods or municipalities without census tract breakdowns had rates 30 per cent or more below the state average (8.8 and under), excluding those with less than 5,000 population. They were: Garden City-Dean Estates, 4.9; College Hill-Fox Point, 6.0; South Darlington, Pawtucket, 7.1; East Side, Providence, 7.3; Elmhurst-Upper Mt. Pleasant, Providence, 7.7; North Cumberland, 8.4; West Cranston, 8.5; and South Lincoln, 8.7 per 1,000 population.

Rhode Island mothers delivered an average of 33.2 babies per day in 1980, compared with 32.5 in 1979, 31.5 in 1978, 31.8 in 1977, and 29.5 in 1976. The highest daily average for 1980 occurred in July, with 35.0 births per day; the lowest average, (30.9 per day) was in January. The sex ratio was 1,058 males per 1,000 females.

There were 11,041 resident white births and 1,095 resident non-white births in 1980 (91 and nine per cent, respectively, of those births where race was indicated). There has been a gradual but steady increase over the years in the percentage of non-white resident births: 1960, five per cent; 1970, six per cent; 1975, seven per cent, and 1980, nine per cent. First births accounted for 46 per cent of all deliveries in 1980; second births, 33 per cent; and third or higher births, 21 per cent. Similar percentages have been experienced in the last several years: for first births, 44 per cent in 1974 and 1975; 45 per cent for 1976 to 1978; and 45 per cent in 1979; for second births, 32 per cent for 1974 and 1975, 33 per cent for 1976 to 1978; and 34 per cent in 1979; and for third or higher births, 23 per cent in 1974 and 1975, 22 per cent in 1976, 21 per cent in 1977, 1978, and 1979.

Births out of wedlock accounted for 15.7 per cent of all resident births in 1980 (a ratio of 156.5 per 1,000 live births). The non-white ratio (413.7)was three times the white ratio (130.3). The average birth out-of-wedlock ratio for the past five years (140.8) was 55 per cent above the previous five-year average (91.1). The ratio has increased steadily each year since 1962 and may be seen in Table 9. The United States ratio has been consistently above that observed in Rhode Island; the gap, however, is narrowing.

Over the past five years, the average birth out-of-wedlock ratio was 140.8 per 1,000 live births (Table 8). Neighborhoods with fewer than 500 live births are excluded in this discussion because of the statistical unreliability of small areas. Fourteen neighborhoods and municipalities, (witnout census tract breakdowns) having 500 or more live births, had rates 30 per cent or more above the state average (rates of 183 and over). Nine of these neighborhoods were in Providence; the Inner City of Providence is included in several neighborhoods and averaged 412.6 during the past five years. The five highest neighborhoods with rates were: South Providence, 588.2; Elmwood, Providence, 385.9; West End, Providence, 382.1; Fairmount-Central, Woonsocket, 316.7; and Federal Hill-Olneyville, Providence, 302.6. Neighborhoods with rates averaging sixth through tenth were: North Newport, 288.0; Smith Hill-Lower Mt. Pleasant, Providence, 257.9; Hope, Providence, 244.8; Washington Park, Providence, 234.4; and Woodlawn-Downtown, Pawtucket, 230.8. Twenty-six neighborhoods or municipalities (without census tract breakdowns), having less than 500 live births, had average rates 30 per cent or more below the state average (rates of 98.6 and under). The five lowest were: Barrington, 34.5; North Providence, 45.8; North Cumberland, 46.9; Cowesett-Potowamut, Warwick, 48.3; and Buttonwoods, Warwick, 48.8. Towns and neighborhoods with low average out-of-wedlock rates ranking sixth through tenth were: Auburn, Cranston, 54.7; Johnston; 56.8; West Cranston, 57.9; Smithfield, 61.2; and Portsmouth, 62.7.

Low-birth-weight infants (those weighing five pounds, eight ounces or less) averaged 66.0 per 1,000 live births for the state over the past five years. In 1980, there were 774 low-birth-weight infants delivered to Rhode Island residents (63.6 per 1,000 live births). The non-white ratio, 107.8 was 83 per cent higher than the white ratio of 58.8. Low-birth-weight infants, births in hospitals, and births out of wedlock by race may be seen in Table 16 by city or town of mother's residence.

FIGURE 3 - BIRTH OUT OF WEDLOCK RATIOS PER 1,000 LIVE BIRTHS BY AGE OF MOTHER: RHODE ISLAND RESIDENTS, 1971 - 1980



Eight neighborhoods with 500 or more live births had average rates 30 per cent or more above the state average (ratios of 85.8 per 1,000 live births and over). They were: South Providence, 130.7; West End, Providence, 105.2; Elmwood, Providence, 103.9; Hope, Providence, 102.9; Federal Hill-Olneyville, Providence, 97.0; Bernon, Woonsocket, 91.9; North Newport, 88.6; and Smith Hill-Lower Mt. Pleasant, Providence, 86.8. Six of these neighborhoods were in Providence; the Inner City average, which is comprised of several neighborhoods, averaged 111.3. No single-tract towns had rates above 85.8.

Excluding areas with fewer than 500 live births, three neighborhoods or municipalities without census tract breakdowns had average rates 30 per cent or more below the state average for the past five years (rates of 46.2 and under). They were: Auburn, Cranston, 37.5; South Cumberland, 38.2; and Portsmouth, 46.1. Four additional areas had rates 25 per cent or more below the State average (rates of 46.3 to 49.5). They were: Lakewood-Spring Green, Warwick, 46.7; South Lincoln, 47.8; North Cumberland, 48.6; and Westerly, 49.4.

Low-weight infants may be seen by age of mother in Table 13; those of plural birth, in Table 14. City or town of residence is shown in Table 16 for low-weight infants as well as those born in hospitals and born out of wedlock, with each of these variables shown by race. Census tract data are shown in Table 18 for all births, out-of-wedlock births, low-weight births, birth injuries, malformations, and month prenatal care began. Table 18A shows teenage births and those out of wedlock by city or tow

Age of mother at time of birth is correlated with other factors in several tables. Birth out-of-wedlock ratios (per 1,000 live births) by age of mother are shown in Table 10 (10 years, 1971-1980) and in Figure 3 (for the past 10 years). Women under 20 years of age had considerably higher ratios than any other group, ranging from 165.2 per 1,000 live births in 1966 to 510.0 in 1980. The ratio in mothers 20-24 has increased steadily since 1966, ranging from 42.2 per 1,000 live births to 176.9 in 1980, excluding 1971, when the ratio dropped to 58.9 from 63.0. The ratio rose again in 1972, however, to 68.2. Fluctuations have also been observed in the other age groups.

## FETAL DEATHS

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles".

The Rhode Island abortion law was technically declared unconstitutional early in 1973, with the United States Supreme Court decision on the Texas and Georgia Laws. Some time after that decision, the Health Department adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the Regulations adopted made the reporting of all fetal deaths mandatory, regardless of the length of gestation; this Regulation became law upon its passage in 1976. Prior to 1973, mandatory reporting applied only to fetal deaths of 20 weeks or more uterogestation (from date of mother's last normal menstrual period to date of delivery).

Interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required by Regulation and, in 1976, by Law.

Occurrence data within the State are shown in most tables rather than resident data since there is not a complete exchange of fetal death certificates among the states. Eighteen per cent of the fetal deaths in Rhode Island in 1980 were non-residents, while the number of fetal deaths reported outside Rhode Island to residents was insignificant.

There were 7,277 occurrence fetal deaths recorded in Rhode Island in 1980, an increase of 21 per cent over the 6,030 recorded in 1979. The majority (91 per cent) were induced terminations (Table 19). Both the number of spontaneous deliveries and induced terminations increased in 1980, when compared with 1979; spontaneous deliveries increased by about two per cent and induced by 23 per cent. As in the past few years, the majority of fetal deaths (98 per cent) were under 20 weeks uterogestation and only nine of the induced terminations were known to be over 20 weeks gestation. Month of delivery may be seen in Table 19B. The highest daily average (21.6) occurred in July. The lowest daily average was in February, with 18.5 per day; the daily average for the year was 19.9 fetal deaths.

Resident fetal deaths may be seen by census tract of mother's residence in Table 20 by marital status of mother. Sixty-nine per cent of the resident fetal deaths were to unmarried mothers; three-fourths of the spontaneous deliveries were to married women, and 74 per cent of the induced terminations were to unwed women. Care should be exercised in utilizing data by census tract, since wide variations can occur by chance alone where the numbers are small.

All induced terminations occurring in Rhode Island may be seen in Table 21 by age, marital status and previous delivery history of mother. Teenagers accounted for 29 per cent of all induced terminations and the majority of these women (94 per cent) were unmarried; 2,416 women were aged 20-24 years (36 per cent of the total) and the majority of this group (80 per cent) were unmarried. There were 1,916 women in the age group of 25-34 years (29 per cent of the total); 44 per cent were married and 54 per cent were unmarried women. Six per cent of the women were age 35 years or more; 60 per cent of this group were married.

Forty-seven per cent of the induced terminations in Table 21 were to women who had no previous deliveries; 23 per cent of the mothers had one previous delivery (the previous deliveries were 50 per cent higher for fetal deaths in this group); 23 per cent of the women had two or three previous deliveries and 7 per cent had four or more previous deliveries.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; all spontaneous fetal deaths by the same parameters may be seen in Table 22B. Nearly 30 per cent of all spontaneous deliveries, as well as those of 20 weeks or more gestation, were first deliveries. Second and third deliveries accounted for about 44 per cent of the 20 weeks and over group and for nearly one-half (48 per cent) of all spontaneous fetal deaths. Fourth and higher order accounted for about 10 per cent of the 20 weeks and over fetuses and for 17 per cent of all spontaneous fetal deaths. The number with birth order unknown was 17 per cent of the 20 weeks and over fetuses and 7 per cent of all spontaneous fetal deaths. The majority of the mothers were under age 30, 72 per cent of all spontaneous fetal deaths, and 79 per cent of those of 20 weeks or more.

Sixty per cent of the spontaneous fetal deaths of 20 weeks and over were of low weight (weighed less than 5 lbs., 8 oz); weight and age of mother may be seen in Table 23. Cause of fetal death appears in Table 24 by gestational age.

## PERINATAL MORTALITY

Perinatal mortality, as used here, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1980 perinatal rate, 12.9 per 1,000 live births, combined with late fetal deaths, decreased 12 per cent over the rate of 14.7 observed in 1979. The 1977 rate of 12.6 was the lowest rate experienced in the past 30 years, as is shown in Table 5. The average rate for the past five years, (14.1)was 36 per cent lower than the average of 22.1 a decade ago. (Table A).

## INFANT DEATHS

There were 133 resident infant deaths in 1980, yielding a rate of 10.9 per 1,000 live births. This represents a decrease of 23 per cent over the rate of 14.1 in 1979 and was 47 per centbelow the five-year average of 20.4 a decade ago. Table A shows that the 1976-1980 average rate (13.0) declined 36 per cent over the five-year average of a decade ago. The 1980 non-white rate, 11.9 per 1,000 live births, was 11 per cent above the white rate of 10.7. Both the white and non-white rates decreased over 1979 when they were 12.3 and 32.1, respectively. There was, however, dramatic decrease in the non-white rate. The provisional National infant death rate for 1980 was 12.5, 15 per cent above the state rate.

Average rates for the past five years may be seen in Table 8 by town or city and neighborhood. The state average rate during this period was 13.0 per 1,000 live births. Twelve neighborhoods or municipalities (without census tract breakdowns), having 500 or more live births for this period, had rates 30 per cent or more above the state average (rates of 16.9 and over). The five highest with rates were: Elmwood, Providence, 27.6; South Providence, 26.0; Bernon, Woonsocket, 23.6; Hope, Providence, 22.1; and Social, Woonsocket, 20.5 per 1,000 live births. The remaining high neighborhoods were: West End, Providence, 20.2; Pleasant View-East Side, Pawtucket, 18.6; Smith Hill-Lower Mt. Pleasant, Providence, 18.4; Middletown, 17.6; East Woonsocket, 17.5; and North Cumberland and North Newport, each 17.4 per 1,000 live births. The Inner City of Providence, which is comprised of several neighborhoods, averaged 23.7 over the past five years.

Rates 30 per cent or more below the State average, were experienced in 14 neighborhoods or municipalities without census tract breakdowns(rates of 9.1 or less). The five lowest, with rates were: North Kingstown, 3.8; Narragansett, 4.2; Auburn, Cranston, 4.3; Edgewood-Pawtuxet, Cranston, 5.4; and Johnston, 5.8 per 1,000 live births. The remaining were: Norwood-Hillsgrove, Warwick, 6.2; Portsmouth, 6.9; Bristol, 7.0; South Central East Providence and North Providence, each 7.6; South Kingstown, 8.0; Lakewood-Spring Green, Warwick, 8.2; Burrillville, 8.3 and Barrington, 9.0.

Infant and neonatal death rates for the past 25 years may be seen in Figure 4 for Rhode Island and the United States. Although the infant death rate for Rhode Island increased for the previous two years, the 1980 rate was 23 per cent below the 1979 rate, following the general downward trend evident in both rates since 1970, both Nationally and in the state. The annual state numbers and rates per 1,000 live births are shown in Table 5.

FIGURE 4 - INFANT AND NEONATAL MORTALITY RATES: RHODE ISLAND AND THE UNITED STATES, 1956 - 1980



Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 77 per cent of the infant deaths in 1980 and 65 per cent of the infants died before the seventh day of life. These percentages were 71 per cent and 60 per cent, respectively, in 1979. Forty-five per cent of the infants died before the end of the first day (Table 27). The average neonatal death rate for the past five years, 9.6 per 1,000 live births, was 39 per cent lower than the five-year average rate of 15.8 a decade ago. (Table A).

Infant deaths may be seen as a subset of all deaths by 69 selected causes in Table 25 and by 61 selected causes of infant deaths by age in Table 27.

## D E A T H S

There were 9,300 Rhode Island resident deaths recorded in 1980, yielding a crude rate of 9.8 deaths per 1,000 estimated population. The 1980 rate was one per cent higher than the rate for 1979; and 3 per cent higher than the 1978 rate, which was the lowest rate for the past 30 years. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during this period, with a slight decrease during the last ten years.

The 1980 state rate was ten per cent higher than the provisional U.S. rate of 8.9. The Rhode Island death rate has been somewhat higher than the National rate for several years. The proportion of elderly people in the population influences these rates. The percentage of persons 65 and over in the state (13.4) is 19 per cent higher than for the nation (11.3).

Ninety-eight per cent of the deaths were to persons of the white race (Tables 6 and 25) and two per cent were non-white. Males accounted for 52 per cent of the deaths in 1980 and 48 per cent were females. The median age at death was 74.5 years. For females, the median age at death was 78.4, for white females, 78.5, and for non-white females, 67.2. The male median was 70.9, for white males, 71.1, and for non-white males, 60.0. (See Table C). Since the state's population is predominantly white, the white median rates closely resemble the state average. The non-white numbers are so small that the medians have little significance; however, the non-white median age is consistently below the white median age, both Nationally and in Rhode Island.

Death rates are shown with the number of occurrence and resident deaths by city or town of residence in Table 3. Among cities and towns with populations of 5,000 or more, there were two cities with death rates 20 per cent or more above the state rate in 1980 (rates of 11.8 or more). They were: Providence, 11.9 and Woonsocket, 12.6. Excluding towns with less than 5,000 population, ten municipalities had rates 20 per cent or more below the state average (7.8 or less). The six lowest were: Middletown, 5.2, Barrington, 5.8; South Kingstown, 6.7; Coventry, Glocester and Smithfield, 6.9 each.

Average annual death rates for the past five years are given in Table 8 by city or town of residence and neighborhood. Death rates were computed per 1,000 estimated population for 1975, the last year that population estimates are available by tract.

During the period 1976-1980, the state average death rate was 9.8 per 1,000 estimated population. Among municipalities with populations of 5,000 or more, the

six highest rates were: Central Falls, 12.0; Pawtucket, 11.8; Providence,11.7; Woonsocket, 11.4; Westerly, 10.4; and Newport, 10.3. The six lowest were: Barrington and South Kingstown, 6.7 each; Portsmouth, 7.0; Smithfield, 7.2; Middletown, 7.3 and Cumberland, 7.6.

Among neighborhoods with population of 5,000 or more, there were only five with average rates one-third or more higher than the state average (13.0 or more) and two neighborhoods with average rates one-third or more lower (6.6 or less). The five highest averages were: Federal Hill-Olneyville in Providence, 17.9; Woodlawn-Downtown in Pawtucket, 15.6; Smith Hill-Lower Mt. Pleasant in Providence, 14.5; the Social area in Woonsocket, 14.4 and the Arlington-Knightsville section of Cranston, 13.4.

The Inner City of Providence had a five-year average rate of 13.0. The five lowest average rates for neighborhoods were: College Hill-Fox Point in Providence, 4.7; West Cranston, 5.6; North Cumberland, 7.1; Garden City-Dean Estates in Cranston, 7.7; and Buttonwoods in Warwick, 7.8.

Resident deaths for each city or town may be seen by age, race, and sex in Table 6 and by month in Table 26. The daily average was 25.4 deaths per day in 1980. The highest daily average was in February, with 29.7 deaths per day; the lowest was in August, with 21.8 per day. All deaths, neonatal deaths, infant deaths, and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

DEATHS BY CAUSE: 1980 marked the second year in which the Ninth Revision of the International Classification of Diseases (ICD) was used. It was used for the first time in the classification of 1979 deaths. This revision produced many changes, resulting in serious breaks in comparability for a number of causes of death. Ratios of comparability between the Eighth Revision (used from 1968 to 1978) and the Ninth Revision have been computed to measure this discontinuity from the Eighth Revision to the Ninth. For a more comprehensive discussion of the methodology and and interpretation of comparability ratios, see "Monthly Vital Statistics Report", Vol. 28, No. 11, Supplement.

Table 7 shows the 20 leading causes of death for 1980 and 1979, with the comparability ratios for each listed cause and the numbers and death rates in the most comparable cause category for 1971 to 1978. A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause or combination of causes whether the Eighth or Ninth Revision was used. Usually a ratio of less than 1.00 indicates either a decrease in assignments of deaths to a cause in the Ninth Revision compared with the Eighth or that the cause as described by the Ninth Revision is only a part of the Eighth Revision title with which it is compared.

A ratio of more than 1.00 would indicate the reverse situation. Of the ten leading causes of death, three categories had variations of greater than one per cent: "Chronic Obstructive Pulmonary Diseases and Allied Conditions", +88 per cent; "Atherosclerosis", + six per cent; and"Pneumonia and Influenza", -seven per cent.

The 20 leading causes of death accounted for 92 per cent of all deaths in 1980.

The first four causes(diseases of the heart, malignant neoplasms, cerebrovascular diseases, and accidents) have appeared in that order as the four leading

FIGURE 5 - RATES FROM THE TEN LEADING CAUSES OF DEATH IN 1980 WITH COMPARABLE RATES FOR 1971 - 1979, RHODE ISLAND RESIDENTS




Legend for Causes Five Through Ten

| | | | |
|---|---|---|---|
| -5- | Chronic Obstructive Lung Diseases and Allied Conditions | -8- | Chronic Liver Disease and Cirrhosis |
| -6- | Pneumonia and Influenza | -9- | Atherosclerosis |
| -7- | Diabetes Mellitus | -10- | Suicide |

causes for many years. The ten leading causes accounted for 87 per cent of all deaths and may be seen in Figure 5 for the past ten years; the numbers for 1980 may be seen by sex in Table 31 with rates per 100,000 estimated population. The five leading causes for each sex are shown in Figure 6. Age specific rates for various age groups may be seen in Table 32. Median ages for all causes and the ten leading causes by sex may be seen in Table C below:

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1980

| Causes | Male | Female | Total |
|---|---|---|---|
| ALL CAUSES | 70.9 | 78.4 | 74.5 |
| Diseases of the Heart | 73.0 | 81.3 | 77.4 |
| Malignant Neoplasms | 68.9 | 70.6 | 69.7 |
| Cerebrovascular Diseases | 77.2 | 83.2 | 80.8 |
| Accidents and Adverse Effects | 31.0 | 66.3 | 37.0 |
| Chronic Obstructive Pulmonary Diseases and Allied Conditions | 73.9 | 72.4 | 73.4 |
| Pneumonia and Influenza | 82.5 | 89.9 | 85.0 |
| Diabetes Mellitus | 70.4 | 75.0 | 72.6 |
| Chronic Liver Disease and Cirrhosis | 59.9 | 61.5 | 60.5 |
| Atherosclerosis | 78.9 | 92.1 | 84.7 |
| Suicide | 33.9 | 52.5 | 40.7 |

CARDIOVASCULAR DISEASES is not ranked as a cause of death but contains five cause groupings, four of which were among the 20 leading causes. The five groups included in this broad category were: Diseases of the Heart(rank 1), Cerebrovascular Diseases (rank 3), Atherosclerosis (rank 9), Hypertension with or without Renal Disease (rank 18) and Other Diseases of Arteries, Arterioles and Capillaries. There were 4,831 deaths from cardiovascular diseases in 1980, (Table 25); this represents 52 per cent of all deaths (50 per cent for males and 54 per cent for females). The provisional National rate was 444.9 per 100,000 estimated population, 13 per cent lower than the state rate of 510.1.

DISEASES OF THE HEART has been the leading cause of death historically, both Nationally and in the State. The rate has remained fairly constant for many years and was 404.5 per 100,000 estimated population in 1980. Heart disease caused 41 per cent of both male and female deaths in 1980 (Figure 6). It appears as one of the five leading causes in all age groups over age 19, shown in Table 32, and in Figures 8, 9, and 10, and was the leading cause of death among persons aged 45-64 (36% of deaths in this age group) and among persons 65 years of age and over (46% of deaths in this age group). The provisional National rate was 343.0 in 1980, 15 per cent below the state rate.

MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, with 23 per cent of all deaths, was the second leading cause of death in Rhode Island and in the United States in 1980, as it has been for many years. The state rate was 224.6 per 100,000 estimated population and the provisional National rate was 186.3, 17 per cent below the state rate. Malignant neoplasms was the second leading cause of death for both males and females (Table 31 and Figure 6) and caused 23 per cent of all deaths for each sex. Except for children under five years of age, malignant neoplasms appears as one of the five leading causes of death in each age group shown in Table 32 and Figures 8,9, and 10.

The five leading primary sites for each sex are shown in Figure 7, and the numbers may be seen in Table 25 by race, sex and age.

FIGURE 6 - LEADING CAUSES OF DEATH FOR EACH SEX: RHODE ISLAND, 1980




MALE




FEMALE

FIGURE 7 - FIVE LEADING PRIMARY SITES OF MALIGNANT NEOPLASM DEATHS, BY SEX: RHODE ISLAND, 1980




MALE




FEMALE

Malignant Neoplasms of the Respiratory and Intrathoracic Organs (356 Male deaths) and Malignant Neoplasms of the Digestive Organs and Peritoneum (352 male deaths) were the leading causes of death and each accounted for 32 per cent of the male deaths from cancer.

The third most frequent site of malignant neoplasms among males was the Genital Organs(90 deaths or 8% of male cancer deaths). Seven per cent (79 male deaths) resulted from Malignant Neoplasms of the Urinary Organs and Neoplasms of Lymphatic and Hematopoietic Tissue (other than Leukemia) was the fifth most frequent site responsible for five per cent of male cancer deaths (55).

Malignant Neoplasms of the Digestive Organs and Peritoneum was the leading site of cancer among females, with 325 deaths accounting for 32 per cent of all female cancer deaths. The second most frequent site was Breast (184 deaths), 18% of female cancer deaths; third leading site, Respiratory and Intrathoracic Organs (146 deaths), 14% of female cancer deaths; fourth leading site, Genital Organs (119 deaths), 12% of female cancer deaths. As with males, the fifth most frequent site of malignant neoplasms in females (53 deaths) was the Lymphatic and Hematopoietic Tissues (excluding Leukemia) accounting for five per cent of female deaths from malignant neoplasms.

CEREBROVASCULAR DISEASES, with 723 resident deaths and a rate of 76.3 per 100,000 estimated population, was the third leading cause of death. Ten per cent of the females and six per cent of the males died from this cause in 1980 (Table 31 and and Figure 6). The female rate (90.5) was 49 per cent above the male rate of 60.7. The provisional National rate for 1980, 76.6,was very close to the state rate.

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 80.8 years, eight per cent higher than that for all deaths in 1980 (Table C). Only one per cent of these decedents were under 45 years of age and six per cent were younger than 60 years old; whereas eight per cent of decedents from all causes were younger than 45 years; and 19 per cent were younger than 60 years.

ACCIDENTS ranked fourth among the leading causes in 1980, accounting for 328 deaths and a rate of 34.6 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the National rate. The 1980 state rate was 28 per cent lower than the provisional U.S. rate of 47.9.

Table D - Resident Accidental Deaths by Type by Sex: Rhode Island, 1980

| Type of Accident | Total | Males | Females |
|---|---|---|---|
| All Accidents*(E800-E949) | 328 | 216 | 112 |
| Railway Accidents(E800-E807) | 1 | 1 | 0 |
| Motor Vehicles(E810-E825) | 140 | 102 | 38 |
| Water Transport(E830-E838) | 5 | 5 | 0 |
| Air/Space Transport(E840-E845) | 1 | 1 | 0 |
| Poisoning(E850-E869) | 23 | 17 | 6 |
| Falls(E880-E888) | 77 | 37 | 40 |
| Fires and Flames(E890-E899) | 25 | 11 | 14 |
| Drowning(E910) | 16 | 14 | 2 |
| Food/Object Inhalation(E911-E912 | 9 | 5 | 4 |
| Electrocution(E925) | 6 | 5 | 1 |
| All Other (Residual) | 25 | 18 | 7 |

*For complete titles, see Table 30

FIGURE 8 - LEADING CAUSES OF DEATH BY SPECIFIED AGE GROUP: RHODE ISLAND RESIDENTS, 1980




UNDER FIVE YEARS




5 - 19 YEARS

FIGURE 9 - LEADING CAUSES OF DEATH BY SELECTED AGE GROUP: RHODE ISLAND RESIDENTS, 1980






20 - 44 YEARS




45 - 64 YEARS

FIGURE 10 - LEADING CAUSES OF DEATH
FOR AGE GROUP, 65 YEARS AND OVER,
RHODE ISLAND RESIDENTS, 1980




FIGURE 11 - LEADING CAUSES OF DEATH
FROM ACCIDENTS, BY TYPE OF ACCIDENT,
RHODE ISLAND RESIDENTS, 1980



Accidental deaths occurred predominantly among young males. Males accounted for 66 per cent of all accidental deaths and 56 per cent of the decedents were under 45 years of age. Thirty-eight per cent of all accidental deaths occurred to males younger than 35 years. Table 31 shows that the accidental death rate for males, (47.9 per 100,000 estimated population) was more than double that for females, 22.6.

Except for persons 45 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading cause in the age groups 5-19 years and 20-44 years. The median age at death was 37.0 years (31.0 years for males and 66.3 for females) (Table C). This information is shown in Figures 8, 9 and 10. Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 and by location of accident in Table 28.

MOTOR VEHICLE ACCIDENTS were responsible for the deaths of 140 Rhode Island residents, which was 43 per cent of the accident total in 1980, with a resulting rate of 14.8 per 100,000 estimated population. Table E gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1971-1980. There has been fluctuation from year to year during this period; the 1970-75 average (14.6) is three per cent lower than the 1976-1980 average, (15.1).

Table E - Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1971-1980
(Rates per 100,000 Population)

| Year | Number | Rate | Year | Number | Rate |
|---|---|---|---|---|---|
| 1971 | 142 | 14.8 | 1976 | 142 | 15.3 |
| 1972 | 147 | 15.2 | 1977 | 158 | 16.9 |
| 1973 | 151 | 15.6 | 1978 | 124 | 13.3 |
| 1974 | 130 | 13.8 | 1979 | 140 | 15.1 |
| 1975 | 125 | 13.5 | 1980 | 140 | 14.8 |

Rhode Island's death rate from motor vehicle accidents has remained below the National rate for many years. The state's 1980 death rate was 39 per cent lower than the provisional National rate of 24.4.

Males accounted for 73 per cent of the 1980 deaths from motor vehicle accidents. The 102 male deaths in this category also represented 47 per cent of all accidental deaths to males. The median age at death was 26.2 for all motor vehicle accidents (24.8 for males and 31.3 for females).

Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Highway collisions accounted for 118 (84 per cent) of all motor vehicle deaths during 1980.

NON-MOTOR VEHICLE ACCIDENTS accounted for 188 of the 328 accidental deaths (57 per cent) to Rhode Island residents in 1980. Forty-one per cent of these deaths resulted from falls. The remaining non-motor vehicle accidents were distributed as follows: fires and flames, 13 per cent; poisoning, 12 per cent; drowning, nine per cent; inhalation of food or other object, 5 per cent; water transport accidents and electrocution, each 3 per cent; and railway accidents and air and space transport accidents, each less than one per cent (Table 30 and Figure 11).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Half of these accidents (51 per cent) occurred at home; fourteen per cent occurred in resident institutions; and five per cent at places of recreation. Eight accidents (4%) occurred in places of industry. In addition to the ten recreational

accidents, 3% occurred at lakes, rivers or streams.

CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS was the fifth leading cause of death in 1980. There were 279 deaths to Rhode Island residents from this cause of death in 1980, accounting for a rate of 29.5 per 100,000 estimated population. The provisional National rate was 25.1, 15 per cent lower than the state rate.

Males accounted for 68 per cent of the deaths from Chronic Obstructive Pulmonary Diseases. It was the fifth leading cause of death for both male and for all decedents 45-64, and the fourth for all decedents aged 65 years and over (Tables 31 and 32). The median age, 73.4 (73.9 for males and 72.4 for females), was slightly lower than the median age for all causes (74.5).

PNEUMONIA AND INFLUENZA accounted for 206 deaths and ranked as the sixth leading cause in 1980, yielding a rate of 21.7 per 100,000 estimated population. Of the 206 deaths in this category, 193 were classified to Pneumonia and thirteen to Influenza. The state rate was eight per cent lower than the provisional National rate of 23.7 for 1980.

Pneumonia and influenza constituted the eighth leading cause of death for males and the fourth leading cause for females (Table 31). The female rate of 23.0 was 13 per cent higher than the rate for males (20.4). These deaths occurred predominantly among older persons: the median age of the 206 decedents was 85.0 years and only 19 (9 per cent) were less than 65 years of age. (Tables C and 25)

Caution should be exercised in interpreting statistics on pneumonia mortality. In this report, as well as in National publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death; i.e., as the disease initiating the chain of events leading to death. In cases where pneumonia is not the underlying cause of death, but rather a terminal event, secondary to another disease or condition certified as the underlying cause, the death is classified to the other disease or condition. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

DIABETES MELLITUS, with 199 deaths and a rate of 21.0 per 100,000 estimated population, was the seventh leading cause of death in 1980. The Rhode Island death rate from diabetes has been among the highest in the nation, and the state's 1980 rate was 36 per cent higher than the provisional National rate of 15.4. It was the sixth leading cause for females and the seventh for males (Table 31). The median ages for females (75.0 years) and for males (70.4 years) were close to the median age for all female and male deaths (78.4 and 70.9 years, respectively). The median age for all diabetes deaths was 72.6 years.

CHRONIC LIVER DISEASE AND CIRRHOSIS was the eighth leading cause in 1980, with 148 deaths and a rate of 15.6 per 100,000 estimated population. It ranked as the sixth leading cause for males and the ninth for females. The male rate of 23.7 was almost triple the female rate of 8.3 (Table 31). The provisional National rate of 14.1 for 1980 was ten per cent lower than the state rate.

Chronic liver disease and cirrhosis is primarily a disease of the middle years. During 1980, decedents 45-64 years of age accounted for 57 per cent of all deaths from this disease. In contrast, only 20 per cent of deaths from all causes in 1980 were in this age category. Chronic liver disease and cirrhosis was the third leading cause of death in this age group with a rate of 41.9 per 100,000 estimated population aged 45-64 (Table 32 and Figure 9). The median age at death was 60.5

years, substantially lower than for all deaths (74.5 years)

SUICIDE was the tenth leading cause of death in 1980, with 108 deaths and a rate of 11.4 per 100,000 estimated population. Suicide was ranked as one of the ten leading causes in Rhode Island for the first time in 1974. It reached its highest ranking in 1977, when it was the seventh leading cause of death. The state rate for 1980 was ten per cent lower than the provisional National rate of 12.7. There were almost three times the number of suicides for males than for females; and suicide ranked ninth among male deaths, while it was only the 13th leading cause for females. It was the fourth leading cause of death for decedents aged 5-19 years and ranked third for those 20-44 years old. Although the median age at death for all suicides was 40.7 years, the median age for females (52.5 was 55 per cent higher than the median age for males (33.9).

OTHER LEADING CAUSES, ranking 11th through 20th, accounted for 441 deaths, less than five per cent of all deaths to Rhode Island residents im 1980. The number of deaths in each category was relatively small, ranging from 81 for Nephritis, Nephrotic Syndrome, and Nephrosis to 7 for Infections of Kidney (Table 7). For this reason, comparisons of the crude death rates for these diseases and conditions should be made with caution. Table F below lists these causes with the state rate and the provisional National rate per 100,000 estimated population for 1980.

Table F - Rhode Island Resident Deaths and Death Rates for other Leading Causes in 1980 with Provisional U.S. Rates (Rates per 100,000 Estimated Population)

| 1980 Rank | Cause of Death(ICD) 1975 | Rhode Island Number | Rhode Island Rate | U.S. Rate (Provisional) |
|---|---|---|---|---|
| 11. | Nephritis, Nephrotic Syndrome and Nephrosis(580-589) | 81 | 8.6 | 7.8 |
| 12. | Certain Conditions Originating in the Perinatal Period(760-779) | 69 | 7.3 | 10.1 |
| 13. | Congenital Anomalies(740-759) | 58 | 6.1 | 6.2 |
| 14. | Homicide and Legal Intervention(E960-E978) | 55 | 5.8 | 11.3 |
| 15. | Ulcer of Stomach and Duodenum(531-533) | 38 | 4.0 | 2.6 |
| 16. | Septicemia(038) | 37 | 3.9 | 4.1 |
| 17. | Hernia of Abdominal Cavity and Intestinal Obstruction without Mention of Hernia(550-553, 560) | 33 | 3.5 | 2.4 |
| 18. | Hypertension with or without Renal Disease(401, 403) | 32 | 3.4 | 3.2 |
| 19. | Benign Neoplasms, Carcinoma in Situ and Neoplasms of Uncertain Behavior and of Unspecified Nature(210-239) | 31 | 3.3 | 2.6 |
| 20. | Infections of Kidneys(590) | 13 | 1.4 | 1.2 |

Caution should be observed in comparing the state's crude rates with the provisional U.S. rates because of the differing age and sex compositions of the two populations. As mentioned earlier, the state's proportion of persons 65 years of age and over was 18 per cent higher than the National average. Standardized rates cannot be computed because National figures by age for individual causes of death are not yet available.

## MARRIAGE AND DIVORCE

The marriage and divorce statistics relate only to those events which occurred within the state. We have included no data for Rhode Island residents who were married or divorced in other states, because exchange of certificates among the

states is not complete. There were 7,490 marriages and 3,593 divorces filed in Rhode Island in 1980, yielding rates of 7.9 and 3.8, respectively, per 1,000 estimated population. The divorce rate has no relationship to the 1980 marriage rate because most of the 1980 divorces terminated marriages that lasted a number of years (only eight of the 1980 divorces were granted to persons who were married less than a year, and 310 divorces were of persons who had been married 25 years or more).

## MARRIAGE

The 1980 rate of 7.9 marriages per 1,000 estimated population was equal to the 1979 rate. Comparison of the state's average rates for five-year periods shows no variation. In both 1966 to 1970 and 1976 to 1980, the five-year average marriage rate has been 7.7 per 1,000 estimated population (Table A). The Rhode Island rate has been consistently below the National rate in each of the past 30 years; the last ten years are shown in Figure 12. The state rate was 28 per cent below the provisional United States rate of 10.9 in 1980.

June, traditionally, is the most popular month for marriage. The tradition continued in Rhode Island in 1980. There were 1,016 marriages recorded in June, averaging 33.9 marriages per day. The second highest average occurred in August (31.4). Five months, May through October, excluding July (18.7), had averages above the year's daily rate of 20.5. The lowest average occurred in January, when only 284 marriages were performed, for a daily average of 9.2. The months of January through March each averaged fewer than 14 marriages per day.

The number of brides and grooms married in Rhode Island in 1980 is shown according to their usual residence in Table 33. Because a marriage usually takes place in the bride's home town or the church she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1980, 14 per cent of the grooms were non-residents, whereas only eight per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. Two of the four municipalities, where the Family Courts meet (Newport and Providence) show rates above the state average. Another factor to consider is that frequently a church is located so that part of its congregation resides in an adjacent city or town.

Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (50.0) was recorded in New Shoreham. Four other municipalities had rates one-third or more higher than the state rate (10.5 or more): Newport, 16,4; Scituate,12.0; Foster, 11.0; and Jamestown, 10.6. Six towns had rates one third or more lower than the state rate (5.3 or less): Richmond, 2.5; Middletown, 3.8; Exeter, 4.0; Glocester, 4.4; and North Providence and West Greenwich, 4.7 each.

Table 36 shows the number of times previously married for each party. Sixty-four per cent of marriages involved those in which both parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added 18 per cent. Twelve per cent had both parties marrying for the second time; and in five per cent of the cases, either party was marrying for the third time or more.

A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 18 per cent of the total; marriages between two divorced individuals accounted for twelve per

FIGURE 12 - MARRIAGE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES, OCCURRENCE DATA, 1971 - 1980




FIGURE 13 - DIVORCE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES OCCURRENCE DATA 1971 - 1980



cent; between two widowed parties, two per cent; and where only one of the parties was widowed, three per cent.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Sixteen per cent of all brides who were marrying for the first time in 1980 were under 20 years of age, compared with 17 per cent in 1979. Six per cent of the grooms, compared with 7 per cent in 1979, were under age 20. Only 6 brides and 2 grooms under 20 years of age had been married previously. Forty-three per cent of all brides and 37 per cent of all grooms were in the age group 20-24 years. The percentage of teenage brides and grooms has decreased over the last several years.

The median age at first marriage was 22.7 years for brides and 24.2 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was "divorced", it was 31.8 years; for previously divorced grooms, it was 34.6 years. The median age at remarriage for the widowed was 54.4 years for brides and 61.1 years for grooms. The median age in Rhode Island for all marriages was 24.0 years for brides and 26.3 for grooms.

Educational achievement is shown in Table 38. Twenty per cent of the brides and 24 per cent of the grooms were college graduates (the 1979 figures were 19 and 24 per cent, respectively). Four per cent of all brides and six per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (95 per cent) of the 1980 marital partners was white, 94 per cent of marriages were between two white persons, and four per cent were between two non-white persons. Marriages between white brides and non-white grooms were 1.4 per cent of the total; between non-white brides and white grooms, slightly more than one-half of one per cent.

## D I V O R C E

Reports of 3,593 final divorces were received by the Division of Vital Statistics in 1980 from the state's Family Courts. The rate of 3.8 per 1,000 estimated population was three per cent lower than the 1979 rate which was the highest rate ever recorded in Rhode Island. The 1976-1980 average rate of 3.7 was 185 per cent higher than the 1966-1970 rate of 1.3 (Table A).

The 1980 provisional National rate of 5.3 was 39 per cent above the state rate. The provisional National rates for the three previous years were 5.3, 5.2, and 5.0. Rhode Island's rate has been consistently below the National rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years; however, the number of married females aged 15 and over has not yet been published for the 1980 census. The Rhode Island rate for 1970 was 8.1 divorces per 1,000 married females aged 15 and over. The rates for the previous ten-year intervals, 1960, 1950, 1940, and 1930, were: 5.0; 4.7; 4.2; and 5.0, respectively.

The highest daily average for divorces (11.7 per day) occurred in January and February, when 361 and 340 decrees were finalized. The lowest daily average (6.9 per day) occurred in November when 208 decrees became final. The daily average

for the year was 9.8.

Rhode Island law does not provide for annulment, but there were thirteen divorces on the grounds of "void marriage" in 1980. The most frequent grounds for obtaining a final decree was "irreconcilable differences", accounting for 87 per cent of all divorces. Ten per cent were granted on grounds of "living separate and apart three years", and two per cent on grounds of "extreme cruelty". The remaining divorces were distributed among the following grounds: "wilful desertion", "continued drunkenness", "neglect and refusal to provide", and "other gross misbehavior".

The 1980 data on duration of marriage show that 43 per cent of the marriages had endured ten years or more; 32 per cent, five to nine years; and 25 per cent, one to four years. Only eight final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are cross-tabulated for all 1980 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men was 33.6 years and for all women, 31.4. The median age at time of divorce after a first marriage was 32.2 for husbands and 29.9 for wives. The median age of persons for whom the 1980 divorce terminated a remarriage was 40.0 for men and 36.7 for women. Among those terminating a remarriage, 24 per cent of the husbands and 15 per cent of the wives were 50 years of age or older.

Seventy-nine per cent of both husbands and wives were terminating a first marriage; 17 per cent of each were terminating a remarriage. Previous marital status was not stated on four per cent of the records for both parties.

At least 3,895 children under 18 years of age were affected by a 1980 divorce decree. There were 382 records with the information regarding children not stated (11 per cent) (See Table 43). Thirty per cent of the divorces in 1980 involved no children; 26 per cent involved one child; 22 per cent involved two children; eight per cent, three children; and three per cent, four or more children.

Education is one of the most poorly reported items on the divorce record. Education was not stated for 9 per cent of both husbands and wives divorced in 1980. In those cases where the item was reported, 17 per cent of the husbands and 12 per cent of the wives were college graduates; nine per cent of the husbands and five per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1980 was white. Ninety-one per cent of both husbands and wives were stated to be white; four per cent of both husbands and wives were stated to be non-white; and the rate item was not specified for four per cent of each.

Table 1 - Rhode Island Population According to the 1970 and 1980 Census.

(a) By age with per cent change.

| | All Ages | Under 5 Yrs. | 5-9 Yrs. | 10-14 Yrs. | 15-19 Yrs. | 20-24 Yrs. | 25-29 Yrs. | 30-34 Yrs. | 35-39 Yrs. | 40-44 Yrs. | 45-49 Yrs. | 50-54 Yrs. | 55-59 Yrs. | 60-64 Yrs. | 65 Yrs. and Over | Median Age |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1980 | 947,154 | 56,692 | 61,465 | 74,170 | 89,773 | 90,231 | 76,215 | 69,820 | 54,393 | 44,470 | 44,708 | 53,096 | 55,748 | 49,451 | 126,922 | 31.8 |
| 1970 | 949,723 | 76,035 | 85,874 | 88,289 | 85,680 | 87,963 | 59,319 | 47,276 | 47,465 | 56,237 | 59,557 | 55,598 | 50,268 | 43,232 | 103,932 | 29.2 |
| Per Cent Change | - 0.3 | -25.4 | -28.4 | -16.0 | + 4.8 | + 2.6 | +28,5 | +47.7 | +14.6 | -20.9 | -24.9 | - 4.5 | +10.9 | +14.4 | +22.1 | + 8.9 |

(b) By Sex, Race, and Spanish Origin

| | SEX | | | RACE | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total | Male | Female | White | Black | American Indian# | Asian and Pacific Islands | Other | Spanish Origin |
| 1980 | 947,154 | 451.251 | 495,903 | 896,692 | 27,584 | 2,898 | 5, | 14,677 | 19,707 |
| 1970 | 949,723 | 464,291 | 482,434 | 914,757 | 25,338 | | ----- 6,630 ----- | | |
| Per Cent Change | - 0.3 | - 2.8 | + 2.8 | - 2.0 | + 8.9 | | ----- +245.1------ | | |

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970 and 1980 with Population Density in 1980

| City or Town by County | 1970 | 1980 | Persons per Square Mile in 1980 |
|---|---|---|---|
| STATE TOTAL | 949,723 | 947,154 | 903 |
| BRISTOL COUNTY | 45,937 | 46,942 | 1,885 |
| Barrington | 17,554 | 16,174 | 1,817 |
| Bristol | 17,860 | 20,128 | 1,973 |
| Warren | 10,523 | 10,640 | 1,834 |
| KENT COUNTY | 142,382 | 154,163 | 894 |
| Coventry | 22,947 | 27,065 | 435 |
| East Greenwich | 9,577 | 10,211 | 615 |
| Warwick | 83,694 | 87,123 | 2,496 |
| West Greenwich | 1,841 | 2,738 | 54 |
| West Warwick | 24,323 | 27,026 | 3,256 |
| NEWPORT COUNTY | 94,228 | 81,383 | 776 |
| Jamestown | 2,911 | 4,040 | 416 |
| Little Compton | 2,385 | 3,085 | 143 |
| Middletown | 29,290 | 17,216 | 1,335 |
| Newport | 34,562 | 29,259 | 3,800 |
| Portsmouth | 12,521 | 14,257 | 612 |
| Tiverton | 12,559 | 13,526 | 455 |
| PROVIDENCE COUNTY | 581,470 | 571,349 | 1,375 |
| Burrillville | 10,087 | 13,164 | 236 |
| Central Falls | 18,716 | 16,995 | 14,162 |
| Cranston | 74,287 | 71,992 | 2,517 |
| Cumberland | 26,605 | 27,069 | 999 |
| East Providence | 48,207 | 50,980 | 3,833 |
| Foster | 2,626 | 3,370 | 66 |
| Glocester | 5,160 | 7,550 | 137 |
| Johnston | 22,037 | 24,907 | 1,051 |
| Lincoln | 16,182 | 16,949 | 911 |
| North Providence | 24,337 | 29,188 | 5,121 |
| North Smithfield | 9,349 | 9,972 | 407 |
| Pawtucket | 76,984 | 71,204 | 8,091 |
| Providence | 179,116 | 156,804 | 8,663 |
| Scituate | 7,489 | 8,405 | 172 |
| Smithfield | 13,468 | 16,886 | 632 |
| Woonsocket | 46,820 | 45,914 | 5,812 |
| WASHINGTON COUNTY | 85,706 | 93,317 | 282 |
| Charlestown | 2,863 | 4,800 | 132 |
| Exeter | 3,245 | 4,453 | 77 |
| Hopkinton | 5,392 | 6,406 | 149 |
| Narragansett | 7,138 | 12,088 | 870 |
| New Shoreham | 489 | 620 | 62 |
| North Kingstown | 29,793 | 21,938 | 504 |
| Richmond | 2,625 | 4,018 | 99 |
| South Kingstown | 16,913 | 20,414 | 359 |
| Westerly | 17,248 | 18,580 | 626 |

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1980
(Rates per 1,000 Population)

| City or Town | LIVE BIRTHS Number Occurrences | LIVE BIRTHS Number Residents | LIVE BIRTHS Resident Rate | DEATHS Number Occurrences | DEATHS Number Residents | DEATHS Resident Rate | MARRIAGES Occurrences Number | MARRIAGES Occurrences Rate |
|---|---|---|---|---|---|---|---|---|
| STATE TOTAL | 12,574 | 12,166 | 12.8 | 9,559 | 9,300 | 9.8 | 7,490 | 7.9 |
| Barrington | 1 | 161 | 10.0 | 16 | 94 | 5.8 | 123 | 7.6 |
| Bristol | 0 | 240 | 11.9 | 109 | 170 | 8.4 | 189 | 9.4 |
| Burrillville | 0 | 195 | 14.8 | 134 | 112 | 8.5 | 118 | 9.0 |
| Central Falls | 0 | 323 | 19.0 | 126 | 196 | 11.5 | 109 | 6.4 |
| Charlestown | 2 | 91 | 19.0(a) | 11 | 43 | 9.0(a) | 42 | 8.8(a) |
| Coventry | 0 | 374 | 13.8 | 53 | 188 | 6.9 | 146 | 5.4 |
| Cranston | 2 | 699 | 9.7 | 543 | 755 | 10.5 | 436 | 6.1 |
| Cumberland | 2 | 252 | 9.3 | 107 | 232 | 8.6 | 247 | 9.1 |
| East Greenwich | 1 | 98 | 9.6 | 9 | 85 | 8.3 | 103 | 10.1 |
| East Providence | 3 | 603 | 11.8 | 217 | 530 | 10.4 | 352 | 6.9 |
| Exeter | 0 | 82 | 18.4(a) | 9 | 30 | 6.7(a) | 18 | 4.0(a) |
| Foster | 0 | 44 | 13.1(a) | 3 | 29 | 3.6(a) | 37 | 11.0(a) |
| Glocester | 1 | 120 | 15.9 | 8 | 52 | 6.9 | 33 | 4.4 |
| Hopkinton | 2 | 99 | 15.5 | 13 | 47 | 7.3 | 60 | 9.4 |
| Jamestown | 1 | 63 | 15.6(a) | 7 | 42 | 10.4(a) | 43 | 10.6(a) |
| Johnston | 1 | 257 | 10.3 | 127 | 193 | 7.7 | 134 | 5.4 |
| Lincoln | 0 | 160 | 9.4 | 44 | 177 | 10.4 | 116 | 6.8 |
| Little Compton | 0 | 41 | 13.3(a) | 6 | 27 | 8.8(a) | 28 | 9.1(a) |
| Middletown | 4 | 259 | 15.0 | 79 | 90 | 5.2 | 65 | 3.8 |
| Narragansett | 3 | 144 | 11.9 | 19 | 85 | 7.0 | 102 | 8.4 |
| Newport | 902 | 418 | 14.3 | 392 | 326 | 11.1 | 479 | 16.4 |
| New Shoreham | 0 | 17 | 27.4(a) | 4 | 8 | 12.9(a) | 31 | 50.0(a) |
| North Kingstown | 4 | 333 | 15.2 | 100 | 179 | 8.2 | 152 | 6.9 |
| North Providence | 1 | 262 | 9.0 | 419 | 294 | 10.1 | 138 | 4.7 |
| North Smithfield | 1 | 103 | 10.3 | 219 | 81 | 8.1 | 57 | 5.7 |
| Pawtucket | 915 | 913 | 12.8 | 809 | 825 | 11.6 | 517 | 7.3 |
| Portsmouth | 1 | 197 | 13.8 | 20 | 103 | 7.2 | 93 | 6.5 |
| Providence | 6,863 | 2,337 | 14.9 | 3,617 | 1,861 | 11.9 | 1,452 | 9.3 |
| Richmond | 1 | 63 | 15.7(a) | 13 | 26 | 6.5(a) | 10 | 2.5(a) |
| Scituate | 1 | 92 | 10.9 | 13 | 80 | 9.5 | 101 | 12.0 |
| Smithfield | 0 | 172 | 10.2 | 97 | 117 | 6.9 | 127 | 7.5 |
| South Kingstown | 549 | 267 | 13.1 | 274 | 136 | 6.7 | 179 | 8.8 |
| Tiverton | 3 | 153 | 11.3 | 31 | 117 | 8.7 | 137 | 10.1 |
| Warren | 0 | 116 | 10.9 | 77 | 102 | 9.6 | 83 | 7.8 |
| Warwick | 1,851 | 968 | 11.1 | 890 | 846 | 9.7 | 680 | 7.8 |
| Westerly | 692 | 288 | 15.5 | 289 | 193 | 10.4 | 179 | 9.6 |
| West Greenwich | 0 | 48 | 17.5(a) | 6 | 18 | 6.6(a) | 13 | 4.7(a) |
| West Warwick | 3 | 455 | 16.8 | 56 | 231 | 8.5 | 204 | 7.5 |
| Woonsocket | 764 | 659 | 14.4 | 593 | 580 | 12.6 | 357 | 7.8 |

(a) Rate based on less than 5,000 population and may be statistically unreliable.

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1951-1980

| Year | Population Estimates (Except Census Years) | Resident Live Births | | Resident Total Deaths | | Rhode Island Occurrences Marriages | | Divorces | |
|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| 1951 | 777,000 | 16,980 | 21.9 | 8,156 | 10.5 | 7,040 | 9.1 | 1,035 | 1.3 |
| 1952 | 797,000 | 17,098 | 21.5 | 8,240 | 10.3 | 6,592 | 8.3 | 1,026 | 1.3 |
| 1953 | 814,000 | 17,472 | 21.5 | 8,286 | 10.2 | 6,422 | 7.9 | 797 | 1.0 |
| 1954 | 817,000 | 18,046 | 22.1 | 8,191 | 10.0 | 6,110 | 7.5 | 823 | 1.0 |
| 1955 | 825,000 | 17,895 | 21.7 | 8,697 | 10.5 | 6,357 | 7.7 | 827 | 1.0 |
| 1956 | 843,000 | 18,174 | 21.6 | 8,415 | 10.0 | 6,325 | 7.5 | 913 | 1.1 |
| 1957 | 854,000 | 18,846 | 22.1 | 8,512 | 10.0 | 5,884 | 6.9 | 933 | 1.1 |
| 1958 | 860,000 | 18,295 | 21.3 | 8,737 | 10.2 | 5,659 | 6.6 | 946 | 1.1 |
| 1959 | 854,000 | 18,667 | 21.9 | 8,767 | 10.3 | 5,770 | 6.8 | 1,049 | 1.2 |
| 1960 | 859,488 | 18,386 | 21.4 | 8,984 | 10.5 | 5,817 | 6.8 | 1,055 | 1.2 |
| 1961 | 869,000 | 18,326 | 21.1 | 8,814 | 10.1 | 5,640 | 6.5 | 1,040 | 1.2 |
| 1962 | 877,600 | 18,320 | 20.9 | 9,127 | 10.4 | 5,575 | 6.4 | 921 | 1.0 |
| 1963 | 885,600 | 18,121 | 20.5 | 9,520 | 10.7 | 5,967 | 6.7 | 1,055 | 1.2 |
| 1964 | 893,500 | 18,010 | 20.2 | 9,319 | 10.4 | 6,103 | 6.8 | 1,100 | 1.2 |
| 1965 | 892,709 | 17,270 | 19.3 | 9,614 | 10.8 | 6,321 | 7.1 | 1,193 | 1.3 |
| 1966 | 898,000 | 16,314 | 18.2 | 9,454 | 10.5 | 6,122 | 6.8 | 1,273 | 1.4 |
| 1967 | 900,000 | 15,803 | 17.6 | 9,370 | 10.4 | 6,536 | 7.3 | 871 | 1.0 |
| 1968 | 914,000 | 15,211 | 16.6 | 9,717 | 10.6 | 7,311 | 8.0 | 971 | 1.1 |
| 1969 | 938,000 | 15,463 | 16.5 | 9,288 | 9.9 | 7,548 | 8.0 | 1,267 | 1.4 |
| 1970 | 949,723 | 15,821 | 16.7 | 9,497 | 10.0 | 7,531 | 7.9 | 1,687 | 1.8 |
| 1971 | 960,000 | 14,903 | 15.5 | 9,377 | 9.8 | 7,589 | 7.9 | 1,803 | 1.9 |
| 1972 | 968,000 | 13,288 | 13.7 | 9,519 | 9.8 | 7,858 | 8.1 | 2,018 | 2.1 |
| 1973 | 967,000 | 12,275 | 12.7 | 9,476 | 9.8 | 7,715 | 8.0 | 2,409 | 2.5 |
| 1974 | 940,300 | 11,337 | 12.1 | 9,089 | 9.7 | 7,255 | 7.7 | 2,522 | 2.7 |
| 1975 | 927,000 | 10,724 | 11.6 | 8,866 | 9.6 | 6,695 | 7.2 | 2,658 | 2.9 |
| 1976 | 927,000 | 10,786 | 11.6 | 9,168 | 9.9 | 6,905 | 7.4 | 3,276 | 3.5 |
| 1977 | 935,000 | 11,617 | 12.4 | 9,034 | 9.7 | 7,114 | 7.6 | 3,420 | 3.7 |
| 1978 | 935,000 | 11,515 | 12.3 | 8,847 | 9.5 | 7,277 | 7.8 | 3,475 | 3.7 |
| 1979 | 929,300 | 11,860 | 12.8 | 9,060 | 9.7 | 7,366 | 7.9 | 3,603 | 3.9 |
| 1980 | 947,154 | 12,166 | 12.8 | 9,300 | 9.8 | 7,490 | 7.9 | 3,593 | 3.8 |

1951-1956 Data from Vital Statistics of the United States, U.S. Government Publications.

Table 5 - Number of Infant, Neonatal and Perinatal Deaths with Rates
Rhode Island Residents, 1951 - 1980

| | INFANT DEATHS (Under One Year) | | NEONATAL DEATHS (Under 28 Days) | | PERINATAL DEATHS | | | | | | MATERNAL DEATHS | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Early Infants (Under 7 Days) | | Late Fetal Deaths (28 Weeks & Over) | | Total Perinatal | | | |
| Year | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate* | Number | Rate** | Number | Rate# |
| 1951 | 429 | 25.3 | 342 | 20.1 | 312 | 18.4 | 228 | 13.4 | 540 | 31.4 | 7 | 4.1 |
| 1952 | 390 | 22.8 | 305 | 17.8 | 272 | 15.9 | 196 | 11.5 | 468 | 27.1 | 8 | 4.7 |
| 1953 | 434 | 24.8 | 334 | 19.1 | 304 | 17.4 | 184 | 10.5 | 488 | 27.6 | 6 | 3.4 |
| 1954 | 416 | 23.1 | 332 | 18.4 | 295 | 16.3 | 199 | 11.0 | 494 | 27.1 | 11 | 6.1 |
| 1955 | 419 | 23.4 | 321 | 17.9 | 295 | 16.5 | 222 | 12.4 | 517 | 28.5 | 2 | 1.1 |
| 1956 | 439 | 24.2 | 332 | 18.3 | 304 | 16.7 | 223 | 12.3 | 527 | 28.6 | 3 | 1.7 |
| 1957 | 450 | 23.9 | 345 | 18.3 | 311 | 16.5 | 228 | 12.1 | 539 | 28.3 | 5 | 2.7 |
| 1958 | 388 | 21.2 | 287 | 15.7 | 257 | 14.0 | 208 | 11.4 | 465 | 25.1 | 5 | 2.7 |
| 1959 | 444 | 23.8 | 336 | 18.0 | 301 | 16.1 | 191 | 10.2 | 492 | 26.1 | 3 | 1.6 |
| 1960 | 423 | 23.0 | 300 | 16.3 | 280 | 15.2 | 195 | 10.6 | 475 | 25.6 | 6 | 3.3 |
| 1961 | 412 | 22.5 | 310 | 16.9 | 286 | 15.6 | 198 | 10.8 | 484 | 26.1 | 2 | 1.1 |
| 1962 | 468 | 25.5 | 350 | 19.1 | 311 | 17.0 | 202 | 11.0 | 513 | 27.7 | 1 | 0.5 |
| 1963 | 438 | 24.2 | 342 | 18.9 | 315 | 17.4 | 208 | 11.5 | 523 | 28.5 | 5 | 2.8 |
| 1964 | 449 | 24.9 | 342 | 19.0 | 310 | 17.2 | 196 | 10.9 | 506 | 27.8 | 2 | 1.1 |
| 1965 | 385 | 22.3 | 299 | 17.3 | 274 | 15.9 | 188 | 10.9 | 462 | 26.5 | 2 | 1.2 |
| 1966 | 359 | 22.0 | 269 | 16.5 | 247 | 15.1 | 151 | 9.3 | 398 | 24.2 | 2 | 1.2 |
| 1967 | 306 | 19.4 | 244 | 15.4 | 219 | 13.9 | 155 | 9.8 | 374 | 23.4 | 2 | 1.3 |
| 1968 | 326 | 21.4 | 252 | 16.6 | 236 | 15.5 | 131 | 8.6 | 267 | 23.9 | - | - |
| 1969 | 304 | 19.7 | 235 | 15.2 | 214 | 13.8 | 151 | 9.8 | 365 | 23.4 | 4 | 2.6 |
| 1970 | 312 | 19.7 | 241 | 15.2 | 218 | 13.8 | 135 | 8.5 | 353 | 22.1 | 4 | 2.5 |
| 1971 | 289 | 19.4 | 231 | 15.5 | 210 | 14.1 | 113 | 7.6 | 323 | 21.5 | 2 | 1.3 |
| 1972 | 257 | 19.3 | 194 | 14.6 | 176 | 13.2 | 93 | 7.0 | 269 | 20.1 | - | - |
| 1973 | 206 | 16.8 | 164 | 13.4 | 154 | 12.5 | 72 | 5.9 | 226 | 18.3 | 1 | 0.8 |
| 1974 | 176 | 15.5 | 137 | 12.1 | 124 | 10.9 | 79 | 7.0 | 203 | 17.8 | 1 | 0.9 |
| 1975 | 156 | 14.5 | 108 | 10.1 | 93 | 8.7 | 81 | 7.6 | 174 | 16.1 | 1 | 0.9 |
| 1976 | 155 | 14.4 | 121 | 11.2 | 106 | 9.8 | 74 | 6.9 | 180 | 16.6 | 1 | 0.9 |
| 1977 | 139 | 12.0 | 94 | 8.1 | 77 | 6.6 | 70 | 6.0 | 147 | 12.6 | - | - |
| 1978 | 158 | 13.7 | 121 | 10.5 | 99 | 8.6 | 61 | 5.3 | 160 | 13.8 | 2 | 1.7 |
| 1979 | 167 | 14.1 | 119 | 10.0 | 101 | 8.5 | 74 | 6.2 | 175 | 14.7 | - | - |
| 1980 | 133 | 10.9 | 102 | 8.4 | 86 | 7.1 | 72 | 5.9 | 158 | 12.9 | 2 | 1.6 |

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births Combined with Late Fetal Deaths
\# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL
RHODE ISLAND, 1980

| CITY TOWN | TOTAL# | UNDER ONE # | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54# | 55-59 | 60-64 | 65-69# | 70-74# | 75-79# | 80-84 | 85-99 | 100+ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND # | 9300 | 133 | 18 | 19 | 22 | 66 | 92 | 160 | 196 | 510 | 578 | 816 | 970 | 1186 | 1306 | 1287 | 1901 | 40 |
| BARRINGTON | 94 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 3 | 9 | 8 | 8 | 11 | 8 | 9 | 12 | 21 | 0 |
| BRISTOL | 170 | 2 | 0 | 0 | 1 | 5 | 2 | 0 | 2 | 10 | 16 | 12 | 21 | 18 | 23 | 17 | 40 | 1 |
| BURRILLVILLE | 112 | 2 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 8 | 3 | 11 | 9 | 15 | 15 | 21 | 22 | 0 |
| CENTRAL FALLS | 196 | 2 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 12 | 6 | 16 | 20 | 21 | 37 | 29 | 47 | 0 |
| CHARLESTOWN | 43 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 1 | 4 | 6 | 5 | 6 | 9 | 8 | 0 |
| COVENTRY | 188 | 3 | 1 | 1 | 1 | 3 | 3 | 2 | 4 | 14 | 15 | 17 | 25 | 21 | 33 | 22 | 23 | 0 |
| CRANSTON | 755 | 4 | 1 | 2 | 0 | 5 | 4 | 9 | 19 | 32 | 48 | 72 | 82 | 94 | 116 | 105 | 155 | 7 |
| CUMBERLAND | 232 | 4 | 1 | 0 | 1 | 3 | 2 | 4 | 6 | 13 | 15 | 24 | 24 | 30 | 31 | 35 | 38 | 1 |
| EAST GREENWICH | 85 | 1 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 8 | 6 | 8 | 7 | 10 | 13 | 12 | 13 | 0 |
| EAST PROVIDENCE | 530 | 7 | 0 | 2 | 2 | 5 | 1 | 7 | 8 | 22 | 33 | 51 | 48 | 70 | 88 | 79 | 107 | 0 |
| EXETER # | 30 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 2 | 6 | 1 | 1 | 1 | 1 | 6 | 4 | 3 | 0 |
| FOSTER | 29 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 3 | 0 | 2 | 1 | 3 | 6 | 3 | 8 | 0 |
| GLOCESTER | 52 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 4 | 6 | 7 | 10 | 10 | 4 | 8 | 0 |
| HOPKINTON | 47 | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 6 | 1 | 1 | 3 | 7 | 8 | 5 | 8 | 0 |
| JAMESTOWN # | 42 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 6 | 7 | 8 | 9 | 5 | 3 | 0 |
| JOHNSTON # | 193 | 3 | 0 | 0 | 1 | 0 | 2 | 5 | 5 | 16 | 13 | 19 | 28 | 25 | 24 | 20 | 32 | 0 |
| LINCOLN | 177 | 4 | 0 | 0 | 1 | 2 | 2 | 0 | 6 | 7 | 15 | 15 | 15 | 23 | 19 | 30 | 38 | 0 |
| LITTLE COMPTON | 27 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 2 | 9 | 3 | 5 | 0 |
| MIDDLETOWN | 90 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 5 | 6 | 11 | 9 | 8 | 13 | 13 | 18 | 1 |
| NARRAGANSETT | 85 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 1 | 5 | 8 | 7 | 4 | 13 | 16 | 22 | 1 |
| NEWPORT | 326 | 4 | 0 | 0 | 0 | 0 | 2 | 7 | 7 | 14 | 22 | 32 | 37 | 38 | 41 | 34 | 86 | 2 |
| NEW SHOREHAM | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 0 |
| NORTH KINGSTOWN | 179 | 2 | 1 | 0 | 0 | 2 | 3 | 3 | 5 | 6 | 9 | 15 | 17 | 26 | 27 | 21 | 42 | 0 |
| NORTH PROVIDENCE | 294 | 1 | 0 | 0 | 1 | 0 | 2 | 5 | 8 | 11 | 25 | 24 | 37 | 44 | 44 | 35 | 56 | 1 |
| NORTH SMITHFIELD | 81 | 1 | 0 | 0 | 1 | 1 | 0 | 3 | 2 | 2 | 4 | 12 | 8 | 13 | 13 | 7 | 13 | 1 |
| PAWTUCKET | 825 | 7 | 1 | 1 | 2 | 4 | 6 | 19 | 14 | 42 | 50 | 80 | 83 | 105 | 106 | 131 | 170 | 4 |
| PORTSMOUTH | 103 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 9 | 7 | 6 | 9 | 19 | 12 | 10 | 25 | 0 |
| PROVIDENCE # | 1861 | 34 | 6 | 6 | 6 | 9 | 22 | 36 | 41 | 89 | 104 | 126 | 190 | 262 | 226 | 275 | 416 | 13 |
| RICHMOND | 26 | 2 | 1 | 2 | 0 | 0 | 1 | 2 | 1 | 1 | 0 | 1 | 2 | 1 | 6 | 2 | 4 | 0 |
| SCITUATE | 80 | 1 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 6 | 3 | 11 | 5 | 5 | 11 | 14 | 20 | 1 |
| SMITHFIELD | 117 | 3 | 0 | 0 | 0 | 2 | 4 | 2 | 2 | 11 | 8 | 15 | 7 | 14 | 11 | 14 | 24 | 0 |
| SOUTH KINGSTOWN | 136 | 3 | 0 | 0 | 0 | 1 | 2 | 4 | 5 | 7 | 9 | 13 | 13 | 14 | 17 | 16 | 31 | 1 |
| TIVERTON | 117 | 2 | 0 | 0 | 0 | 2 | 3 | 2 | 2 | 9 | 8 | 10 | 15 | 21 | 19 | 13 | 11 | 0 |
| WARREN | 102 | 2 | 1 | 2 | 1 | 1 | 0 | 0 | 1 | 5 | 6 | 8 | 12 | 15 | 13 | 18 | 17 | 0 |
| WARWICK # | 846 | 6 | 1 | 0 | 0 | 5 | 10 | 19 | 15 | 57 | 66 | 85 | 101 | 102 | 111 | 118 | 146 | 4 |
| WESTERLY # | 193 | 4 | 0 | 0 | 1 | 1 | 0 | 3 | 2 | 12 | 8 | 16 | 19 | 23 | 29 | 24 | 51 | 0 |
| WEST GREENWICH | 18 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 3 | 2 | 3 | 3 | 0 | 1 | 4 | 0 |
| WEST WARWICK | 231 | 7 | 1 | 1 | 1 | 1 | 3 | 5 | 4 | 20 | 15 | 28 | 18 | 20 | 35 | 29 | 43 | 0 |
| WOONSOCKET | 580 | 8 | 3 | 1 | 1 | 2 | 4 | 5 | 13 | 34 | 34 | 39 | 59 | 78 | 97 | 79 | 121 | 2 |

# INCLUDES ONE OR MORE DEATHS WITH RACE AND/OR SEX UNKNOWN.

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES RHODE ISLAND, 1980

| CITY TOWN | TOTAL | UNDER ONE | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85-99 | 100+ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 4699 | 59 | 9 | 11 | 16 | 49 | 70 | 108 | 112 | 315 | 360 | 519 | 582 | 652 | 652 | 544 | 634 | 7 |
| BARRINGTON | 47 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 6 | 5 | 3 | 10 | 4 | 3 | 6 | 5 | 0 |
| BRISTOL | 97 | 1 | 0 | 0 | 1 | 5 | 2 | 0 | 2 | 9 | 8 | 10 | 12 | 13 | 9 | 6 | 18 | 1 |
| BURRILLVILLE | 61 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 6 | 3 | 9 | 4 | 12 | 8 | 11 | 4 | 0 |
| CENTRAL FALLS | 109 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 9 | 6 | 10 | 12 | 14 | 16 | 14 | 23 | 0 |
| CHARLESTOWN | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 5 | 4 | 3 | 5 | 2 | 0 |
| COVENTRY | 94 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 3 | 9 | 9 | 10 | 15 | 11 | 14 | 6 | 7 | 0 |
| CRANSTON | 396 | 1 | 1 | 1 | 0 | 5 | 4 | 8 | 11 | 17 | 25 | 47 | 49 | 54 | 64 | 48 | 59 | 2 |
| CUMBERLAND | 122 | 3 | 1 | 0 | 1 | 3 | 2 | 4 | 4 | 8 | 8 | 18 | 13 | 13 | 20 | 18 | 6 | 0 |
| EAST GREENWICH | 43 | 1 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 2 | 6 | 4 | 6 | 5 | 4 | 6 | 3 | 0 |
| EAST PROVIDENCE | 267 | 4 | 0 | 1 | 2 | 4 | 0 | 4 | 6 | 16 | 29 | 28 | 28 | 38 | 42 | 28 | 37 | 0 |
| EXETER | 15 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 1 | 5 | 0 | 1 | 0 |
| FOSTER | 11 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 1 | 3 | 1 | 1 | 1 | 0 |
| GLOCESTER | 34 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 3 | 5 | 9 | 7 | 3 | 4 | 0 |
| HOPKINTON | 24 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 1 | 1 | 5 | 4 | 3 | 3 | 0 |
| JAMESTOWN | 24 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 5 | 4 | 5 | 4 | 2 | 2 | 0 |
| JOHNSTON | 108 | 1 | 0 | 0 | 1 | 0 | 1 | 5 | 4 | 8 | 10 | 16 | 18 | 9 | 10 | 10 | 15 | 0 |
| LINCOLN | 101 | 2 | 0 | 0 | 1 | 2 | 2 | 0 | 2 | 2 | 12 | 12 | 8 | 15 | 10 | 19 | 14 | 0 |
| LITTLE COMPTON | 13 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 1 | 3 | 0 |
| MIDDLETOWN | 48 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 5 | 2 | 5 | 7 | 4 | 5 | 9 | 8 | 0 |
| NARRAGANSETT | 41 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 0 | 3 | 6 | 4 | 4 | 6 | 7 | 6 | 0 |
| NEWPORT | 141 | 2 | 0 | 0 | 0 | 0 | 1 | 7 | 3 | 7 | 11 | 12 | 24 | 18 | 16 | 17 | 23 | 0 |
| NEW SHOREHAM | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH KINGSTOWN | 94 | 2 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 5 | 3 | 13 | 13 | 17 | 13 | 8 | 12 | 0 |
| NORTH PROVIDENCE | 159 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | 7 | 7 | 17 | 16 | 22 | 22 | 26 | 16 | 20 | 1 |
| NORTH SMITHFIELD | 39 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 1 | 2 | 4 | 9 | 6 | 3 | 5 | 3 | 2 | 0 |
| PAWTUCKET | 393 | 3 | 0 | 1 | 2 | 1 | 3 | 11 | 10 | 25 | 32 | 44 | 51 | 53 | 63 | 49 | 45 | 0 |
| PORTSMOUTH | 55 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 7 | 6 | 4 | 5 | 9 | 8 | 4 | 8 | 0 |
| PROVIDENCE | 866 | 14 | 2 | 2 | 2 | 5 | 16 | 20 | 14 | 57 | 65 | 76 | 106 | 133 | 113 | 110 | 120 | 3 |
| RICHMOND | 14 | 1 | 1 | 2 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 2 | 0 |
| SCITUATE | 41 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 3 | 3 | 5 | 3 | 4 | 6 | 6 | 8 | 0 |
| SMITHFIELD | 66 | 1 | 0 | 0 | 0 | 1 | 3 | 0 | 2 | 8 | 4 | 14 | 5 | 8 | 5 | 6 | 9 | 0 |
| SOUTH KINGSTOWN | 59 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 5 | 4 | 6 | 6 | 7 | 9 | 6 | 9 | 0 |
| TIVERTON | 69 | 1 | 0 | 0 | 0 | 1 | 3 | 2 | 1 | 5 | 4 | 9 | 6 | 14 | 14 | 4 | 5 | 0 |
| WARREN | 54 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 1 | 2 | 4 | 6 | 5 | 9 | 7 | 8 | 8 | 0 |
| WARWICK | 445 | 3 | 0 | 0 | 0 | 3 | 8 | 14 | 7 | 37 | 45 | 57 | 65 | 56 | 50 | 49 | 51 | 0 |
| WESTERLY | 102 | 3 | 0 | 0 | 1 | 1 | 0 | 3 | 1 | 8 | 6 | 11 | 10 | 12 | 15 | 12 | 19 | 0 |
| WEST GREENWICH | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 2 | 1 | 0 | 1 | 1 | 0 |
| WEST WARWICK | 120 | 3 | 0 | 0 | 1 | 1 | 2 | 4 | 3 | 11 | 6 | 22 | 10 | 15 | 16 | 11 | 15 | 0 |
| WOONSOCKET | 292 | 4 | 2 | 1 | 0 | 2 | 3 | 4 | 10 | 20 | 15 | 23 | 37 | 46 | 46 | 31 | 48 | 0 |

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1980

| CITY TOWN | TOTAL# | UNDER ONE# | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54# | 55-59 | 60-64 | 65-69# | 70-74# | 75-79# | 80-84 | 85-99 | 100+ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 4373 | 59 | 6 | 5 | 5 | 15 | 18 | 41 | 66 | 174 | 195 | 276 | 370 | 515 | 634 | 726 | 1236 | 32 |
| BARRINGTON | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 3 | 5 | 1 | 4 | 6 | 6 | 16 | 0 |
| BRISTOL | 72 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 | 2 | 9 | 5 | 14 | 11 | 21 | 0 |
| BURRILLVILLE | 51 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 | 2 | 5 | 3 | 7 | 10 | 18 | 0 |
| CENTRAL FALLS | 86 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 6 | 8 | 7 | 21 | 15 | 24 | 0 |
| CHARLESTOWN | 18 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 3 | 4 | 6 | 0 |
| COVENTRY | 94 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 6 | 7 | 10 | 10 | 19 | 16 | 16 | 0 |
| CRANSTON | 356 | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 8 | 14 | 22 | 25 | 33 | 40 | 51 | 57 | 96 | 5 |
| CUMBERLAND | 110 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 7 | 6 | 11 | 17 | 11 | 17 | 32 | 1 |
| EAST GREENWICH | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 0 | 4 | 1 | 5 | 9 | 6 | 10 | 0 |
| EAST PROVIDENCE | 253 | 3 | 0 | 1 | 0 | 1 | 1 | 3 | 2 | 6 | 4 | 21 | 18 | 30 | 43 | 51 | 69 | 0 |
| EXETER | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 1 | 1 | 0 | 1 | 4 | 2 | 0 |
| FOSTER | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 5 | 2 | 7 | 0 |
| GLOCESTER | 18 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 2 | 1 | 3 | 1 | 4 | 0 |
| HOPKINTON | 23 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 2 | 2 | 4 | 2 | 5 | 0 |
| JAMESTOWN | 17 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 5 | 3 | 1 | 0 |
| JOHNSTON | 84 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 8 | 3 | 3 | 9 | 16 | 14 | 10 | 17 | 0 |
| LINCOLN | 76 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | 3 | 3 | 7 | 8 | 9 | 11 | 24 | 0 |
| LITTLE COMPTON | 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 5 | 2 | 2 | 0 |
| MIDDLETOWN | 41 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 6 | 2 | 4 | 7 | 4 | 10 | 1 |
| NARRAGANSETT | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 2 | 3 | 0 | 7 | 8 | 15 | 1 |
| NEWPORT | 161 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 5 | 9 | 14 | 12 | 17 | 24 | 16 | 59 | 2 |
| NEW SHOREHAM | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 0 |
| NORTH KINGSTOWN | 81 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 5 | 2 | 4 | 9 | 13 | 13 | 30 | 0 |
| NORTH PROVIDENCE | 134 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 1 | 4 | 7 | 8 | 15 | 22 | 18 | 19 | 36 | 0 |
| NORTH SMITHFIELD | 42 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 2 | 10 | 0 | 4 | 11 | 1 |
| PAWTUCKET | 426 | 3 | 1 | 0 | 0 | 3 | 3 | 6 | 4 | 16 | 18 | 34 | 32 | 52 | 43 | 82 | 125 | 4 |
| PURTSMOUTH | 45 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 0 | 2 | 4 | 9 | 4 | 6 | 16 | 0 |
| PROVIDENCE | 855 | 11 | 2 | 1 | 3 | 3 | 2 | 7 | 13 | 21 | 27 | 42 | 71 | 119 | 102 | 152 | 270 | 9 |
| RICHMOND | 12 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 5 | 2 | 2 | 0 |
| SCITUATE | 39 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 6 | 2 | 1 | 5 | 8 | 12 | 1 |
| SMITHFIELD | 51 | 2 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 3 | 4 | 1 | 2 | 6 | 6 | 8 | 15 | 0 |
| SOUTH KINGSTOWN | 68 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 7 | 7 | 7 | 7 | 10 | 21 | 1 |
| TIVERTON | 47 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 4 | 1 | 9 | 7 | 5 | 9 | 6 | 0 |
| WARREN | 48 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 2 | 7 | 6 | 6 | 10 | 9 | 0 |
| WARWICK | 396 | 3 | 1 | 0 | 0 | 2 | 2 | 5 | 8 | 19 | 20 | 27 | 35 | 46 | 61 | 68 | 95 | 4 |
| WESTERLY | 86 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 5 | 9 | 9 | 13 | 12 | 31 | 0 |
| WEST GREENWICH | 10 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 0 | 0 | 3 | 0 |
| WEST WARWICK | 109 | 4 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 9 | 8 | 6 | 8 | 5 | 19 | 18 | 28 | 0 |
| WOONSOCKET | 282 | 4 | 1 | 0 | 1 | 0 | 1 | 1 | 3 | 14 | 19 | 14 | 22 | 32 | 51 | 47 | 70 | 2 |

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE MALES RHODE ISLAND, 1980

| CITY TOWN | TOTAL# | UNDER ONE# | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85-99 | 100+ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 128 | 10 | 1 | 2 | 0 | 1 | 3 | 9 | 13 | 10 | 15 | 12 | 9 | 14 | 9 | 8 | 11 | 1 |
| BARRINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BRISTOL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BURRILLVILLE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CENTRAL FALLS | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHARLESTOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| COVENTRY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| CRANSTON | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CUMBERLAND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| EAST GREENWICH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EAST PROVIDENCE | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 0 | 1 | 0 |
| EXETER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FOSTER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GLOCESTER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HOPKINTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JAMESTOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JOHNSTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINCOLN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LITTLE COMPTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIDDLETOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NARRAGANSETT | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| NEWPORT | 14 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 0 |
| NEW SHOREHAM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH KINGSTOWN | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH PROVIDENCE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH SMITHFIELD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PAWTUCKET | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PORTSMOUTH | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| PROVIDENCE | 73 | 6 | 1 | 2 | 0 | 0 | 3 | 7 | 9 | 6 | 6 | 3 | 5 | 8 | 4 | 5 | 7 | 1 |
| RICHMOND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SCITUATE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SMITHFIELD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SOUTH KINGSTOWN | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TIVERTON | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARREN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARWICK | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 |
| WESTERLY | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| WEST GREENWICH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WEST WARWICK | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WOONSOCKET | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 |

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1980

| CITY TOWN | TOTAL# | UNDER ONE# | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54# | 55-59 | 60-64 | 65-69# | 70-74# | 75-79# | 80-84 | 85-99 | 100+ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 91 | 3 | 2 | 1 | 1 | 1 | 1 | 2 | 5 | 9 | 8 | 9 | 8 | 2 | 10 | 9 | 20 | 0 |
| BARRINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BRISTOL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BURRILLVILLE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| CENTRAL FALLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHARLESTOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| COVENTRY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CRANSTON | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CUMBERLAND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EAST GREENWICH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EAST PROVIDENCE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EXETER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| FOSTER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GLOCESTER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HOPKINTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JAMESTOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JOHNSTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINCOLN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LITTLE COMPTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIDDLETOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NARRAGANSETT | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NEWPORT | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 2 | 0 | 0 | 1 | 0 |
| NEW SHOREHAM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| NORTH KINGSTOWN | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH PROVIDENCE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| NORTH SMITHFIELD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PAWTUCKET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PORTSMOUTH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PROVIDENCE | 64 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 5 | 5 | 6 | 5 | 8 | 0 | 7 | 8 | 11 | 0 |
| RICHMOND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SCITUATE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SMITHFIELD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SOUTH KINGSTOWN | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TIVERTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| WARREN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARWICK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WESTERLY | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WEST GREENWICH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WEST WARWICK | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WOONSOCKET | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |

Table 7 - Deaths and Death Rates for Leading Causes in 1980, with Comparability Ratios* and for Comparable Causes in 1971-1979
(Rhode Island Residents, Rate per 100,000 Population)

| 1980 Rank | Cause of Death (ICDA) | 1980 * Number | 1980 * Rate | 1979 * Number | 1979 * Rate | Comparability Ratio | 1978 Number | 1978 Rate | 1977 Number | 1977 Rate | 1976 Number | 1976 Rate | 1975 Number | 1975 Rate | 1974 Number | 1974 Rate | 1973 Number | 1973 Rate | 1972 Number | 1972 Rate | 1971 Number | 1971 Rate |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. | Diseases of Heart(390-398,402,404-429) | 3831 | 404.5 | 3798 | 408.7 | 1.0126 | 3754 | 401.5 | 3757 | 401.8 | 3833 | 413.5 | 3778 | 407.6 | 4060 | 431.8 | 4051 | 418.9 | 4077 | 421.2 | 4086 | 425.6 |
| 2. | Malignant Neoplasms#(140-208) | 2127 | 224.6 | 2124 | 228.6 | 1.0026 | 2159 | 230.9 | 2237 | 239.3 | 2117 | 228.4 | 2025 | 218.4 | 1926 | 204.8 | 1946 | 201.2 | 1939 | 200.3 | 1903 | 198.2 |
| 3. | Cerebrovascular Diseases (430-438) | 723 | 76.3 | 708 | 76.2 | 1.0049 | 698 | 74.7 | 769 | 82.2 | 761 | 82.1 | 770 | 83.1 | 713 | 75.8 | 834 | 86.2 | 881 | 91.0 | 825 | 85.9 |
| 4. | Accidents and Adverse Effects (E800-E949) | 328 | 34.6 | 309 | 33.3 | 0.9970 | 262 | 28.0 | 335 | 35.8 | 287 | 31.0 | 290 | 31.3 | 336 | 35.7 | 399 | 41.3 | 353 | 36.5 | 321 | 33.4 |
| 5. | Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496) | 279 | 29.5 | 239 | 25.7 | N.A. | 211 | 22.6 | 169 | 18.1 | 222 | 23.9 | 177 | 19.1 | 186 | 19.8 | 169 | 17.5 | 174 | 18.0 | 153 | 15.9 |
| 6. | Pneumonia and Influenza (480-487) | 206 | 21.7 | 149 | 16.0 | 0.9264 | 171 | 18.3 | 130 | 13.9 | 212 | 22.9 | 149 | 16.1 | 232 | 24.7 | 303 | 31.3 | 289 | 29.9 | 299 | 31.1 |
| 7. | Diabetes Mellitus(250) | 199 | 21.0 | 198 | 21.3 | 0.9991 | 205 | 21.9 | 185 | 19.8 | 209 | 22.5 | 223 | 24.1 | 202 | 21.5 | 257 | 26.6 | 250 | 25.8 | 274 | 28.5 |
| 8. | Chronic Liver Disease and Cirrhosis(571) | 148 | 15.6 | 139 | 15.0 | 1.0110 | 136 | 14.5 | 163 | 17.4 | 161 | 17.4 | 185 | 20.0 | 172 | 18.3 | 146 | 15.1 | 166 | 17.1 | 138 | 14.4 |
| 9. | Atherosclerosis(440) | 135 | 14.3 | 166 | 17.9 | 1.0649 | 132 | 14.1 | 129 | 13.8 | 137 | 14.8 | 129 | 13.9 | 104 | 11.1 | 122 | 12.6 | 112 | 11.6 | 115 | 12.0 |
| 10. | Suicide(E950-E959) | 108 | 11.4 | 115 | 12.4 | 1.0032 | 110 | 11.8 | 142 | 15.2 | 112 | 12.1 | 102 | 11.0 | 104 | 11.1 | 79 | 8.2 | 63 | 6.5 | 81 | 8.4 |
| 11. | Nephritis, Nephrotic Syndrome, and Nephrosis(580-589) | 81 | 8.6 | 80 | 8.6 | 1.7397 | 32 | 3.4 | 43 | 4.6 | 43 | 4.6 | 49 | 5.3 | 30 | 3.2 | 33 | 3.4 | 38 | 3.9 | 19 | 2.0 |
| 12. | Certain Conditions Originating in the Perinatal Period(760-779) | 69 | 7.3 | 93 | 10.0 | 1.0765 | 81 | 8.7 | 62 | 6.6 | 82 | 8.8 | 75 | 8.1 | 104 | 11.1 | 114 | 11.8 | 145 | 15.0 | 164 | 17.1 |
| 13. | Congenital Anomalies(740-759) | 58 | 6.1 | 60 | 6.5 | 0.9984 | 65 | 7.0 | 59 | 6.3 | 61 | 6.6 | 45 | 4.9 | 51 | 5.4 | 69 | 7.1 | 67 | 6.9 | 91 | 9.5 |
| 14. | Homicide and Legal Intervention(E960-E978) | 55 | 5.8 | 37 | 4.0 | 1.0057 | 41 | 4.4 | 41 | 4.4 | 27 | 2.9 | 36 | 3.9 | 36 | 3.8 | 37 | 3.8 | 23 | 2.4 | 32 | 3.3 |
| 15. | Ulcer of Stomach and Duodenum(531-533) | 38 | 4.0 | 27 | 2.9 | 1.1192 | 26 | 2.8 | 30 | 3.2 | 34 | 3.7 | 32 | 3.5 | 25 | 2.7 | 40 | 4.1 | 33 | 3.4 | 49 | 5.1 |
| 16. | Septicemia(038) | 37 | 3.9 | 37 | 4.0 | 0.8500 | 26 | 2.8 | 19 | 2.0 | 29 | 3.1 | 12 | 1.3 | 22 | 2.3 | 21 | 2.2 | 20 | 2.1 | 10 | 1.0 |
| 17. | Hernia and Intestinal Obstruction#(550-553,560) | 33 | 3.5 | 21 | 2.3 | 0.9432 | 16 | 1.7 | 31 | 3.3 | 27 | 2.9 | 25 | 2.7 | 39 | 4.1 | 32 | 3.3 | 26 | 2.7 | 22 | 2.3 |
| 18. | Hypertension with or without Renal Disease(401,403) | 32 | 3.4 | 37 | 4.0 | 1.2703 | 33 | 3.5 | 21 | 2.2 | 36 | 3.9 | 23 | 2.5 | 26 | 2.8 | 31 | 3.2 | 37 | 3.8 | 39 | 4.1 |
| 19. | Benign Neoplasms#(210-239) | 31 | 3.3 | 24 | 2.6 | 1.2085 | 22 | 2.4 | 29 | 3.1 | 24 | 2.6 | 15 | 1.6 | 30 | 3.2 | 31 | 3.2 | 20 | 2.1 | 20 | 2.1 |
| 20. | Infections of Kidney(590) | 13 | 1.4 | 7 | 0.8 | 0.9878 | 13 | 1.4 | 12 | 1.3 | 17 | 1.8 | 21 | 2.3 | 14 | 1.5 | 17 | 1.8 | 28 | 2.9 | 23 | 2.4 |

* Caution should be observed in comparing 1979 and 1980 causes with previous years because of major changes resulting in the adoption of the Ninth Revision of the International Classification of Diseases in 1979. See Introduction for a discussion of comparability ratios.

\# For complete category title, see Ninth Revision, International Classification of Diseases, 1975.

N.A. Comparability ratio not available for categories 490-496.

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals* with Average Rates, 1976-1980

| Neighborhood by City or Town | Census Tracts | 1975 Population Estimate | Total Deaths Number | Total Deaths Average Rate** | Infant Deaths Number | Infant Deaths Average Rate# | Live Births Number | Live Births Average Rate** | Births Out of Wedlock Number | Births Out of Wedlock Ratio# | Low Birth Weight Number | Low Birth Weight Ratio# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | ALL | 927,578 | 45,409 | 9.8* | 752 | 13.0 | 57,944 | 12.5 | 160 | 140.8 | 3,823 | 66.0 |
| Barrington | 301-304 | 16,994 | 573 | 6.7 | 7 | 9.0 | 782 | 9.2 | 27 | 34.5 | 40 | 51.2 |
| Bristol | 307-309 | 18,195 | 877 | 9.6 | 8 | 7.0 | 1,144 | 12.6 | 83 | 72.6 | 66 | 57.7 |
| Burrillville | 129,130 | 11,400 | 545 | 9.6 | 7 | 8.3 | 845 | 14.8 | 66 | 78.1 | 54 | 63.9 |
| Central Falls | 108-111 | 17,600 | 1,058 | 12.0 | 21 | 15.3 | 1,375 | 15.6 | 282 | 205.1 | 104 | 75.6 |
| Charlestown | 511 | 3,400 | 161 | 9.5(a) | 4 | 11.7(a) | 342 | 20.1(a) | 35 | 102.3(a) | 20 | 58.5(a) |
| Coventry | 206,207 | 25,000 | 918 | 7.3 | 21 | 11.8 | 1,776 | 14.2 | 143 | 80.5 | 89 | 50.1 |
| Cranston | 134-148 | 75,797 | 3,619 | 9.5 | 26 | 7.9 | 3,279 | 8.7 | 258 | 78.7 | 171 | 52.2 |
| Edgewood-Pawtuxet | 134-136 | 13,957 | 780 | 11.2 | 4 | 5.4 | 734 | 10.5 | 80 | 109.0 | 41 | 55.9 |
| Auburn | 137,138,140 | 19,501 | 1,112 | 11.4 | 4 | 4.3 | 933 | 9.6 | 51 | 54.7 | 35 | 37.5 |
| Garden City-Dean Estates | 139,143,144 | 13,728 | 531 | 7.7 | 3 | 8.9(a) | 337 | 4.9 | 18 | 53.4(a) | 17 | 50.4(a) |
| Arlington-Knightsville | 141,147 | 10,859 | 725 | 13.4 | 7 | 11.3 | [illegible]1 | 11.4 | 69 | 111.1 | 41 | 66.0 |
| West Cranston | 145,146,148 | 13,487 | 381 | 5.6 | 8 | 14.0 | [illegible]70 | 8.5 | 33 | 57.9 | 30 | 52.6 |
| State Institutions-Pettaconsett | 142 | 4,265 | 83 | 3.9(a) | 0 | 0.0(a) | 83 | 3.9(a) | 7 | 84.3(a) | 7 | 84.3(a) |
| Cumberland | 112-114 | 27,498 | 1,041 | 7.6 | 20 | 16.2 | 1,231 | 9.0 | 88 | 71.5 | 53 | 43.1 |
| North | 114 | 13,738 | 487 | 7.1 | 10 | 17.4 | 576 | 8.4 | 27 | 46.9 | 28 | 48.6 |
| South | 112,113 | 13,760 | 554 | 8.1 | 10 | 15.3 | 655 | 9.5 | 61 | 93.1 | 25 | 38.2 |
| East Greenwich | 209 | 10,200 | 407 | 8.0 | 6 | 12.5(a) | 479 | 9.4 | 42 | 87.7(a) | 31 | 64.7(a) |
| East Providence | 101-107 | 50,000 | 2,517 | 10.1 | 29 | 10.2 | 2,835 | 11.3 | 261 | 92.1 | 162 | 57.1 |
| North | 101 | 7,474 | 393 | 10.5 | 4 | 10.6(a) | 376 | 10.1(a) | 20 | 53.2(a) | 20 | 53.2(a) |
| North Center | 102,103 | 11,817 | 631 | 10.7 | 7 | 9.4 | 741 | 12.5 | 86 | 116.1 | 47 | 63.4 |
| South Center | 104,105 | 15,606 | 775 | 9.9 | 7 | 7.6 | 926 | 11.9 | 76 | 82.1 | 51 | 55.1 |
| South | 106,107 | 15,103 | 718 | 9.5 | 11 | 13.9 | 793 | 10.5 | 79 | 99.6 | 44 | 55.5 |
| Exeter | 505 | 3,701 | 110 | 5.9(a) | 4 | 12.5(a) | 321 | 17.3(a) | 29 | 90.3(a) | 19 | 59.2(a) |
| Foster | 133 | 3,100 | 123 | 7.9(a) | 1 | 5.0(a) | 201 | 13.0(a) | 6 | 29.9(a) | 14 | 69.7(a) |
| Glocester | 131 | 6,300 | 276 | 8.8 | 6 | 12.8(a) | 469 | 14.9 | 27 | 57.6(a) | 34 | 72.5(a) |
| Hopkinton | 507 | 5,700 | 240 | 9.4 | 11 | 25.8(a) | 426 | 14.9 | 41 | 96.2(a) | 28 | 65.7(a) |
| Jamestown | 413 | 3,500 | 207 | 11.8(a) | 4 | 15.5(a) | 258 | 14.7(a) | 19 | 73.6(a) | 10 | 38.8(a) |
| Johnston | 122-125 | 23,398 | 905 | 7.7 | 7 | 5.8 | 1,198 | 10.2 | 68 | 56.8 | 65 | 54.3 |
| Lincoln | 115-117 | 17,400 | 873 | 10.0 | 11 | 14.4 | 766 | 8.8 | 41 | 53.5 | 41 | 53.5 |
| North | 115 | 4,888 | 278 | 11.4(a) | 3 | 13.6(a) | 221 | 9.0(a) | 4 | 18.1(a) | 15 | 67.9(a) |
| South | 116,117 | 12,512 | 595 | 9.5 | 8 | 14.7 | 544 | 8.7 | 37 | 68.0 | 26 | 47.8 |
| Little Compton | 414 | 2,600 | 154 | 11.8(a) | 4 | 23.1(a) | 173 | 13.3(a) | 21 | 121.4(a) | 8 | 46.2(a) |
| Middletown | 402-404 | 15,000 | 551 | 7.3 | 24 | 17.6 | 1,360 | 18.1 | 94 | 69.1 | 71 | 52.2 |
| Narragansett | 515 | 8,801 | 383 | 8.7 | 3 | 4.2 | 719 | 16.3 | 52 | 72.3 | 36 | 50.1 |

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals* with Average Rates, 1976-1980

| Neighborhood by City or Town | Census Tracts | 1975 Population Estimate | Total Deaths Number | Total Deaths Average Rate** | Infant Deaths Number | Infant Deaths Average Rate# | Live Births Number | Live Births Average Rate** | Births Out of Wedlock Number | Births Out of Wedlock Ratio# | Low Birth Weight Number | Low Birth Weight Ratio# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Newport | 405-412 | 29,399 | 1,514 | 10.3 | 33 | 15.4 | 2,140 | 14.6 | 492 | 229.9 | 169 | 79.0 |
| North | 405,406,410-412 | 16,053 | 786 | 9.8 | 22 | 17.4 | 1,264 | 15.7 | 364 | 288.0 | 112 | 88.6 |
| South | 407-409 | 13,346 | 693 | 10.4 | 9 | 12.8 | 704 | 10.5 | 102 | 144.9 | 47 | 66.8 |
| New Shoreham | 415 | 500 | 51 | 20.4 | 0 | 0.0(a) | 45 | 18.0 | 3 | 66.7(a) | 1 | 22.2(a) |
| North Kingstown | 501-504 | 18,500 | 781 | 8.4 | 6 | 3.8 | 1,599 | 17.3 | 130 | 81.3 | 80 | 50.0 |
| North Providence | 118-121 | 26,398 | 1,261 | 9.6 | 10 | 7.6 | 1,310 | 9.9 | 60 | 45.8 | 72 | 55.0 |
| North Smithfield | 128 | 10,300 | 413 | 8.0 | 6 | 12.2(a) | 491 | 9.5 | 30 | 61.1(a) | 26 | 53.0(a) |
| Pawtucket | 149-171 | 73,162 | 4,326 | 11.8 | 56 | 12.5 | 4,489 | 12.3 | 646 | 143.9 | 298 | 66.4 |
| Fairlawn | 150,163 | 7,445 | 374 | 10.0 | 2 | 5.4(a) | 368 | 9.9 | 26 | 70.7(a) | 18 | 48.9(a) |
| Woodlawn-Downtown | 149,151,152,161,162,164 | 15,421 | 1,201 | 15.6 | 15 | 12.0 | 1,248 | 16.2 | 288 | 230.8 | 84 | 67.3 |
| Oakhill | 165,166 | 5,960 | 346 | 11.6 | 0 | 0.0(a) | 328 | 11.0 | 26 | 79.3(a) | 23 | 70.1(a) |
| Pleasant View-East Side | 153,154,160,167,171 | 15,731 | 836 | 10.6 | 22 | 18.6 | 1,183 | 15.0 | 201 | 169.9 | 84 | 71.0 |
| North Darlington | 155-159 | 19,073 | 1,014 | 10.6 | 11 | 10.8 | 1,019 | 10.7 | 82 | 80.5 | 59 | 57.9 |
| South Darlington | 168-170 | 9,532 | 551 | 11.6 | 6 | 17.6(a) | 340 | 7.1 | 23 | 67.6(a) | 29 | 85.3(a) |
| Portsmouth | 401 | 12.600 | 444 | 7.0 | 7 | 6.9 | 1,020 | 16.2 | 64 | 62.7 | 47 | 46.1 |
| Providence | 001-037 | 165,433 | 9,662 | 11.7 | 212 | 19.0 | 11,132 | 13.5 | 3,246 | 291.6 | 1,038 | 93.2 |
| Washington Park | 001 | 7,465 | 392 | 10.5 | 9 | 14.1 | 640 | 17.1 | 150 | 234.4 | 46 | 71.9 |
| Elmwood | 002,003 | 14,309 | 861 | 12.0 | 42 | 27.6 | 1,521 | 21.3 | 587 | 385.9 | 158 | 103.9 |
| South Providence*** | 004-007 | 9,813 | 602 | 12.3 | 29 | 26.0 | 1,117 | 22.8 | 657 | 588.2 | 146 | 130.7 |
| Federal Hill-Olneyville | 008-011,019 | 14,891 | 1,331 | 17.9 | 11 | 12.9 | 856 | 11.5 | 259 | 302.6 | 83 | 97.0 |
| West End | 012-015 | 14,932 | 909 | 12.2 | 31 | 20.2 | 1,531 | 20.5 | 585 | 382.1 | 161 | 105.2 |
| Annex-Manton | 016-018,020 | 18,835 | 1,094 | 11.6 | 23 | 16.6 | 1,388 | 14.7 | 318 | 229.1 | 112 | 80.7 |
| Elmhurst-Upper Mt. Pleasant | 021,023,024 | 21,931 | 1,170 | 10.7 | 8 | 9.4 | 849 | 7.7 | 71 | 83.6 | 57 | 67.1 |
| Smith Hill-Lower Mt. Pleasant | 022,025,026 | 9,570 | 696 | 14.5 | 14 | 18.4 | 760 | 15.9 | 196 | 257.9 | 66 | 86.8 |
| Eagle Park-Wanskuck | 027-029 | 16,102 | 843 | 10.5 | 14 | 15.8 | 886 | 11.0 | 175 | 197.5 | 63 | 71.1 |
| Hope | 030-033 | 13,077 | 820 | 12.5 | 17 | 22.1 | 768 | 11.7 | 188 | 244.8 | 79 | 102.9 |
| East Side | 034,035 | 11,031 | 613 | 11.1 | 6 | 15.0(a) | 400 | 7.3 | 15 | 37.5(a) | 30 | 75.0(a) |
| College Hill-Fox Point | 036,037 | 13,477 | 320 | 4.7 | 8 | 19.8(a) | 405 | 6.0 | 39 | 96.3(a) | 36 | 88.9(a) |
| Inner City## | 003-007,009-014,019,025,026,031,037 | 55,948 | 3,650 | 13.0 | 117 | 23.7 | 4,932 | 17.6 | 2,035 | 412.6 | 549 | 111.3 |
| Richmond | 506 | 2,900 | 112 | 7.7(a) | 4 | 13.4(a) | 299 | 20.6(a) | 40 | 133.8(a) | 13 | 43.5(a) |
| Scituate | 132 | 8,400 | 337 | 8.0 | 4 | 8.6(a) | 467 | 11.1 | 28 | 60.0(a) | 22 | 47.1(a) |
| Smithfield | 126,127 | 14,300 | 518 | 7.2 | 9 | 11.2 | 801 | 11.2 | 49 | 61.2 | 46 | 57.4 |

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals* with Average Rates, 1976-1980

| Neighborhood by City or Town | Census Tracts | 1975 Population Estimate | Total Deaths | | Infant Deaths | | Live Births | | Births Out of Wedlock | | Low Birth Weight | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Number | Average Rate** | Number | Average Rate# | Number | Average Rate** | Number | Ratio# | Number | Ratio# |
| South Kingstown | 512-514 | 19,496 | 654 | 6.7 | 9 | 8.0 | 1,127 | 11.6 | 142 | 126.0 | 63 | 55.9 |
| Tiverton | 416,417 | 13,000 | 515 | 7.9 | 10 | 14.4 | 694 | 10.7 | 52 | 74.9 | 44 | 63.4 |
| Warren | 305,306 | 10,399 | 529 | 10.2 | 8 | 12.6 | 633 | 12.2 | 54 | 85.3 | 37 | 58.5 |
| Warwick | 210-224 | 85,302 | 3,938 | 9.2 | 44 | 9.2 | 4,776 | 11.2 | 398 | 83.3 | 281 | 58.8 |
| Lakewood-Spring Green | 210,212,213 | 18,361 | 1,026 | 11.2 | 7 | 8.2 | 856 | 9.3 | 54 | 63.1 | 40 | 46.7 |
| Norwood-Hillsgrove | 211,214 | 15,449 | 640 | 8.3 | 5 | 6.2 | 802 | 10.4 | 59 | 73.6 | 47 | 58.6 |
| Greenwood-Pontiac | 221,223 | 8,476 | 443 | 10.5 | 3 | 7.7(a) | 392 | 9.2 | 24 | 61.2(a) | 17 | 43.4(a) |
| Buttonwoods | 219 | 12,790 | 499 | 7.8 | 9 | 11.9 | 758 | 11.9 | 37 | 48.8 | 48 | 63.3 |
| Oakland Beach-Warwick Neck | 215-218 | 17,845 | 811 | 9.1 | 11 | 9.3 | 1,180 | 13.2 | 186 | 157.6 | 86 | 72.9 |
| Cowesett-Potowamut | 220,222,224 | 12,381 | 519 | 8.4 | 9 | 11.4 | 787 | 12.7 | 38 | 48.3 | 43 | 54.6 |
| Westerly | 508-510 | 16,812 | 876 | 10.4 | 20 | 15.2 | 1,316 | 15.7 | 142 | 107.9 | 65 | 49.4 |
| West Greenwich | 208 | 2,400 | 76 | 6.3(a) | 1 | 5.6(a) | 178 | 14.8(a) | 12 | 67.4(a) | 11 | 61.8(a) |
| West Warwick | 201-205 | 24,999 | 1,142 | 9.1 | 27 | 13.2 | 2,043 | 16.3 | 244 | 119.4 | 132 | 64.6 |
| Woonsocket | 172-185 | 47,694 | 2,722 | 11.4 | 62 | 18.2 | 3,405 | 14.3 | 645 | 189.4 | 262 | 76.9 |
| Fairmount-Central | 172,174,176 | 9,205 | 451 | 9.8 | 11 | 14.0 | 783 | 17.0 | 248 | 316.7 | 62 | 79.2 |
| Globe-North End | 173,175 | 8,123 | 427 | 10.5 | 7 | 13.8 | 509 | 12.5 | 45 | 88.4 | 32 | 62.9 |
| Bernon | 177-179 | 10,317 | 604 | 11.7 | 18 | 23.6 | 762 | 14.8 | 126 | 165.4 | 70 | 91.9 |
| Social | 180-183 | 10,452 | 755 | 14.4 | 16 | 20.5 | 779 | 14.9 | 160 | 205.4 | 62 | 79.6 |
| East Woonsocket | 184,185 | 9,597 | 481 | 10.0 | 10 | 17.5 | 571 | 11.9 | 65 | 113.8 | 36 | 63.0 |

* Many city and town totals include items with tract unknown; thus, the sum of neighborhood figures will not always equal the city or town total.
** Average rate per 1,000 population according to the 1975 Census
*** South Providence is also referred to as "Model City area".
# Average ratio per 1,000 live births, 1976-1980.
## Providence "Inner City" grouping includes census tracts that also appear in other neighborhood groupings.
(a) Rate based on fewer than 500 live births and/or less than 5,000 population and may be statistically unreliable.

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1957-1980 (Rhode Island Residents)

| | BIRTHS OUT OF WEDLOCK | | | | |
|---|---|---|---|---|---|
| Year | Number | Ratio | Year | Number | Ratio |
| 1957 | 534 | 28.3 | 1969 | 1,022 | 66.1 |
| 1958 | 576 | 31.5 | 1970 | 1,148 | 72.6 |
| 1959 | 614 | 32.9 | 1971 | 1,116 | 74.9 |
| 1960 | 611 | 33.2 | 1972 | 1,064 | 80.1 |
| 1961 | 611 | 33.3 | 1973 | 1,140 | 92.9 |
| 1962 | 528 | 28.8 | 1974 | 1,133 | 99.9 |
| 1963 | 580 | 32.0 | 1975 | 1,244 | 116.0 |
| 1964 | 662 | 36.8 | 1976 | 1,352 | 125.3 |
| 1965 | 694 | 40.2 | 1977 | 1,577 | 135.7 |
| 1966 | 778 | 47.7 | 1978 | 1,623 | 140.9 |
| 1967 | 847 | 53.6 | 1979 | 1,704 | 143.7 |
| 1968 | 911 | 59.9 | 1980 | 1,904 | 156.5 |

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1971-1980

| | | | AGE OF MOTHER IN YEARS | | | | |
|---|---|---|---|---|---|---|---|
| Year | | Total | Under 20 | 20-24 | 25-29 | 30-34 | 35 and Over |
| 1971 | Number | 1,116* | 545 | 345 | 125 | 68 | 31 |
| | Ratio | 74.9 | 278.1 | 58.9 | 28.6 | 37.6 | 34.5 |
| 1972 | Number | 1,064 | 520 | 335 | 111 | 57 | 41 |
| | Ratio | 80.1 | 281.8 | 68.2 | 27.0 | 35.3 | 51.6 |
| 1973 | Number | 1,140* | 567 | 380 | 112 | 53 | 27 |
| | Ratio | 92.9 | 304.3 | 87.8 | 29.0 | 34.6 | 39.4 |
| 1974 | Number | 1,133* | 585 | 331 | 142 | 53 | 19 |
| | Ratio | 99.9 | 336.8 | 85.4 | 37.3 | 38.1 | 37.0 |
| 1975 | Number | 1,244 | 618 | 379 | 163 | 53 | 31 |
| | Ratio | 116.0 | 385.5 | 103.6 | 44.5 | 40.0 | 66.1 |
| 1976 | Number | 1,352* | 632 | 430 | 192 | 66 | 31 |
| | Ratio | 125.3 | 401.3 | 116.5 | 51.8 | 48.2 | 70.0 |
| 1977 | Number | 1,577 | 700 | 589 | 181 | 72 | 35 |
| | Ratio | 135.7 | 431.6 | 147.4 | 46.3 | 45.1 | 71.4 |
| 1978 | Number | 1,623* | 693 | 583 | 215 | 95 | 36 |
| | Ratio | 140.9 | 467.0 | 150.6 | 55.5 | 53.2 | 72.6 |
| 1979 | Number | 1,704* | 715 | 605 | 260 | 90 | 34 |
| | Ratio | 143.7 | 477.9 | 154.7 | 64.3 | 47.0 | 68.8 |
| 1980 | Number | 1,904 | 764 | 726 | 269 | 102 | 43 |
| | Ratio | 156.5 | 510.0 | 176.9 | 66.9 | 50.3 | 83.2 |

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980



| RACE, SEX, AND AGE OF MOTHER | LIVE BIRTH ORDER | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| ALL AGES | | | | | | | | | | |
| TOTAL | 12,166* | 5617 | 4002 | 1639 | 528 | 196 | 65 | 40 | 42 | 35 |
| WHITE MALE | 5666 | 2676 | 1892 | 736 | 211 | 81 | 26 | 19 | 13 | 12 |
| WHITE FEMALE | 5373 | 2503 | 1800 | 715 | 223 | 79 | 17 | 14 | 14 | 8 |
| NON-WHITE MALE | 567 | 230 | 162 | 87 | 43 | 18 | 10 | 4 | 9 | 4 |
| NON-WHITE FEMALE | 528 | 200 | 141 | 98 | 50 | 17 | 11 | 3 | 6 | 2 |
| UNKNOWN MALE | 19 | 2 | 5 | 2 | 0 | 1 | 1 | 0 | 0 | 8 |
| UNKNOWN FEMALE | 11 | 6 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 1 |
| UNDER 15 YEARS | | | | | | | | | | |
| TOTAL | 18 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| WHITE MALE | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| NON-WHITE FEMALE | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 YEARS | | | | | | | | | | |
| TOTAL | 47 | 46 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 22 | 21 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 YEARS | | | | | | | | | | |
| TOTAL | 134 | 128 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 55 | 53 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 53 | 51 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 11 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 15 | 13 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 YEARS | | | | | | | | | | |
| TOTAL | 242 | 222 | 16 | 3 | 0 | 0 | 0 | 0 | 0 | 1 |
| WHITE MALE | 104 | 99 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| WHITE FEMALE | 95 | 86 | 7 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 24 | 22 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 18 | 14 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

* INCLUDES 2 WHITE BIRTHS WITH SEX UNKNOWN.

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980

| RACE, SEX, AND AGE OF MOTHER | LIVE BIRTH ORDER | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| 18 YEARS | | | | | | | | | | |
| TOTAL | 460 | 369 | 76 | 15 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 178 | 141 | 31 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 212 | 177 | 29 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 38 | 26 | 10 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 30 | 23 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19 YEARS | | | | | | | | | | |
| TOTAL | 597 | 453 | 120 | 18 | 5 | 0 | 0 | 0 | 0 | 1 |
| WHITE MALE | 266 | 217 | 41 | 7 | 0 | 0 | 0 | 0 | 0 | 1 |
| WHITE FEMALE | 265 | 198 | 57 | 8 | 2 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 37 | 18 | 15 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 28 | 20 | 6 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 YEARS | | | | | | | | | | |
| TOTAL | 702 | 452 | 193 | 49 | 6 | 0 | 0 | 0 | 0 | 2 |
| WHITE MALE | 320 | 211 | 92 | 13 | 3 | 0 | 0 | 0 | 0 | 1 |
| WHITE FEMALE | 297 | 202 | 69 | 23 | 2 | 0 | 0 | 0 | 0 | 1 |
| NON-WHITE MALE | 43 | 19 | 17 | 7 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 41 | 19 | 15 | 6 | 1 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 21 YEARS | | | | | | | | | | |
| TOTAL | 768 | 454 | 231 | 66 | 12 | 3 | 0 | 0 | 0 | 2 |
| WHITE MALE | 359 | 230 | 96 | 26 | 4 | 2 | 0 | 0 | 0 | 1 |
| WHITE FEMALE | 324 | 190 | 106 | 24 | 3 | 0 | 0 | 0 | 0 | 1 |
| NON-WHITE MALE | 47 | 19 | 17 | 8 | 2 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 38 | 15 | 12 | 8 | 3 | 0 | 0 | 0 | 0 | 0 |
| 22 YEARS | | | | | | | | | | |
| TOTAL | 864 | 453 | 307 | 77 | 16 | 7 | 2 | 0 | 0 | 2 |
| WHITE MALE | 414 | 213 | 150 | 43 | 6 | 1 | 1 | 0 | 0 | 0 |
| WHITE FEMALE | 380 | 218 | 134 | 24 | 4 | 6 | 1 | 0 | 0 | 1 |
| NON-WHITE MALE | 32 | 11 | 14 | 5 | 2 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 28 | 11 | 8 | 5 | 4 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

TABLE II - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980

| RACE, SEX, AND AGE OF MOTHER | TOTAL | LIVE BIRTH ORDER | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| 23 YEARS | | | | | | | | | | |
| TOTAL | 871 | 462 | 305 | 71 | 27 | 4 | 0 | 0 | 0 | 2 |
| WHITE MALE | 393 | 216 | 143 | 27 | 4 | 3 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 389 | 216 | 131 | 31 | 10 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 36 | 13 | 13 | 5 | 4 | 0 | 0 | 0 | 0 | 1 |
| NON-WHITE FEMALE | 49 | 17 | 16 | 7 | 9 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 4 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 24 YEARS | | | | | | | | | | |
| TOTAL | 898 | 418 | 324 | 113 | 31 | 6 | 0 | 0 | 0 | 6 |
| WHITE MALE | 422 | 205 | 153 | 55 | 7 | 2 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 395 | 192 | 143 | 45 | 13 | 2 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 41 | 10 | 15 | 8 | 7 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 34 | 11 | 11 | 5 | 4 | 1 | 0 | 0 | 0 | 2 |
| UNKNOWN MALE | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| UNKNOWN FEMALE | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-29 YEARS | | | | | | | | | | |
| TOTAL | 4018 | 1589 | 1551 | 628 | 172 | 51 | 14 | 4 | 3 | 10 |
| WHITE MALE | 1917 | 803 | 744 | 271 | 63 | 24 | 5 | 2 | 0 | 5 |
| WHITE FEMALE | 1804 | 689 | 734 | 285 | 74 | 15 | 2 | 1 | 1 | 3 |
| NON-WHITE MALE | 153 | 58 | 35 | 33 | 17 | 5 | 3 | 1 | 1 | 0 |
| NON-WHITE FEMALE | 135 | 32 | 37 | 38 | 17 | 6 | 4 | 0 | 1 | 0 |
| UNKNOWN MALE | 4 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| UNKNOWN FEMALE | 5 | 3 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| 30-34 YEARS | | | | | | | | | | |
| TOTAL | 2029 | 486 | 768 | 477 | 167 | 75 | 25 | 11 | 12 | 7 |
| WHITE MALE | 965 | 228 | 380 | 232 | 77 | 26 | 11 | 4 | 4 | 3 |
| WHITE FEMALE | 910 | 235 | 344 | 214 | 75 | 32 | 7 | 4 | 3 | 2 |
| NON-WHITE MALE | 63 | 11 | 20 | 13 | 8 | 8 | 3 | 1 | 3 | 1 |
| NON-WHITE FEMALE | 77 | 12 | 24 | 17 | 7 | 9 | 4 | 2 | 2 | 0 |
| UNKNOWN MALE | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 35-39 YEARS | | | | | | | | | | |
| TOTAL | 442 | 64 | 96 | 110 | 82 | 38 | 19 | 16 | 17 | 0 |
| WHITE MALE | 201 | 28 | 48 | 50 | 41 | 15 | 6 | 7 | 6 | 0 |
| WHITE FEMALE | 200 | 31 | 43 | 50 | 37 | 20 | 5 | 7 | 7 | 0 |
| NON-WHITE MALE | 21 | 2 | 4 | 2 | 1 | 3 | 4 | 2 | 3 | 0 |
| NON-WHITE FEMALE | 19 | 3 | 1 | 8 | 3 | 0 | 3 | 0 | 1 | 0 |
| UNKNOWN MALE | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980

| RACE, SEX, AND AGE OF MOTHER | LIVE BIRTH ORDER | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| 40-44 YEARS | | | | | | | | | | |
| TOTAL | 68 | 8 | 8 | 12 | 10 | 11 | 5 | 7 | 7 | 0 |
| WHITE MALE | 45 | 6 | 7 | 6 | 6 | 8 | 3 | 6 | 3 | 0 |
| WHITE FEMALE | 17 | 2 | 1 | 3 | 3 | 2 | 2 | 1 | 3 | 0 |
| NON-WHITE MALE | 3 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 |
| NON-WHITE FEMALE | 3 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 |
| 45-49 YEARS | | | | | | | | | | |
| TOTAL | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 1 |
| WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 50-64 YEARS | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980



| RACE, SEX, AND AGE OF MOTHER | TOTAL | LIVE BIRTH ORDER | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| ALL AGES | | | | | | | | | | |
| TOTAL | 1904 | 1139 | 411 | 210 | 85 | 30 | 9 | 9 | 5 | 6 |
| WHITE MALE | 728 | 460 | 150 | 76 | 23 | 9 | 3 | 6 | 1 | 0 |
| WHITE FEMALE | 711 | 459 | 141 | 63 | 27 | 15 | 0 | 3 | 2 | 1 |
| NON-WHITE MALE | 236 | 115 | 64 | 33 | 15 | 3 | 4 | 0 | 1 | 1 |
| NON-WHITE FEMALE | 217 | 100 | 54 | 37 | 19 | 3 | 2 | 0 | 1 | 1 |
| UNKNOWN MALE | 7 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| UNKNOWN FEMALE | 5 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| UNDER 15 YEARS | | | | | | | | | | |
| TOTAL | 18 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| WHITE MALE | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| NON-WHITE FEMALE | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 YEARS | | | | | | | | | | |
| TOTAL | 40 | 39 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 16 | 15 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 YEARS | | | | | | | | | | |
| TOTAL | 104 | 100 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 39 | 38 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 41 | 40 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 11 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 13 | 11 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 YEARS | | | | | | | | | | |
| TOTAL | 146 | 136 | 8 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 57 | 56 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 58 | 54 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 16 | 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 14 | 11 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980

| RACE, SEX, AND AGE OF MOTHER | TOTAL | LIVE BIRTH ORDER | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| 18 YEARS TOTAL | 221 | 185 | 29 | 7 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 81 | 67 | 12 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 85 | 76 | 7 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 31 | 23 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 22 | 17 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19 YEARS TOTAL | 235 | 184 | 44 | 4 | 3 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 92 | 81 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 96 | 77 | 15 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 27 | 13 | 12 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 19 | 13 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 YEARS TOTAL | 203 | 134 | 52 | 15 | 2 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 79 | 56 | 18 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 79 | 59 | 15 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 26 | 13 | 11 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 19 | 6 | 8 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| 21 YEARS TOTAL | 158 | 86 | 42 | 25 | 4 | 1 | 0 | 0 | 0 | 0 |
| WHITE MALE | 64 | 42 | 11 | 10 | 0 | 1 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 51 | 28 | 18 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 21 | 8 | 7 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 22 | 8 | 6 | 5 | 3 | 0 | 0 | 0 | 0 | 0 |
| 22 YEARS TOTAL | 143 | 69 | 41 | 22 | 7 | 3 | 0 | 0 | 0 | 1 |
| WHITE MALE | 69 | 28 | 19 | 12 | 1 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 52 | 31 | 12 | 4 | 2 | 3 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 15 | 5 | 6 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 14 | 5 | 3 | 4 | 2 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980



| RACE, SEX, AND AGE OF MOTHER | LIVE BIRTH ORDER | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| 23 YEARS | | | | | | | | | | |
| TOTAL | 114 | 43 | 38 | 16 | 15 | 2 | 0 | 0 | 0 | 0 |
| WHITE MALE | 39 | 18 | 13 | 5 | 2 | 1 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 40 | 19 | 13 | 4 | 3 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 12 | 0 | 6 | 2 | 4 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 22 | 6 | 6 | 4 | 6 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24 YEARS | | | | | | | | | | |
| TOTAL | 108 | 37 | 36 | 21 | 10 | 1 | 0 | 0 | 0 | 3 |
| WHITE MALE | 38 | 12 | 18 | 6 | 1 | 1 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 34 | 15 | 10 | 5 | 4 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 21 | 5 | 5 | 7 | 4 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 13 | 5 | 3 | 3 | 1 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 25-29 YEARS | | | | | | | | | | |
| TOTAL | 269 | 77 | 88 | 63 | 24 | 11 | 3 | 2 | 0 | 1 |
| WHITE MALE | 98 | 31 | 31 | 23 | 8 | 2 | 1 | 2 | 0 | 0 |
| WHITE FEMALE | 99 | 27 | 38 | 20 | 9 | 4 | 0 | 0 | 0 | 1 |
| NON-WHITE MALE | 33 | 11 | 6 | 10 | 3 | 2 | 1 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 37 | 7 | 13 | 10 | 3 | 3 | 1 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 30-34 YEARS | | | | | | | | | | |
| TOTAL | 102 | 26 | 25 | 26 | 12 | 6 | 3 | 2 | 2 | 0 |
| WHITE MALE | 39 | 10 | 11 | 9 | 6 | 2 | 1 | 0 | 0 | 0 |
| WHITE FEMALE | 45 | 13 | 9 | 13 | 3 | 4 | 0 | 2 | 1 | 0 |
| NON-WHITE MALE | 8 | 1 | 3 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| NON-WHITE FEMALE | 10 | 2 | 2 | 3 | 2 | 0 | 1 | 0 | 0 | 0 |
| 35-39 YEARS | | | | | | | | | | |
| TOTAL | 35 | 5 | 2 | 9 | 6 | 6 | 3 | 2 | 2 | 0 |
| WHITE MALE | 17 | 1 | 2 | 5 | 3 | 2 | 1 | 2 | 1 | 0 |
| WHITE FEMALE | 12 | 3 | 0 | 2 | 3 | 3 | 0 | 0 | 1 | 0 |
| NON-WHITE MALE | 4 | 1 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1980

| RACE, SEX, AND AGE OF MOTHER | TOTAL | LIVE BIRTH ORDER | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | FIRST | SECOND | THIRD | FOURTH | FIFTH | SIXTH | SEVENTH | EIGHTH & OVER | UNKNOWN |
| 40-44 YEARS TOTAL | 7 | 1 | 1 | 0 | 2 | 0 | 0 | 3 | 0 | 0 |
| WHITE MALE | 4 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 0 | 0 |
| WHITE FEMALE | 3 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| 50-64 YEARS TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980

| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL AGES | | | | | | | | | | | | |
| TOTAL | 12100** | 774 | 70 | 69 | 155 | 481 | 1901 | 4578 | 3583 | 1077 | 205 | 23 |
| WHITE | 11041 | 649 | 59 | 53 | 127 | 410 | 1647 | 4131 | 3350 | 1028 | 196 | 21 |
| NON-WHITE | 1095 | 118 | 8 | 13 | 27 | 70 | 251 | 437 | 227 | 48 | 9 | 2 |
| RACE UNKNOWN | 30 | 7 | 3 | 2 | 1 | 1 | 3 | 10 | 6 | 1 | 0 | 0 |
| UNDER 15 YEARS | | | | | | | | | | | | |
| TOTAL | 18 | 3 | 0 | 0 | 1 | 2 | 4 | 6 | 5 | 0 | 0 | 0 |
| WHITE | 11 | 2 | 0 | 0 | 1 | 1 | 1 | 4 | 4 | 0 | 0 | 0 |
| NON-WHITE | 7 | 1 | 0 | 0 | 0 | 1 | 3 | 2 | 1 | 0 | 0 | 0 |
| 15 YEARS | | | | | | | | | | | | |
| TOTAL | 47 | 6 | 0 | 2 | 2 | 2 | 9 | 26 | 4 | 2 | 0 | 0 |
| WHITE | 32 | 3 | 0 | 2 | 0 | 1 | 6 | 19 | 2 | 2 | 0 | 0 |
| NON-WHITE | 14 | 2 | 0 | 0 | 1 | 1 | 3 | 7 | 2 | 0 | 0 | 0 |
| RACE UNKNOWN | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 YEARS | | | | | | | | | | | | |
| TOTAL | 134 | 7 | 1 | 0 | 2 | 4 | 24 | 54 | 42 | 6 | 1 | 0 |
| WHITE | 106 | 4 | 1 | 0 | 0 | 3 | 16 | 45 | 37 | 5 | 1 | 0 |
| NON-WHITE | 26 | 3 | 0 | 0 | 2 | 1 | 8 | 9 | 5 | 1 | 0 | 0 |
| 17 YEARS | | | | | | | | | | | | |
| TOTAL | 242 | 20 | 1 | 1 | 8 | 10 | 50 | 101 | 55 | 13 | 2 | 0 |
| WHITE | 199 | 15 | 1 | 1 | 4 | 9 | 36 | 82 | 51 | 12 | 2 | 0 |
| NON-WHITE | 42 | 5 | 0 | 0 | 4 | 1 | 13 | 19 | 4 | 1 | 0 | 0 |
| RACE UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 18 YEARS | | | | | | | | | | | | |
| TOTAL | 460 | 44 | 0 | 4 | 12 | 28 | 98 | 153 | 128 | 32 | 3 | 1 |
| WHITE | 390 | 31 | 0 | 4 | 9 | 18 | 84 | 128 | 115 | 28 | 2 | 1 |
| NON-WHITE | 68 | 13 | 0 | 0 | 3 | 10 | 14 | 24 | 12 | 4 | 1 | 0 |
| RACE UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980

| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 19 YEARS | | | | | | | | | | | | |
| TOTAL | 598 | 46 | 3 | 2 | 8 | 33 | 113 | 227 | 168 | 39 | 3 | 1 |
| WHITE | 532 | 42 | 3 | 2 | 6 | 31 | 95 | 203 | 151 | 36 | 3 | 1 |
| NON-WHITE | 65 | 4 | 0 | 0 | 2 | 2 | 18 | 24 | 16 | 3 | 0 | 0 |
| RACE UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 20 YEARS | | | | | | | | | | | | |
| TOTAL | 702 | 63 | 9 | 4 | 17 | 33 | 114 | 268 | 196 | 48 | 9 | 4 |
| WHITE | 617 | 49 | 9 | 3 | 12 | 25 | 93 | 234 | 182 | 46 | 9 | 4 |
| NON-WHITE | 84 | 14 | 0 | 1 | 5 | 8 | 21 | 33 | 14 | 2 | 0 | 0 |
| RACE UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 21 YEARS | | | | | | | | | | | | |
| TOTAL | 768 | 58 | 4 | 6 | 11 | 37 | 141 | 287 | 213 | 58 | 8 | 1 |
| WHITE | 683 | 45 | 3 | 2 | 10 | 30 | 118 | 254 | 199 | 57 | 8 | 1 |
| NON-WHITE | 85 | 13 | 1 | 4 | 1 | 7 | 23 | 33 | 14 | 1 | 0 | 0 |
| 22 YEARS | | | | | | | | | | | | |
| TOTAL | 864 | 50 | 5 | 7 | 13 | 25 | 131 | 337 | 262 | 71 | 13 | 0 |
| WHITE | 802 | 44 | 4 | 6 | 12 | 22 | 114 | 311 | 253 | 68 | 12 | 0 |
| NON-WHITE | 60 | 6 | 1 | 1 | 1 | 3 | 17 | 25 | 8 | 3 | 1 | 0 |
| RACE UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 23 YEARS | | | | | | | | | | | | |
| TOTAL | 871 | 67 | 5 | 5 | 15 | 42 | 138 | 338 | 249 | 63 | 12 | 3 |
| WHITE | 782 | 54 | 5 | 3 | 14 | 32 | 121 | 304 | 228 | 61 | 11 | 3 |
| NON-WHITE | 85 | 10 | 0 | 0 | 1 | 9 | 17 | 33 | 21 | 2 | 1 | 0 |
| RACE UNKNOWN | 4 | 3 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| 24 YEARS | | | | | | | | | | | | |
| TOTAL | 898 | 42 | 3 | 3 | 6 | 30 | 147 | 345 | 273 | 79 | 8 | 3 |
| WHITE | 817 | 33 | 0 | 2 | 4 | 27 | 132 | 311 | 252 | 79 | 7 | 3 |
| NON-WHITE | 75 | 7 | 1 | 1 | 2 | 3 | 14 | 34 | 19 | 0 | 1 | 0 |
| RACE UNKNOWN | 6 | 2 | 2 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 |

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980



| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 25-29 YEARS | | | | | | | | | | | | |
| TOTAL | 4019 | 226 | 21 | 13 | 36 | 156 | 568 | 1535 | 1206 | 399 | 72 | 4 |
| WHITE | 3722 | 198 | 17 | 8 | 34 | 139 | 506 | 1413 | 1144 | 381 | 70 | 3 |
| NON-WHITE | 295 | 27 | 3 | 5 | 2 | 17 | 61 | 117 | 62 | 17 | 2 | 1 |
| RACE UNKNOWN | 2 | 1 | 1 | 0 | 0 | 0 | 1 | 5 | 0 | 1 | 0 | 0 |
| 30-34 YEARS | | | | | | | | | | | | |
| TOTAL | 2028 | 110 | 15 | 15 | 16 | 64 | 285 | 736 | 624 | 212 | 54 | 3 |
| WHITE | 1881 | 97 | 13 | 14 | 13 | 57 | 257 | 679 | 589 | 201 | 52 | 3 |
| NON-WHITE | 145 | 13 | 2 | 1 | 3 | 7 | 28 | 56 | 35 | 11 | 2 | 0 |
| RACE UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 35-39 YEARS | | | | | | | | | | | | |
| TOTAL | 442 | 25 | 3 | 4 | 5 | 13 | 62 | 141 | 142 | 50 | 17 | 3 |
| WHITE | 401 | 25 | 3 | 4 | 5 | 13 | 54 | 125 | 130 | 47 | 16 | 2 |
| NON-WHITE | 40 | 0 | 0 | 0 | 0 | 0 | 8 | 16 | 11 | 3 | 1 | 1 |
| RACE UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 40-44 YEARS | | | | | | | | | | | | |
| TOTAL | 68 | 7 | 0 | 2 | 3 | 2 | 17 | 19 | 14 | 5 | 3 | 0 |
| WHITE | 62 | 7 | 0 | 2 | 3 | 2 | 14 | 17 | 13 | 5 | 3 | 0 |
| NON-WHITE | 6 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 1 | 0 | 0 | 0 |
| 45-49 YEARS | | | | | | | | | | | | |
| TOTAL | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 0 | 0 | 0 |
| WHITE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| NON-WHITE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 |
| AGE UNKNOWN | | | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| NON-WHITE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

# LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980

| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL AGES TOTAL | 230** | 104 | 8 | 16 | 33 | 47 | 69 | 38 | 15 | 0 | 0 | 0 |
| WHITE | 194 | 90 | 8 | 16 | 26 | 40 | 54 | 32 | 14 | 0 | 0 | 0 |
| NON-WHITE | 36 | 14 | 0 | 0 | 7 | 7 | 15 | 6 | 1 | 0 | 0 | 0 |
| UNDER 15 YEARS TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 YEARS TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 YEARS TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 YEARS TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 YEARS TOTAL | 10 | 7 | 0 | 1 | 3 | 3 | 1 | 2 | 0 | 0 | 0 | 0 |
| WHITE | 6 | 4 | 0 | 1 | 2 | 1 | 0 | 2 | 0 | 0 | 0 | 0 |
| NON-WHITE | 4 | 3 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 |

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980

| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT* | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 19 YEARS TOTAL | 12 | 10 | 0 | 0 | 3 | 7 | 2 | 0 | 0 | 0 | 0 | 0 |
| WHITE | 10 | 9 | 0 | 0 | 2 | 7 | 1 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE | 2 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 20 YEARS TOTAL | 18 | 12 | 2 | 2 | 5 | 3 | 5 | 1 | 0 | 0 | 0 | 0 |
| WHITE | 14 | 10 | 2 | 2 | 3 | 3 | 3 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE | 4 | 2 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 21 YEARS TOTAL | 14 | 8 | 1 | 1 | 4 | 2 | 4 | 2 | 0 | 0 | 0 | 0 |
| WHITE | 14 | 8 | 1 | 1 | 4 | 2 | 4 | 2 | 0 | 0 | 0 | 0 |
| 22 YEARS TOTAL | 18 | 4 | 0 | 2 | 1 | 1 | 10 | 1 | 3 | 0 | 0 | 0 |
| WHITE | 18 | 4 | 0 | 2 | 1 | 1 | 10 | 1 | 3 | 0 | 0 | 0 |
| 23 YEARS TOTAL | 12 | 9 | 0 | 2 | 2 | 5 | 2 | 1 | 0 | 0 | 0 | 0 |
| WHITE | 8 | 6 | 0 | 2 | 2 | 2 | 1 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE | 4 | 3 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| 24 YEARS TOTAL | 8 | 1 | 0 | 0 | 0 | 1 | 6 | 1 | 0 | 0 | 0 | 0 |
| WHITE | 6 | 1 | 0 | 0 | 0 | 1 | 4 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980

| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 25-29 YEARS | | | | | | | | | | | | |
| TOTAL | 74 | 31 | 3 | 0 | 7 | 21 | 21 | 15 | 5 | 0 | 0 | 0 |
| WHITE | 60 | 29 | 3 | 0 | 7 | 19 | 15 | 10 | 4 | 0 | 0 | 0 |
| NON-WHITE | 14 | 2 | 0 | 0 | 0 | 2 | 6 | 5 | 1 | 0 | 0 | 0 |
| 30-34 YEARS | | | | | | | | | | | | |
| TOTAL | 45 | 14 | 2 | 4 | 5 | 3 | 14 | 10 | 7 | 0 | 0 | 0 |
| WHITE | 41 | 11 | 2 | 4 | 2 | 3 | 13 | 10 | 7 | 0 | 0 | 0 |
| NON-WHITE | 4 | 3 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 35-39 YEARS | | | | | | | | | | | | |
| TOTAL | 15 | 4 | 0 | 3 | 0 | 1 | 4 | 5 | 0 | 0 | 0 | 0 |
| WHITE | 13 | 4 | 0 | 3 | 0 | 1 | 3 | 4 | 0 | 0 | 0 | 0 |
| NON-WHITE | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 40-44 YEARS | | | | | | | | | | | | |
| TOTAL | 4 | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE | 4 | 4 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 45-49 YEARS | | | | | | | | | | | | |
| AGE UNKNOWN | | | | | | | | | | | | |

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980



| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL AGES | | | | | | | | | | | | |
| TOTAL | 1904** | 221 | 14 | 25 | 54 | 128 | 387 | 738 | 441 | 97 | 15 | 1 |
| WHITE | 1439 | 153 | 10 | 17 | 37 | 89 | 273 | 565 | 355 | 78 | 11 | 1 |
| NON-WHITE | 453 | 66 | 4 | 8 | 16 | 38 | 111 | 170 | 82 | 19 | 4 | 0 |
| RACE UNKNOWN | 12 | 2 | 0 | 0 | 1 | 1 | 3 | 3 | 4 | 0 | 0 | 0 |
| UNDER 15 YEARS | | | | | | | | | | | | |
| TOTAL | 18 | 3 | 0 | 0 | 1 | 2 | 4 | 6 | 5 | 0 | 0 | 0 |
| WHITE | 11 | 2 | 0 | 0 | 1 | 1 | 1 | 4 | 4 | 0 | 0 | 0 |
| NON-WHITE | 7 | 1 | 0 | 0 | 0 | 1 | 3 | 2 | 1 | 0 | 0 | 0 |
| 15 YEARS | | | | | | | | | | | | |
| TOTAL | 40 | 5 | 0 | 2 | 2 | 1 | 7 | 22 | 4 | 2 | 0 | 0 |
| WHITE | 26 | 3 | 0 | 2 | 0 | 1 | 4 | 15 | 2 | 2 | 0 | 0 |
| NON-WHITE | 13 | 1 | 0 | 0 | 1 | 0 | 3 | 7 | 2 | 0 | 0 | 0 |
| RACE UNKNOWN | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 YEARS | | | | | | | | | | | | |
| TOTAL | 104 | 5 | 1 | 0 | 2 | 2 | 20 | 42 | 32 | 4 | 1 | 0 |
| WHITE | 80 | 3 | 1 | 0 | 0 | 2 | 12 | 33 | 28 | 3 | 1 | 0 |
| NON-WHITE | 24 | 2 | 0 | 0 | 2 | 0 | 8 | 9 | 4 | 1 | 0 | 0 |
| 17 YEARS | | | | | | | | | | | | |
| TOTAL | 146 | 13 | 0 | 1 | 6 | 6 | 29 | 68 | 27 | 8 | 0 | 0 |
| WHITE | 115 | 10 | 0 | 1 | 4 | 5 | 19 | 53 | 25 | 7 | 0 | 0 |
| NON-WHITE | 30 | 3 | 0 | 0 | 2 | 1 | 9 | 15 | 2 | 1 | 0 | 0 |
| RACE UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 18 YEARS | | | | | | | | | | | | |
| TOTAL | 221 | 33 | 0 | 4 | 10 | 19 | 45 | 76 | 52 | 14 | 1 | 0 |
| WHITE | 166 | 21 | 0 | 4 | 8 | 9 | 35 | 57 | 43 | 10 | 0 | 0 |
| NON-WHITE | 53 | 12 | 0 | 0 | 2 | 10 | 10 | 18 | 8 | 4 | 1 | 0 |
| RACE UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980

| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 19 YEARS TOTAL | 235 | 22 | 0 | 2 | 4 | 16 | 52 | 91 | 57 | 12 | 0 | 0 |
| WHITE | 188 | 18 | 0 | 2 | 2 | 14 | 39 | 75 | 44 | 11 | 0 | 0 |
| NON-WHITE | 46 | 4 | 0 | 0 | 2 | 2 | 13 | 16 | 12 | 1 | 0 | 0 |
| RACE UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 20 YEARS TOTAL | 203 | 23 | 3 | 1 | 7 | 12 | 42 | 75 | 51 | 9 | 3 | 0 |
| WHITE | 158 | 14 | 3 | 0 | 4 | 7 | 32 | 58 | 44 | 7 | 3 | 0 |
| NON-WHITE | 45 | 9 | 0 | 1 | 3 | 5 | 10 | 17 | 7 | 2 | 0 | 0 |
| 21 YEARS TOTAL | 158 | 24 | 2 | 4 | 4 | 14 | 42 | 50 | 35 | 6 | 1 | 0 |
| WHITE | 115 | 14 | 1 | 1 | 4 | 8 | 29 | 38 | 28 | 5 | 1 | 0 |
| NON-WHITE | 43 | 10 | 1 | 3 | 0 | 6 | 13 | 12 | 7 | 1 | 0 | 0 |
| 22 YEARS TOTAL | 143 | 21 | 2 | 2 | 7 | 10 | 32 | 48 | 32 | 9 | 1 | 0 |
| WHITE | 112 | 16 | 1 | 1 | 6 | 8 | 23 | 37 | 27 | 8 | 1 | 0 |
| NON-WHITE | 29 | 5 | 1 | 1 | 1 | 2 | 9 | 10 | 4 | 1 | 0 | 0 |
| RACE UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 23 YEARS TOTAL | 114 | 18 | 0 | 3 | 4 | 11 | 22 | 48 | 20 | 6 | 0 | 0 |
| WHITE | 79 | 13 | 0 | 3 | 3 | 7 | 11 | 37 | 13 | 5 | 0 | 0 |
| NON-WHITE | 34 | 4 | 0 | 0 | 1 | 3 | 11 | 11 | 7 | 1 | 0 | 0 |
| RACE UNKNOWN | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24 YEARS TOTAL | 108 | 8 | 1 | 1 | 2 | 4 | 17 | 44 | 30 | 8 | 1 | 0 |
| WHITE | 72 | 4 | 0 | 0 | 1 | 3 | 12 | 28 | 20 | 8 | 0 | 0 |
| NON-WHITE | 34 | 4 | 1 | 1 | 1 | 1 | 4 | 16 | 9 | 0 | 1 | 0 |
| RACE UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1980



| RACE AND AGE OF MOTHER | TOTAL | LOW BIRTH WEIGHT# | BIRTH WEIGHT IN GRAMS* 1000 OR LESS | 1001-1500 | 1501-2000 | 2001-2500 | 2501-3000 | 3001-3500 | 3501-4000 | 4001-4500 | 4501-5000 | 5001- & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 25-29 YEARS TOTAL | 269 | 31 | 4 | 3 | 3 | 21 | 46 | 106 | 69 | 13 | 3 | 0 |
| WHITE | 197 | 20 | 3 | 1 | 2 | 14 | 31 | 83 | 54 | 7 | 2 | 0 |
| NON-WHITE | 70 | 11 | 1 | 2 | 1 | 7 | 14 | 22 | 15 | 6 | 1 | 0 |
| RACE UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 30-34 YEARS TOTAL | 102 | 11 | 1 | 2 | 2 | 6 | 21 | 43 | 18 | 5 | 3 | 1 |
| WHITE | 84 | 11 | 1 | 2 | 2 | 6 | 18 | 33 | 15 | 4 | 2 | 1 |
| NON-WHITE | 18 | 0 | 0 | 0 | 0 | 0 | 3 | 10 | 3 | 1 | 1 | 0 |
| 35-39 YEARS TOTAL | 35 | 4 | 0 | 0 | 0 | 4 | 7 | 16 | 7 | 1 | 0 | 0 |
| WHITE | 29 | 4 | 0 | 0 | 0 | 4 | 6 | 12 | 6 | 1 | 0 | 0 |
| NON-WHITE | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 | 0 | 0 | 0 |
| 40-44 YEARS TOTAL | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 | 1 | 0 |
| WHITE | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 | 1 | 0 |
| AGE UNKNOWN TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1980

| CITY OR TOWN | ALL RACES | | | | WHITE | | | | NON-WHITE | | | | UNKNOWN |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL BIRTHS | BORN IN HOSPITAL | BORN OUT OF WEDLOCK | LOW BIRTH WEIGHT | TOTAL BIRTHS | BORN IN HOSPITAL | BORN OUT OF WEDLOCK | LOW BIRTH WEIGHT | TOTAL BIRTHS | BORN IN HOSPITAL | BORN OUT OF WEDLOCK | LOW BIRTH WEIGHT | TOTAL |
| RHODE ISLAND | 12166 | 12095 | 1904 | 774 | 11041 | 10981 | 1439 | 649 | 1095 | 1085 | 453 | 118 | 30 |
| BARRINGTON | 161 | 160 | 6 | 5 | 158 | 157 | 6 | 5 | 3 | 3 | 0 | 0 | 0 |
| BRISTOL | 240 | 240 | 25 | 14 | 239 | 239 | 25 | 14 | 0 | 0 | 0 | 0 | 1 |
| BURRILLVILLE | 195 | 195 | 11 | 11 | 195 | 195 | 11 | 11 | 0 | 0 | 0 | 0 | 0 |
| CENTRAL FALLS | 323 | 323 | 73 | 29 | 304 | 304 | 69 | 26 | 18 | 18 | 4 | 2 | 1 |
| CHARLESTOWN | 91 | 89 | 12 | 8 | 90 | 88 | 12 | 8 | 1 | 1 | 0 | 0 | 0 |
| COVENTRY | 374 | 373 | 40 | 19 | 369 | 368 | 40 | 19 | 4 | 4 | 0 | 0 | 1 |
| CRANSTON | 699 | 697 | 62 | 27 | 681 | 679 | 61 | 26 | 18 | 18 | 1 | 1 | 0 |
| CUMBERLAND | 252 | 250 | 23 | 10 | 250 | 248 | 23 | 10 | 2 | 2 | 0 | 0 | 0 |
| EAST GREENWICH | 98 | 97 | 10 | 4 | 96 | 95 | 10 | 4 | 2 | 2 | 0 | 0 | 0 |
| EAST PROVIDENCE | 603 | 600 | 65 | 40 | 548 | 545 | 51 | 39 | 51 | 51 | 13 | 1 | 4 |
| EXETER | 82 | 82 | 7 | 5 | 81 | 81 | 7 | 4 | 1 | 1 | 0 | 1 | 0 |
| FOSTER | 44 | 44 | 0 | 2 | 44 | 44 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| GLOCESTER | 120 | 119 | 10 | 14 | 117 | 116 | 10 | 13 | 2 | 2 | 0 | 1 | 1 |
| HOPKINTON | 99 | 97 | 13 | 5 | 99 | 97 | 13 | 5 | 0 | 0 | 0 | 0 | 0 |
| JAMESTOWN | 63 | 62 | 3 | 3 | 62 | 61 | 3 | 3 | 1 | 1 | 0 | 0 | 0 |
| JOHNSTON | 257 | 256 | 17 | 13 | 251 | 250 | 17 | 12 | 5 | 5 | 0 | 0 | 1 |
| LINCOLN | 160 | 160 | 11 | 6 | 157 | 157 | 11 | 6 | 3 | 3 | 0 | 0 | 0 |
| LITTLE COMPTON | 41 | 41 | 7 | 2 | 40 | 40 | 7 | 2 | 1 | 1 | 0 | 0 | 0 |
| MIDDLETOWN | 259 | 254 | 24 | 13 | 236 | 231 | 19 | 12 | 23 | 23 | 5 | 1 | 0 |
| NARRAGANSETT | 144 | 140 | 10 | 8 | 139 | 136 | 10 | 8 | 4 | 4 | 0 | 0 | 1 |
| NEWPORT | 418 | 415 | 110 | 29 | 343 | 340 | 67 | 19 | 75 | 75 | 43 | 10 | 0 |
| NEW SHOREHAM | 17 | 17 | 0 | 0 | 17 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH KINGSTOWN | 333 | 328 | 33 | 19 | 325 | 320 | 33 | 15 | 8 | 8 | 0 | 4 | 0 |
| NORTH PROVIDENCE | 262 | 261 | 13 | 11 | 254 | 253 | 13 | 11 | 8 | 8 | 0 | 0 | 0 |
| NORTH SMITHFIELD | 103 | 103 | 8 | 9 | 101 | 101 | 8 | 8 | 1 | 1 | 0 | 0 | 1 |
| PAWTUCKET | 913 | 911 | 154 | 66 | 832 | 830 | 132 | 57 | 81 | 81 | 22 | 9 | 0 |
| PORTSMOUTH | 197 | 195 | 10 | 8 | 191 | 189 | 9 | 6 | 5 | 5 | 1 | 1 | 1 |
| PROVIDENCE | 2337 | 2321 | 717 | 207 | 1639 | 1632 | 374 | 127 | 685 | 676 | 333 | 77 | 13 |
| RICHMOND | 63 | 62 | 8 | 2 | 61 | 60 | 7 | 2 | 2 | 2 | 1 | 0 | 0 |
| SCITUATE | 92 | 91 | 6 | 2 | 92 | 91 | 6 | 2 | 0 | 0 | 0 | 0 | 0 |
| SMITHFIELD | 172 | 171 | 14 | 14 | 165 | 165 | 13 | 14 | 7 | 6 | 1 | 0 | 0 |
| SOUTH KINGSTOWN | 267 | 263 | 35 | 17 | 242 | 238 | 25 | 14 | 24 | 24 | 10 | 3 | 1 |
| TIVERTON | 153 | 150 | 16 | 13 | 151 | 148 | 16 | 13 | 2 | 2 | 0 | 0 | 0 |
| WARREN | 116 | 116 | 9 | 6 | 116 | 116 | 9 | 6 | 0 | 0 | 0 | 0 | 0 |
| WARWICK | 968 | 966 | 91 | 49 | 953 | 951 | 89 | 49 | 12 | 12 | 1 | 0 | 3 |
| WESTERLY | 288 | 286 | 32 | 12 | 286 | 284 | 32 | 12 | 2 | 2 | 0 | 0 | 0 |
| WEST GREENWICH | 48 | 48 | 1 | 3 | 48 | 48 | 1 | 3 | 0 | 0 | 0 | 0 | 0 |
| WEST WARWICK | 455 | 453 | 65 | 34 | 440 | 438 | 62 | 31 | 14 | 14 | 3 | 3 | 1 |
| WOONSOCKET | 659 | 659 | 153 | 35 | 629 | 629 | 138 | 31 | 30 | 30 | 15 | 4 | 0 |

## TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
## RHODE ISLAND, 1980

| CITY OR TOWN | TOTAL | JAN | FEB | MARCH | APR | MAY | JUNE | JULY | AUG | SEPT | OCT | NOV | DEC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 12166 | 958 | 953 | 1005 | 973 | 1044 | 1001 | 1086 | 1065 | 1030 | 1027 | 989 | 1035 |
| BARRINGTON | 161 | 16 | 15 | 15 | 10 | 17 | 11 | 13 | 20 | 7 | 15 | 10 | 12 |
| BRISTOL | 240 | 13 | 29 | 19 | 19 | 20 | 18 | 21 | 19 | 22 | 20 | 17 | 23 |
| BURRILLVILLE | 195 | 13 | 14 | 19 | 11 | 12 | 21 | 24 | 18 | 16 | 18 | 18 | 11 |
| CENTRAL FALLS | 323 | 27 | 22 | 18 | 27 | 35 | 27 | 40 | 24 | 25 | 30 | 26 | 22 |
| CHARLESTOWN | 91 | 11 | 9 | 7 | 5 | 8 | 5 | 6 | 11 | 10 | 11 | 5 | 3 |
| COVENTRY | 374 | 31 | 29 | 28 | 30 | 39 | 33 | 29 | 26 | 29 | 32 | 29 | 39 |
| CRANSTON | 699 | 59 | 42 | 76 | 55 | 61 | 61 | 47 | 54 | 67 | 58 | 58 | 61 |
| CUMBERLAND | 252 | 19 | 13 | 23 | 27 | 18 | 27 | 23 | 23 | 21 | 21 | 16 | 21 |
| EAST GREENWICH | 98 | 14 | 7 | 4 | 11 | 7 | 5 | 7 | 11 | 8 | 6 | 10 | 8 |
| EAST PROVIDENCE | 603 | 58 | 44 | 65 | 41 | 47 | 52 | 58 | 40 | 46 | 57 | 40 | 55 |
| EXETER | 82 | 9 | 2 | 9 | 8 | 3 | 9 | 8 | 3 | 8 | 8 | 11 | 4 |
| FOSTER | 44 | 2 | 1 | 1 | 6 | 1 | 3 | 9 | 3 | 8 | 3 | 3 | 4 |
| GLOCESTER | 120 | 6 | 11 | 10 | 13 | 8 | 14 | 11 | 12 | 6 | 12 | 9 | 8 |
| HOPKINTON | 99 | 7 | 8 | 14 | 5 | 9 | 7 | 5 | 15 | 4 | 8 | 7 | 10 |
| JAMESTOWN | 63 | 5 | 4 | 3 | 6 | 5 | 8 | 6 | 6 | 6 | 5 | 3 | 6 |
| JOHNSTON | 257 | 25 | 27 | 27 | 13 | 24 | 21 | 16 | 27 | 17 | 23 | 22 | 15 |
| LINCOLN | 160 | 14 | 7 | 20 | 12 | 16 | 11 | 15 | 16 | 14 | 8 | 17 | 10 |
| LITTLE COMPTON | 41 | 4 | 6 | 3 | 3 | 3 | 1 | 3 | 4 | 3 | 5 | 1 | 5 |
| MIDDLETOWN | 259 | 20 | 20 | 18 | 18 | 26 | 17 | 22 | 22 | 27 | 21 | 26 | 22 |
| NARRAGANSETT | 144 | 11 | 13 | 13 | 15 | 11 | 11 | 15 | 11 | 11 | 14 | 11 | 8 |
| NEWPORT | 418 | 32 | 46 | 29 | 32 | 31 | 37 | 48 | 44 | 30 | 23 | 34 | 32 |
| NEW SHOREHAM | 17 | 0 | 2 | 3 | 0 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 2 |
| NORTH KINGSTOWN | 333 | 28 | 25 | 24 | 35 | 33 | 24 | 34 | 20 | 25 | 31 | 26 | 28 |
| NORTH PROVIDENCE | 262 | 20 | 19 | 21 | 20 | 19 | 15 | 26 | 28 | 25 | 24 | 23 | 22 |
| NORTH SMITHFIELD | 103 | 4 | 8 | 15 | 10 | 5 | 8 | 9 | 9 | 6 | 12 | 7 | 10 |
| PAWTUCKET | 913 | 65 | 67 | 70 | 60 | 68 | 81 | 80 | 82 | 108 | 81 | 80 | 71 |
| PORTSMOUTH | 197 | 24 | 12 | 14 | 13 | 9 | 19 | 18 | 15 | 21 | 16 | 15 | 21 |
| PROVIDENCE | 2337 | 166 | 189 | 177 | 191 | 204 | 192 | 197 | 224 | 188 | 186 | 194 | 229 |
| RICHMOND | 63 | 5 | 4 | 5 | 5 | 5 | 7 | 4 | 4 | 6 | 7 | 4 | 7 |
| SCITUATE | 92 | 7 | 8 | 8 | 10 | 4 | 8 | 9 | 7 | 7 | 4 | 11 | 9 |
| SMITHFIELD | 172 | 12 | 16 | 14 | 7 | 10 | 18 | 16 | 24 | 11 | 18 | 14 | 12 |
| SOUTH KINGSTOWN | 267 | 18 | 22 | 20 | 29 | 21 | 15 | 25 | 26 | 23 | 21 | 24 | 23 |
| TIVERTON | 153 | 6 | 9 | 12 | 14 | 19 | 5 | 12 | 14 | 25 | 14 | 14 | 9 |
| WARREN | 116 | 7 | 18 | 5 | 7 | 9 | 8 | 9 | 9 | 12 | 14 | 6 | 12 |
| WARWICK | 968 | 76 | 70 | 76 | 95 | 90 | 67 | 100 | 83 | 86 | 85 | 74 | 66 |
| WESTERLY | 288 | 24 | 23 | 19 | 21 | 22 | 26 | 31 | 21 | 21 | 21 | 25 | 34 |
| WEST GREENWICH | 48 | 4 | 7 | 5 | 8 | 3 | 6 | 5 | 3 | 3 | 3 | 0 | 1 |
| WEST WARWICK | 455 | 30 | 41 | 42 | 33 | 58 | 43 | 31 | 31 | 30 | 40 | 37 | 39 |
| WOONSOCKET | 659 | 66 | 44 | 54 | 48 | 63 | 59 | 52 | 55 | 46 | 50 | 61 | 61 |

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | TOTAL BIRTHS | BIRTHS OUT OF WEDLOCK | LOW BIRTH WEIGHT | WITH INJURY | WITH MAL-FORMATION | PRENATAL CARE BEGAN 1ST-3RD MONTH | 4TH-7TH MONTH | 8TH-9TH MONTH | NO CARE | NOT STATED |
|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 12166 | 1904 | 774 | 59 | 0 | 10041 | 1319 | 65 | 55 | 686 |
| BARRINGTON | 161 | 6 | 5 | 0 | 0 | 147 | 8 | 0 | 0 | 6 |
| 301 | 53 | 2 | 1 | 0 | 0 | 48 | 2 | 0 | 0 | 3 |
| 302 | 26 | 1 | 1 | 0 | 0 | 23 | 3 | 0 | 0 | 0 |
| 303 | 45 | 3 | 1 | 0 | 0 | 39 | 3 | 0 | 0 | 3 |
| 304 | 37 | 0 | 2 | 0 | 0 | 37 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BRISTOL | 240 | 25 | 14 | 0 | 0 | 189 | 30 | 1 | 0 | 20 |
| 307 | 84 | 10 | 8 | 0 | 0 | 62 | 10 | 0 | 0 | 12 |
| 308 | 40 | 8 | 4 | 0 | 0 | 32 | 6 | 0 | 0 | 2 |
| 309 | 116 | 7 | 2 | 0 | 0 | 95 | 14 | 1 | 0 | 6 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BURRILLVILLE | 195 | 11 | 11 | 1 | 0 | 177 | 16 | 0 | 0 | 2 |
| 129 | 92 | 6 | 7 | 0 | 0 | 81 | 10 | 0 | 0 | 1 |
| 130 | 103 | 5 | 4 | 1 | 0 | 96 | 6 | 0 | 0 | 1 |
| CENTRAL FALLS | 323 | 73 | 29 | 0 | 0 | 240 | 56 | 1 | 1 | 25 |
| 108 | 76 | 24 | 8 | 0 | 0 | 57 | 14 | 1 | 0 | 6 |
| 109 | 91 | 15 | 11 | 0 | 0 | 60 | 21 | 0 | 0 | 10 |
| 110 | 82 | 21 | 3 | 0 | 0 | 70 | 7 | 0 | 1 | 4 |
| 111 | 72 | 13 | 7 | 0 | 0 | 53 | 14 | 0 | 0 | 5 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHARLESTOWN-511 | 91 | 12 | 8 | 1 | 0 | 81 | 8 | 2 | 0 | 0 |
| COVENTRY | 374 | 40 | 19 | 2 | 0 | 331 | 38 | 1 | 0 | 4 |
| 206 | 278 | 33 | 14 | 2 | 0 | 245 | 30 | 0 | 0 | 3 |
| 207 | 96 | 7 | 5 | 0 | 0 | 86 | 8 | 1 | 0 | 1 |
| CRANSTON | 699 | 62 | 27 | 3 | 0 | 606 | 50 | 5 | 2 | 36 |
| 134 | 62 | 11 | 4 | 2 | 0 | 55 | 5 | 0 | 1 | 1 |
| 135 | 62 | 7 | 2 | 0 | 0 | 48 | 8 | 0 | 0 | 6 |
| 136 | 40 | 2 | 0 | 1 | 0 | 38 | 1 | 1 | 0 | 0 |
| 137 | 75 | 1 | 2 | 0 | 0 | 66 | 5 | 1 | 0 | 3 |

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980



| CITY OR TOWN AND CENSUS TRACT | TOTAL BIRTHS | BIRTHS OUT OF WEDLOCK | LOW BIRTH WEIGHT | WITH INJURY | WITH MAL-FORMATION | PRENATAL CARE BEGAN 1ST-3RD MONTH | 4TH-7TH MONTH | 8TH-9TH MONTH | NO CARE | NOT STATED |
|---|---|---|---|---|---|---|---|---|---|---|
| CRANSTON(CONT.) | | | | | | | | | | |
| 138 | 54 | 2 | 2 | 0 | 0 | 50 | 4 | 0 | 0 | 2 |
| 139 | 18 | 1 | 0 | 0 | 0 | 18 | 0 | 0 | 0 | 0 |
| 140 | 58 | 8 | 1 | 0 | 0 | 46 | 6 | 1 | 0 | 5 |
| 141 | 55 | 3 | 4 | 0 | 0 | 47 | 2 | 1 | 0 | 5 |
| 142 | 22 | 3 | 2 | 0 | 0 | 18 | 4 | 0 | 0 | 0 |
| 143 | 25 | 0 | 0 | 0 | 0 | 21 | 1 | 0 | 0 | 3 |
| 144 | 24 | 0 | 0 | 0 | 0 | 23 | 1 | 0 | 0 | 0 |
| 145 | 59 | 3 | 1 | 0 | 0 | 56 | 2 | 0 | 0 | 1 |
| 146 | 46 | 2 | 4 | 0 | 0 | 46 | 0 | 0 | 0 | 0 |
| 147 | 68 | 15 | 5 | 0 | 0 | 50 | 9 | 1 | 1 | 7 |
| 148 | 29 | 4 | 0 | 0 | 0 | 24 | 2 | 0 | 0 | 3 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CUMBERLAND | 252 | 23 | 10 | 1 | 0 | 223 | 24 | 3 | 1 | 1 |
| 112 | 57 | 8 | 2 | 0 | 0 | 46 | 10 | 0 | 0 | 1 |
| 113 | 73 | 9 | 2 | 0 | 0 | 64 | 7 | 1 | 1 | 0 |
| 114 | 122 | 6 | 6 | 1 | 0 | 113 | 7 | 2 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EAST GREENWICH-209 | 98 | 10 | 4 | 0 | 0 | 85 | 11 | 1 | 1 | 0 |
| EAST PROVIDENCE | 603 | 65 | 40 | 3 | 0 | 490 | 62 | 2 | 3 | 46 |
| 101 | 76 | 7 | 7 | 1 | 0 | 70 | 4 | 1 | 1 | 0 |
| 102 | 118 | 13 | 6 | 0 | 0 | 83 | 16 | 0 | 1 | 18 |
| 103 | 43 | 5 | 3 | 0 | 0 | 28 | 7 | 0 | 1 | 7 |
| 104 | 106 | 15 | 7 | 0 | 0 | 83 | 11 | 1 | 0 | 11 |
| 105 | 99 | 5 | 5 | 0 | 0 | 90 | 5 | 0 | 0 | 4 |
| 106 | 94 | 18 | 7 | 1 | 0 | 75 | 15 | 0 | 0 | 4 |
| 107 | 68 | 4 | 5 | 1 | 0 | 62 | 4 | 0 | 0 | 2 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EXETER-505 | 82 | 7 | 5 | 1 | 0 | 74 | 8 | 0 | 0 | 0 |
| FOSTER-133 | 44 | 0 | 2 | 0 | 0 | 40 | 3 | 0 | 0 | 1 |
| GLOCESTER-131 | 120 | 10 | 14 | 0 | 0 | 103 | 9 | 1 | 0 | 7 |

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | TOTAL BIRTHS | BIRTHS OUT OF WEDLOCK | LOW BIRTH WEIGHT | WITH INJURY | WITH MAL-FORMATION | PRENATAL CARE BEGAN 1ST-3RD MONTH | 4TH-7TH MONTH | 8TH-9TH MONTH | NO CARE | NOT STATED |
|---|---|---|---|---|---|---|---|---|---|---|
| HOPKINTON-507 | 99 | 13 | 5 | 0 | 0 | 83 | 11 | 0 | 1 | 4 |
| JAMESTOWN-413 | 63 | 3 | 3 | 1 | 0 | 61 | 2 | 0 | 0 | 0 |
| JOHNSTON | 257 | 17 | 13 | 1 | 0 | 226 | 13 | 0 | 1 | 17 |
| 122 | 49 | 2 | 1 | 1 | 0 | 46 | 1 | 0 | 1 | 1 |
| 123 | 84 | 7 | 3 | 0 | 0 | 74 | 5 | 0 | 0 | 5 |
| 124 | 81 | 4 | 6 | 0 | 0 | 72 | 4 | 0 | 0 | 5 |
| 125 | 43 | 4 | 3 | 0 | 0 | 34 | 3 | 0 | 0 | 6 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINCOLN | 160 | 11 | 6 | 0 | 0 | 146 | 10 | 0 | 0 | 4 |
| 115 | 36 | 3 | 1 | 0 | 0 | 31 | 4 | 0 | 0 | 1 |
| 116 | 42 | 2 | 3 | 0 | 0 | 40 | 1 | 0 | 0 | 1 |
| 117 | 82 | 6 | 2 | 0 | 0 | 75 | 5 | 0 | 0 | 2 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LITTLE COMPTON-414 | 41 | 7 | 2 | 1 | 0 | 31 | 8 | 1 | 1 | 0 |
| MIDDLETOWN | 259 | 24 | 13 | 2 | 0 | 233 | 20 | 2 | 0 | 4 |
| 402 | 25 | 2 | 1 | 0 | 0 | 22 | 3 | 0 | 0 | 0 |
| 403 | 173 | 19 | 10 | 2 | 0 | 156 | 13 | 2 | 0 | 2 |
| 404 | 61 | 3 | 2 | 0 | 0 | 55 | 4 | 0 | 0 | 2 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NARRAGANSETT-515 | 144 | 10 | 8 | 1 | 0 | 132 | 11 | 0 | 0 | 1 |
| NEWPORT | 418 | 110 | 29 | 4 | 0 | 350 | 62 | 3 | 1 | 2 |
| 405 | 123 | 50 | 9 | 0 | 0 | 90 | 29 | 2 | 1 | 1 |
| 406 | 32 | 17 | 7 | 0 | 0 | 71 | 10 | 0 | 0 | 1 |
| 407 | 53 | 10 | 0 | 0 | 0 | 48 | 5 | 0 | 0 | 0 |
| 408 | 33 | 7 | 3 | 2 | 0 | 28 | 4 | 1 | 0 | 0 |
| 409 | 45 | 5 | 1 | 1 | 0 | 41 | 4 | 0 | 0 | 0 |
| 410 | 27 | 7 | 3 | 0 | 0 | 27 | 0 | 0 | 0 | 0 |
| 411 | 21 | 5 | 3 | 0 | 0 | 16 | 5 | 0 | 0 | 0 |
| 412 | 34 | 9 | 3 | 1 | 0 | 29 | 5 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | TOTAL BIRTHS | BIRTHS OUT OF WEDLOCK | LOW BIRTH WEIGHT | WITH INJURY | WITH MAL-FORMATION | PRENATAL CARE BEGAN 1ST-3RD MONTH | 4TH-7TH MONTH | 8TH-9TH MONTH | NO CARE | NOT STATED |
|---|---|---|---|---|---|---|---|---|---|---|
| NEW SHOREHAM-415 | 17 | 0 | 0 | 0 | 0 | 16 | 1 | 0 | 0 | 0 |
| NORTH KINGSTOWN | 333 | 33 | 19 | 3 | 0 | 290 | 32 | 1 | 2 | 8 |
| 501 | 166 | 14 | 8 | 1 | 0 | 145 | 17 | 0 | 0 | 4 |
| 502 | 10 | 0 | 0 | 0 | 0 | 8 | 1 | 0 | 0 | 1 |
| 503 | 77 | 13 | 2 | 1 | 0 | 67 | 6 | 1 | 2 | 1 |
| 504 | 79 | 6 | 9 | 1 | 0 | 69 | 8 | 0 | 0 | 2 |
| UNKNOWN | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| NORTH PROVIDENCE | 262 | 13 | 11 | 0 | 0 | 221 | 24 | 0 | 1 | 16 |
| 118 | 60 | 5 | 4 | 0 | 0 | 49 | 9 | 0 | 1 | 1 |
| 119 | 44 | 2 | 4 | 0 | 0 | 40 | 1 | 0 | 0 | 3 |
| 120 | 49 | 1 | 0 | 0 | 0 | 42 | 4 | 0 | 0 | 3 |
| 121 | 109 | 5 | 3 | 0 | 0 | 90 | 10 | 0 | 0 | 9 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH SMITHFIELD-128 | 103 | 8 | 9 | 1 | 0 | 94 | 6 | 0 | 0 | 3 |
| PAWTUCKET | 913 | 154 | 66 | 8 | 0 | 740 | 137 | 1 | 5 | 30 |
| 149 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 150 | 51 | 6 | 6 | 0 | 0 | 45 | 3 | 0 | 1 | 2 |
| 151 | 84 | 16 | 4 | 0 | 0 | 62 | 15 | 0 | 1 | 6 |
| 152 | 21 | 8 | 2 | 0 | 0 | 18 | 3 | 0 | 0 | 0 |
| 153 | 41 | 8 | 1 | 0 | 0 | 30 | 10 | 0 | 1 | 0 |
| 154 | 37 | 9 | 1 | 0 | 0 | 28 | 7 | 0 | 1 | 1 |
| 155 | 49 | 5 | 5 | 0 | 0 | 40 | 7 | 0 | 0 | 2 |
| 156 | 33 | 3 | 4 | 0 | 0 | 31 | 2 | 0 | 0 | 0 |
| 157 | 38 | 4 | 0 | 1 | 0 | 32 | 6 | 0 | 0 | 0 |
| 158 | 39 | 2 | 1 | 0 | 0 | 31 | 8 | 0 | 0 | 0 |
| 159 | 34 | 4 | 2 | 0 | 0 | 29 | 5 | 0 | 0 | 0 |
| 160 | 48 | 6 | 3 | 2 | 0 | 44 | 3 | 0 | 0 | 1 |
| 161** | 68 | 21 | 9 | 2 | 0 | 48 | 16 | 0 | 0 | 4 |
| 163 | 26 | 2 | 0 | 0 | 0 | 21 | 4 | 0 | 0 | 1 |
| 164** | 86 | 25 | 6 | 0 | 0 | 62 | 17 | 0 | 1 | 6 |
| 165 | 48 | 3 | 4 | 0 | 0 | 43 | 3 | 1 | 0 | 1 |
| 166 | 21 | 1 | 3 | 0 | 0 | 16 | 5 | 0 | 0 | 0 |
| 167 | 57 | 10 | 5 | 0 | 0 | 49 | 5 | 0 | 0 | 3 |
| 168 | 24 | 3 | 2 | 2 | 0 | 21 | 2 | 0 | 0 | 1 |
| 169 | 11 | 1 | 1 | 0 | 0 | 11 | 0 | 0 | 0 | 0 |
| 170 | 26 | 0 | 3 | 0 | 0 | 25 | 1 | 0 | 0 | 0 |
| 171 | 71 | 17 | 4 | 1 | 0 | 54 | 15 | 0 | 0 | 2 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PORTSMOUTH-401 | 137 | 10 | 8 | 1 | 0 | 118 | 13 | 0 | 0 | 6 |

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | TOTAL BIRTHS | BIRTHS OUT OF WEDLOCK | LOW BIRTH WEIGHT | WITH INJURY | WITH MAL-FORMATION | PRENATAL CARE BEGAN 1ST-3RD MONTH | 4TH-7TH MONTH | 8TH-9TH MONTH | NO CARE | NOT STATED |
|---|---|---|---|---|---|---|---|---|---|---|
| PROVIDENCE | 2337 | 717 | 207 | 11 | 0 | 1597 | 325 | 32 | 21 | 362 |
| 1 | 132 | 34 | 12 | 0 | 0 | 84 | 27 | 3 | 0 | 18 |
| 2 | 213 | 77 | 23 | 1 | 0 | 133 | 34 | 2 | 2 | 42 |
| 3 | 156 | 62 | 12 | 0 | 0 | 77 | 33 | 4 | 0 | 42 |
| 4 | 82 | 37 | 11 | 1 | 0 | 48 | 15 | 0 | 1 | 18 |
| 5 | 75 | 47 | 8 | 1 | 0 | 46 | 16 | 0 | 1 | 12 |
| 6 | 27 | 15 | 1 | 0 | 0 | 11 | 3 | 1 | 1 | 11 |
| 7 | 22 | 8 | 1 | 0 | 0 | 16 | 0 | 1 | 0 | 5 |
| 8 | 5 | 0 | 1 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| 9 | 27 | 8 | 1 | 0 | 0 | 20 | 3 | 0 | 1 | 3 |
| 10 | 25 | 8 | 3 | 0 | 0 | 19 | 4 | 0 | 1 | 1 |
| 11 | 32 | 13 | 4 | 1 | 0 | 24 | 5 | 0 | 1 | 2 |
| 12 | 67 | 35 | 4 | 1 | 0 | 35 | 15 | 1 | 1 | 15 |
| 13 | 81 | 23 | 6 | 0 | 0 | 48 | 10 | 5 | 0 | 18 |
| 14 | 125 | 58 | 13 | 1 | 0 | 62 | 26 | 4 | 2 | 31 |
| 15 | 41 | 2 | 1 | 1 | 0 | 35 | 4 | 0 | 0 | 2 |
| 16 | 98 | 13 | 3 | 0 | 0 | 79 | 6 | 0 | 2 | 11 |
| 17 | 47 | 7 | 4 | 0 | 0 | 36 | 5 | 0 | 0 | 6 |
| 18 | 96 | 38 | 6 | 0 | 0 | 70 | 13 | 2 | 2 | 9 |
| 19 | 88 | 47 | 15 | 0 | 0 | 46 | 20 | 1 | 2 | 19 |
| 20 | 59 | 18 | 7 | 0 | 0 | 42 | 7 | 1 | 0 | 9 |
| 21 | 91 | 9 | 10 | 0 | 0 | 82 | 7 | 0 | 0 | 2 |
| 22 | 49 | 13 | 3 | 2 | 0 | 41 | 6 | 0 | 0 | 2 |
| 23 | 45 | 2 | 4 | 0 | 0 | 40 | 4 | 0 | 0 | 1 |
| 24 | 40 | 1 | 1 | 0 | 0 | 34 | 3 | 0 | 0 | 3 |
| 25 | 43 | 10 | 3 | 0 | 0 | 28 | 5 | 2 | 1 | 7 |
| 26 | 65 | 30 | 7 | 0 | 0 | 38 | 11 | 0 | 0 | 16 |
| 27 | 50 | 23 | 9 | 0 | 0 | 37 | 7 | 0 | 1 | 5 |
| 28 | 65 | 9 | 6 | 0 | 0 | 51 | 3 | 1 | 0 | 10 |
| 29 | 67 | 7 | 4 | 1 | 0 | 56 | 1 | 0 | 0 | 10 |
| 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 | 52 | 20 | 3 | 0 | 0 | 39 | 5 | 0 | 1 | 7 |
| 32 | 72 | 22 | 8 | 1 | 0 | 58 | 7 | 2 | 0 | 5 |
| 33 | 42 | 5 | 1 | 0 | 0 | 35 | 3 | 1 | 1 | 2 |
| 34 | 39 | 1 | 2 | 0 | 0 | 36 | 2 | 0 | 0 | 1 |
| 35 | 39 | 3 | 4 | 0 | 0 | 31 | 5 | 1 | 0 | 2 |
| 36 | 17 | 0 | 0 | 0 | 0 | 16 | 0 | 0 | 0 | 1 |
| 37 | 60 | 10 | 6 | 0 | 0 | 37 | 10 | 0 | 0 | 13 |
| UNKNOWN | 2 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| INNER CITY | 1027 | 431 | 98 | 5 | 0 | 594 | 181 | 19 | 13 | 220 |
| RICHMOND-506 | 63 | 8 | 2 | 0 | 0 | 56 | 7 | 0 | 0 | 0 |
| SCITUATE-132 | 92 | 6 | 2 | 0 | 0 | 83 | 6 | 1 | 2 | 0 |

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980



| CITY OR TOWN AND CENSUS TRACT | TOTAL BIRTHS | BIRTHS OUT OF WEDLOCK | LOW BIRTH WEIGHT | WITH INJURY | WITH MAL-FORMATION | PRENATAL CARE BEGAN 1ST-3RD MONTH | 4TH-7TH MONTH | 8TH-9TH MONTH | NO CARE | NOT STATED |
|---|---|---|---|---|---|---|---|---|---|---|
| SMITHFIELD | 172 | 14 | 14 | 0 | 0 | 158 | 9 | 0 | 0 | 5 |
| 126 | 88 | 9 | 10 | 0 | 0 | 79 | 5 | 0 | 0 | 4 |
| 127 | 84 | 5 | 4 | 0 | 0 | 79 | 4 | 0 | 0 | 1 |
| SOUTH KINGSTOWN | 267 | 35 | 17 | 2 | 0 | 239 | 18 | 0 | 2 | 8 |
| 512 | 119 | 25 | 10 | 1 | 0 | 102 | 11 | 0 | 2 | 4 |
| 513 | 139 | 10 | 7 | 1 | 0 | 129 | 6 | 0 | 0 | 4 |
| 514 | 8 | 0 | 0 | 0 | 0 | 7 | 1 | 0 | 0 | 0 |
| UNKNOWN | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| TIVERTON | 153 | 16 | 13 | 0 | 0 | 131 | 16 | 0 | 4 | 2 |
| 416 | 82 | 8 | 5 | 0 | 0 | 68 | 11 | 0 | 3 | 0 |
| 417 | 71 | 8 | 8 | 0 | 0 | 63 | 5 | 0 | 1 | 2 |
| WARREN | 116 | 9 | 6 | 0 | 0 | 91 | 19 | 0 | 1 | 5 |
| 305 | 65 | 6 | 3 | 0 | 0 | 49 | 13 | 0 | 1 | 2 |
| 306 | 51 | 3 | 3 | 0 | 0 | 42 | 6 | 0 | 0 | 3 |
| WARWICK | 968 | 91 | 49 | 7 | 0 | 867 | 80 | 2 | 2 | 17 |
| 210 | 76 | 10 | 2 | 0 | 0 | 65 | 9 | 0 | 0 | 2 |
| 211 | 77 | 5 | 3 | 2 | 0 | 69 | 6 | 1 | 0 | 1 |
| 212 | 32 | 0 | 2 | 0 | 0 | 30 | 2 | 0 | 0 | 0 |
| 213 | 49 | 2 | 3 | 0 | 0 | 47 | 1 | 0 | 0 | 1 |
| 214 | 83 | 6 | 6 | 0 | 0 | 76 | 3 | 0 | 0 | 4 |
| 215 | 112 | 27 | 7 | 0 | 0 | 99 | 11 | 0 | 0 | 2 |
| 216 | 13 | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 0 |
| 217 | 78 | 14 | 3 | 1 | 0 | 64 | 11 | 0 | 1 | 2 |
| 218 | 26 | 1 | 1 | 0 | 0 | 24 | 1 | 1 | 0 | 0 |
| 219 | 150 | 8 | 14 | 3 | 0 | 136 | 12 | 0 | 1 | 1 |
| 220 | 54 | 6 | 3 | 0 | 0 | 48 | 4 | 0 | 0 | 2 |
| 221 | 51 | 3 | 0 | 1 | 0 | 47 | 4 | 0 | 0 | 0 |
| 222 | 83 | 6 | 1 | 0 | 0 | 74 | 9 | 0 | 0 | 0 |
| 223 | 39 | 3 | 2 | 0 | 0 | 31 | 6 | 0 | 0 | 2 |
| 224 | 45 | 0 | 2 | 0 | 0 | 44 | 1 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WESTERLY | 288 | 32 | 12 | 2 | 0 | 224 | 45 | 2 | 0 | 17 |
| 508 | 154 | 20 | 5 | 2 | 0 | 120 | 25 | 0 | 0 | 9 |
| 509 | 108 | 10 | 5 | 0 | 0 | 83 | 18 | 2 | 0 | 5 |
| 510 | 24 | 2 | 2 | 0 | 0 | 19 | 2 | 0 | 0 | 3 |
| UNKNOWN | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| WEST GREENWICH-208 | 49 | 1 | 3 | 1 | 0 | 41 | 7 | 0 | 0 | 0 |
| WEST WARWICK | 455 | 65 | 34 | 1 | 0 | 376 | 66 | 2 | 2 | 9 |
| 201 | 155 | 11 | 8 | 1 | 0 | 138 | 15 | 0 | 0 | 2 |

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | TOTAL BIRTHS | BIRTHS OUT OF WEDLOCK | LOW BIRTH WEIGHT | WITH INJURY | WITH MAL-FORMATION | PRENATAL CARE BEGAN 1ST-3RD MONTH | 4TH-7TH MONTH | 8TH-9TH MONTH | NO CARE | NOT STATED |
|---|---|---|---|---|---|---|---|---|---|---|
| WEST WARWICK(CONT.) | | | | | | | | | | |
| 202 | 87 | 11 | 4 | 0 | 0 | 72 | 11 | 1 | 0 | 3 |
| 203 | 101 | 21 | 11 | 0 | 0 | 82 | 17 | 0 | 1 | 1 |
| 204 | 57 | 10 | 5 | 0 | 0 | 40 | 13 | 1 | 1 | 2 |
| 205 | 55 | 12 | 6 | 0 | 0 | 44 | 10 | 0 | 0 | 1 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WOONSOCKET | 659 | 153 | 35 | 0 | 0 | 591 | 48 | 1 | 1 | 18 |
| 172 | 17 | 4 | 0 | 0 | 0 | 14 | 2 | 0 | 0 | 1 |
| 173 | 52 | 5 | 3 | 0 | 0 | 49 | 2 | 1 | 0 | 0 |
| 174 | 98 | 28 | 8 | 0 | 0 | 78 | 7 | 0 | 0 | 3 |
| 175 | 44 | 3 | 0 | 0 | 0 | 40 | 2 | 0 | 0 | 2 |
| 176 | 61 | 20 | 1 | 0 | 0 | 55 | 5 | 0 | 0 | 1 |
| 177 | 32 | 2 | 1 | 0 | 0 | 29 | 2 | 0 | 0 | 1 |
| 178 | 44 | 14 | 2 | 0 | 0 | 39 | 4 | 0 | 0 | 1 |
| 179 | 64 | 15 | 3 | 0 | 0 | 52 | 6 | 0 | 0 | 6 |
| 180 | 30 | 11 | 1 | 0 | 0 | 24 | 5 | 0 | 0 | 1 |
| 181 | 47 | 12 | 2 | 0 | 0 | 44 | 3 | 0 | 0 | 0 |
| 182 | 56 | 11 | 4 | 0 | 0 | 54 | 2 | 0 | 0 | 0 |
| 183 | 34 | 7 | 3 | 0 | 0 | 33 | 1 | 0 | 0 | 0 |
| 184 | 57 | 16 | 4 | 0 | 0 | 50 | 5 | 0 | 0 | 2 |
| 185 | 33 | 5 | 3 | 0 | 0 | 30 | 2 | 0 | 1 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 18A - BIRTHS AND BIRTHS OUT OF WEDLOCK, 1980
All Ages and Teen-Ages by City or Town of Residence

| | ALL BIRTHS | TEEN-AGE BIRTHS | ALL BIRTHS OUT OF WEDLOCK | TEEN-AGE OUT OF WEDLOCK |
|---|---|---|---|---|
| RHODE ISLAND | 12,166 | 1,499 | 1,904 | 764 |
| Barrington | 161 | 7 | 6 | 2 |
| Bristol | 240 | 24 | 25 | 9 |
| Burrillville | 195 | 26 | 11 | 4 |
| Central Falls | 323 | 58 | 73 | 22 |
| Charlestown | 91 | 10 | 12 | 6 |
| Coventry | 374 | 40 | 40 | 23 |
| Cranston | 699 | 51 | 62 | 30 |
| Cumberland | 252 | 20 | 23 | 12 |
| East Greenwich | 98 | 7 | 10 | 3 |
| East Providence | 603 | 70 | 65 | 28 |
| Exeter | 82 | 5 | 7 | 2 |
| Foster | 44 | 4 | - | - |
| Glocester | 120 | 13 | 10 | 6 |
| Hopkinton | 99 | 13 | 13 | 5 |
| Jamestown | 63 | 1 | 3 | - |
| Johnston | 257 | 15 | 17 | 8 |
| Lincoln | 160 | 9 | 11 | 4 |
| Little Compton | 41 | 7 | 7 | 5 |
| Middletown | 259 | 21 | 24 | 11 |
| Narragansett | 144 | 9 | 10 | 4 |
| Newport | 418 | 59 | 110 | 31 |
| New Shoreham | 17 | 1 | - | - |
| North Kingstown | 333 | 26 | 33 | 11 |
| North Providence | 262 | 22 | 13 | 5 |
| North Smithfield | 103 | 6 | 8 | 4 |
| Pawtucket | 913 | 138 | 154 | 66 |
| Portsmouth | 197 | 13 | 10 | 6 |
| Providence | 2,337 | 423 | 717 | 265 |
| Richmond | 63 | 10 | 8 | 4 |
| Scituate | 92 | 5 | 6 | 1 |
| Smithfield | 172 | 11 | 14 | 6 |
| South Kingstown | 267 | 22 | 35 | 14 |
| Tiverton | 153 | 17 | 16 | 8 |
| Warren | 116 | 14 | 9 | 2 |
| Warwick | 968 | 83 | 91 | 41 |
| Westerly | 288 | 43 | 32 | 18 |
| West Greenwich | 48 | 3 | 1 | 1 |
| West Warwick | 455 | 67 | 65 | 28 |
| Woonsocket | 659 | 126 | 153 | 69 |

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1980

| MODE OF DELIVERY | TOTAL | RACE | | | WEEKS OF UTEROGESTATION | | | |
|---|---|---|---|---|---|---|---|---|
| | | WHITE | NON-WHITE | UNKNOWN | UNDER 20 | 20 - 27 | 28 AND OVER | UNKNOWN |
| TOTAL | 7277 | 6133 | 548 | 596 | 7132 | 63 | 72 | 10 |
| SPONTANEOUS | 652 | 316 | 35 | 301 | 523 | 54 | 72 | 3 |
| INDUCED | 6625 | 5817 | 513 | 295 | 6609 | 9 | 0 | 7 |

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1980

| MONTH | TOTAL | WEEKS OF UTEROGESTATION | | | |
|---|---|---|---|---|---|
| | | UNDER 20 | 20 - 27 | 28 AND OVER | UNKNOWN |
| TOTAL | 7277 | 7132 | 63 | 72 | 10 |
| JANUARY | 647 | 634 | 5 | 7 | 1 |
| FEBRUARY | 537 | 526 | 3 | 8 | 0 |
| MARCH | 586 | 573 | 4 | 8 | 1 |
| APRIL | 629 | 616 | 7 | 6 | 0 |
| MAY | 623 | 610 | 4 | 7 | 2 |
| JUNE | 564 | 555 | 5 | 2 | 2 |
| JULY | 671 | 662 | 3 | 5 | 1 |
| AUGUST | 583 | 572 | 2 | 8 | 1 |
| SEPTEMBER | 644 | 628 | 8 | 8 | 0 |
| OCTOBER | 593 | 579 | 9 | 5 | 0 |
| NOVEMBER | 616 | 605 | 4 | 6 | 1 |
| DECEMBER | 584 | 572 | 9 | 2 | 1 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1980



| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| RHODE ISLAND | 5955 | 1737 | 4086 | 600 | 443 | 135 | 5355 | 1294 | 3951 |
| BARRINGTON | 92 | 36 | 56 | 20 | 20 | 0 | 72 | 16 | 56 |
| 301 | 29 | 11 | 18 | 4 | 4 | 0 | 25 | 7 | 18 |
| 302 | 22 | 8 | 14 | 5 | 5 | 0 | 17 | 3 | 14 |
| 303 | 29 | 13 | 16 | 8 | 8 | 0 | 21 | 5 | 16 |
| 304 | 12 | 4 | 8 | 3 | 3 | 0 | 9 | 1 | 8 |
| BRISTOL | 89 | 25 | 63 | 10 | 8 | 2 | 79 | 17 | 61 |
| 307 | 28 | 10 | 18 | 3 | 2 | 1 | 25 | 8 | 17 |
| 308 | 22 | 4 | 18 | 2 | 2 | 0 | 20 | 2 | 18 |
| 309 | 38 | 11 | 26 | 5 | 4 | 1 | 33 | 7 | 25 |
| UNKNOWN TRACT | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| BURRILLVILLE | 36 | 19 | 16 | 5 | 5 | 0 | 31 | 14 | 16 |
| 129 | 21 | 11 | 9 | 2 | 2 | 0 | 19 | 9 | 9 |
| 130 | 15 | 8 | 7 | 3 | 3 | 0 | 12 | 5 | 7 |
| CENTRAL FALLS | 114 | 62 | 51 | 12 | 8 | 4 | 102 | 54 | 47 |
| 108 | 26 | 15 | 11 | 4 | 3 | 1 | 22 | 12 | 10 |
| 109 | 18 | 10 | 8 | 0 | 0 | 0 | 18 | 10 | 8 |
| 110 | 35 | 18 | 16 | 3 | 1 | 2 | 32 | 17 | 14 |
| 111 | 34 | 18 | 16 | 5 | 4 | 1 | 29 | 14 | 15 |
| UNKNOWN TRACT | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| CHARLESTOWN | 23 | 9 | 14 | 1 | 0 | 1 | 22 | 9 | 13 |
| 511 | 23 | 9 | 14 | 1 | 0 | 1 | 22 | 9 | 13 |
| COVENTRY | 132 | 37 | 93 | 13 | 8 | 5 | 119 | 29 | 88 |
| 206 | 102 | 28 | 72 | 8 | 6 | 2 | 94 | 22 | 70 |
| 207 | 30 | 9 | 21 | 5 | 2 | 3 | 25 | 7 | 18 |
| CRANSTON | 389 | 111 | 273 | 44 | 41 | 3 | 345 | 70 | 270 |
| 134 | 29 | 8 | 21 | 2 | 2 | 0 | 27 | 6 | 21 |
| 135 | 44 | 13 | 31 | 7 | 7 | 0 | 37 | 6 | 31 |
| 136 | 26 | 4 | 22 | 0 | 0 | 0 | 26 | 4 | 22 |
| 137 | 43 | 6 | 36 | 4 | 4 | 0 | 39 | 2 | 36 |
| 138 | 22 | 11 | 11 | 5 | 4 | 1 | 17 | 7 | 10 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1980

| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| 139 | 15 | 4 | 11 | 1 | 1 | 0 | 14 | 3 | 11 |
| 140 | 28 | 6 | 21 | 1 | 1 | 0 | 27 | 5 | 21 |
| 141 | 33 | 15 | 16 | 7 | 6 | 1 | 26 | 9 | 15 |
| 142 | 7 | 4 | 3 | 0 | 0 | 0 | 7 | 4 | 3 |
| 143 | 22 | 8 | 14 | 2 | 2 | 0 | 20 | 6 | 14 |
| 144 | 13 | 1 | 12 | 0 | 0 | 0 | 13 | 1 | 12 |
| 145 | 27 | 8 | 18 | 5 | 5 | 0 | 22 | 3 | 18 |
| 146 | 12 | 3 | 9 | 0 | 0 | 0 | 12 | 3 | 9 |
| 147 | 49 | 13 | 36 | 6 | 5 | 1 | 43 | 8 | 35 |
| 148 | 17 | 7 | 10 | 4 | 4 | 0 | 13 | 3 | 10 |
| UNKNOWN TRACT | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 2 |
| CUMBERLAND | 132 | 41 | 89 | 13 | 12 | 1 | 119 | 29 | 88 |
| 112 | 28 | 14 | 14 | 2 | 2 | 0 | 26 | 12 | 14 |
| 113 | 37 | 11 | 26 | 5 | 4 | 1 | 32 | 7 | 25 |
| 114 | 65 | 15 | 48 | 6 | 6 | 0 | 59 | 9 | 48 |
| UNKNOWN TRACT | 2 | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 1 |
| EAST GREENWICH | 63 | 11 | 51 | 4 | 4 | 0 | 59 | 7 | 51 |
| 209 | 63 | 11 | 51 | 4 | 4 | 0 | 59 | 7 | 51 |
| EAST PROVIDENCE | 309 | 117 | 188 | 54 | 48 | 6 | 255 | 69 | 182 |
| 101 | 36 | 12 | 24 | 5 | 5 | 0 | 31 | 7 | 24 |
| 102 | 51 | 25 | 26 | 10 | 9 | 1 | 41 | 16 | 25 |
| 103 | 28 | 10 | 17 | 7 | 6 | 1 | 21 | 4 | 16 |
| 104 | 55 | 18 | 36 | 7 | 5 | 2 | 48 | 13 | 34 |
| 105 | 65 | 17 | 47 | 7 | 6 | 1 | 58 | 11 | 46 |
| 106 | 39 | 20 | 19 | 10 | 9 | 1 | 29 | 11 | 18 |
| 107 | 33 | 14 | 18 | 8 | 8 | 0 | 25 | 6 | 18 |
| UNKNOWN TRACT | 2 | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 1 |
| EXETER | 18 | 10 | 8 | 4 | 4 | 0 | 14 | 6 | 8 |
| 505 | 18 | 10 | 8 | 4 | 4 | 0 | 14 | 6 | 8 |
| FOSTER | 12 | 5 | 7 | 2 | 2 | 0 | 10 | 3 | 7 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER 1980



| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| 133 | 12 | 5 | 7 | 2 | 2 | 0 | 10 | 3 | 7 |
| GLOCESTER | 24 | 13 | 11 | 2 | 1 | 1 | 22 | 12 | 10 |
| 131 | 24 | 13 | 11 | 2 | 1 | 1 | 22 | 12 | 10 |
| HOPKINTON | 30 | 11 | 19 | 1 | 1 | 0 | 29 | 10 | 19 |
| 507 | 30 | 11 | 19 | 1 | 1 | 0 | 29 | 10 | 19 |
| JAMESTOWN | 33 | 10 | 23 | 2 | 2 | 0 | 31 | 8 | 23 |
| 413 | 33 | 10 | 23 | 2 | 2 | 0 | 31 | 8 | 23 |
| JOHNSTON | 137 | 47 | 87 | 20 | 17 | 3 | 117 | 30 | 84 |
| 122 | 23 | 10 | 13 | 5 | 5 | 0 | 18 | 5 | 13 |
| 123 | 36 | 15 | 20 | 4 | 4 | 0 | 32 | 11 | 20 |
| 124 | 55 | 12 | 42 | 7 | 4 | 3 | 48 | 8 | 39 |
| 125 | 20 | 8 | 11 | 4 | 4 | 0 | 16 | 4 | 11 |
| UNKNOWN TRACT | 3 | 2 | 1 | 0 | 0 | 0 | 3 | 2 | 1 |
| LINCOLN | 69 | 22 | 46 | 3 | 3 | 0 | 66 | 19 | 46 |
| 115 | 16 | 6 | 10 | 0 | 0 | 0 | 16 | 6 | 10 |
| 116 | 18 | 7 | 10 | 1 | 1 | 0 | 17 | 6 | 10 |
| 117 | 33 | 9 | 24 | 2 | 2 | 0 | 31 | 7 | 24 |
| UNKNOWN TRACT | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 2 |
| LITTLE COMPTON | 15 | 1 | 14 | 0 | 0 | 0 | 15 | 1 | 14 |
| 414 | 15 | 1 | 14 | 0 | 0 | 0 | 15 | 1 | 14 |
| MIDDLETOWN | 74 | 21 | 48 | 3 | 1 | 0 | 71 | 20 | 48 |
| 402 | 2 | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 1 |
| 403 | 46 | 13 | 29 | 3 | 1 | 0 | 43 | 12 | 29 |
| 404 | 26 | 7 | 18 | 0 | 0 | 0 | 26 | 7 | 18 |
| NARRAGANSETT | 125 | 16 | 107 | 1 | 1 | 0 | 124 | 15 | 107 |
| 515 | 125 | 16 | 107 | 1 | 1 | 0 | 124 | 15 | 107 |
| NEWPORT | 246 | 52 | 186 | 10 | 2 | 3 | 236 | 50 | 183 |
| 405 | 45 | 10 | 32 | 3 | 0 | 1 | 42 | 10 | 31 |
| 406 | 27 | 3 | 23 | 2 | 0 | 1 | 25 | 3 | 22 |
| 407 | 40 | 10 | 30 | 0 | 0 | 0 | 40 | 10 | 30 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1980

| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| 408 | 37 | 9 | 27 | 0 | 0 | 0 | 37 | 9 | 27 |
| 409 | 35 | 10 | 25 | 2 | 2 | 0 | 33 | 8 | 25 |
| 410 | 21 | 2 | 18 | 1 | 0 | 1 | 20 | 2 | 17 |
| 411 | 15 | 1 | 13 | 1 | 0 | 0 | 14 | 1 | 13 |
| 412 | 20 | 5 | 14 | 1 | 0 | 0 | 19 | 5 | 14 |
| UNKNOWN TRACT | 6 | 2 | 4 | 0 | 0 | 0 | 6 | 2 | 4 |
| NEW SHOREHAM | 6 | 3 | 3 | 0 | 0 | 0 | 6 | 3 | 3 |
| 415 | 6 | 3 | 3 | 0 | 0 | 0 | 6 | 3 | 3 |
| NORTH KINGSTOWN | 138 | 31 | 104 | 8 | 6 | 1 | 130 | 25 | 103 |
| 501 | 68 | 14 | 52 | 3 | 1 | 1 | 65 | 13 | 51 |
| 502 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 503 | 39 | 9 | 30 | 2 | 2 | 0 | 37 | 7 | 30 |
| 504 | 29 | 6 | 22 | 3 | 3 | 0 | 26 | 3 | 22 |
| UNKNOWN TRACT | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| NORTH PROVIDENCE | 169 | 49 | 118 | 18 | 13 | 5 | 151 | 36 | 113 |
| 118 | 37 | 8 | 28 | 2 | 1 | 1 | 35 | 7 | 27 |
| 119 | 24 | 7 | 17 | 4 | 2 | 2 | 20 | 5 | 15 |
| 120 | 39 | 13 | 26 | 4 | 4 | 0 | 35 | 9 | 26 |
| 121 | 69 | 21 | 47 | 8 | 6 | 2 | 61 | 15 | 45 |
| NORTH SMITHFIELD | 37 | 17 | 19 | 7 | 7 | 0 | 30 | 10 | 19 |
| 128 | 37 | 17 | 19 | 7 | 7 | 0 | 30 | 10 | 19 |
| PAWTUCKET | 474 | 146 | 312 | 29 | 19 | 7 | 445 | 127 | 305 |
| 149 | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 2 |
| 150 | 18 | 7 | 11 | 3 | 3 | 0 | 15 | 4 | 11 |
| 151 | 37 | 12 | 25 | 0 | 0 | 0 | 37 | 12 | 25 |
| 152 | 11 | 6 | 4 | 0 | 0 | 0 | 11 | 6 | 4 |
| 153 | 14 | 6 | 8 | 0 | 0 | 0 | 14 | 6 | 8 |
| 154 | 10 | 2 | 8 | 0 | 0 | 0 | 10 | 2 | 8 |
| 155 | 28 | 13 | 15 | 3 | 3 | 0 | 25 | 10 | 15 |
| 156 | 17 | 5 | 12 | 3 | 2 | 1 | 14 | 3 | 11 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1980



| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| 157 | 27 | 7 | 17 | 1 | 0 | 0 | 26 | 7 | 17 |
| 158 | 21 | 5 | 16 | 2 | 1 | 1 | 19 | 4 | 15 |
| 159 | 19 | 8 | 11 | 1 | 1 | 0 | 18 | 7 | 11 |
| 160 | 26 | 6 | 18 | 1 | 0 | 1 | 25 | 6 | 17 |
| 161 | 46 | 15 | 27 | 4 | 1 | 1 | 42 | 14 | 26 |
| 163 | 14 | 4 | 9 | 1 | 1 | 0 | 13 | 3 | 9 |
| 164 | 44 | 12 | 30 | 2 | 0 | 2 | 42 | 12 | 28 |
| 165 | 25 | 7 | 18 | 3 | 3 | 0 | 22 | 4 | 18 |
| 166 | 20 | 5 | 14 | 0 | 0 | 0 | 20 | 5 | 14 |
| 167 | 24 | 7 | 17 | 0 | 0 | 0 | 24 | 7 | 17 |
| 168 | 11 | 3 | 8 | 1 | 1 | 0 | 10 | 2 | 8 |
| 169 | 10 | 4 | 5 | 3 | 3 | 0 | 7 | 1 | 5 |
| 170 | 16 | 3 | 13 | 1 | 0 | 1 | 15 | 3 | 12 |
| 171 | 32 | 8 | 24 | 0 | 0 | 0 | 32 | 8 | 24 |
| UNKNOWN TRACT | 2 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| PORTSMOUTH | 65 | 20 | 42 | 7 | 4 | 0 | 58 | 16 | 42 |
| 401 | 65 | 20 | 42 | 7 | 4 | 0 | 58 | 16 | 42 |
| PROVIDENCE | 1574 | 432 | 1097 | 165 | 99 | 62 | 1409 | 333 | 1035 |
| 1 | 62 | 25 | 35 | 7 | 5 | 2 | 55 | 20 | 33 |
| 2 | 117 | 44 | 65 | 7 | 3 | 2 | 110 | 41 | 63 |
| 3 | 74 | 23 | 51 | 6 | 2 | 4 | 68 | 21 | 47 |
| 4 | 44 | 11 | 27 | 6 | 2 | 4 | 38 | 9 | 23 |
| 5 | 47 | 11 | 34 | 4 | 4 | 0 | 43 | 7 | 34 |
| 6 | 13 | 4 | 9 | 0 | 0 | 0 | 13 | 4 | 9 |
| 7 | 21 | 9 | 11 | 4 | 2 | 2 | 17 | 7 | 9 |
| 8 | 21 | 2 | 19 | 1 | 1 | 0 | 20 | 1 | 19 |
| 9 | 15 | 5 | 8 | 1 | 1 | 0 | 14 | 4 | 8 |
| 10 | 13 | 3 | 9 | 1 | 1 | 0 | 12 | 2 | 9 |
| 11 | 23 | 3 | 20 | 1 | 0 | 1 | 22 | 3 | 19 |
| 12 | 41 | 10 | 30 | 2 | 0 | 2 | 39 | 10 | 28 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1980

| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| 13 | 26 | 15 | 10 | 3 | 1 | 2 | 23 | 14 | 8 |
| 14 | 60 | 23 | 35 | 7 | 3 | 3 | 53 | 20 | 32 |
| 15 | 18 | 9 | 9 | 3 | 2 | 1 | 15 | 7 | 8 |
| 16 | 56 | 16 | 39 | 10 | 7 | 3 | 46 | 9 | 36 |
| 17 | 23 | 7 | 16 | 4 | 3 | 1 | 19 | 4 | 15 |
| 18 | 48 | 19 | 28 | 11 | 8 | 2 | 37 | 11 | 26 |
| 19 | 46 | 9 | 35 | 4 | 2 | 2 | 42 | 7 | 33 |
| 20 | 29 | 10 | 19 | 2 | 0 | 2 | 27 | 10 | 17 |
| 21 | 54 | 20 | 34 | 12 | 9 | 3 | 42 | 11 | 31 |
| 22 | 32 | 4 | 25 | 7 | 2 | 5 | 25 | 2 | 20 |
| 23 | 38 | 9 | 29 | 5 | 4 | 1 | 33 | 5 | 28 |
| 24 | 50 | 4 | 46 | 2 | 2 | 0 | 48 | 2 | 46 |
| 25 | 18 | 7 | 11 | 0 | 0 | 0 | 19 | 7 | 11 |
| 26 | 38 | 11 | 26 | 6 | 3 | 3 | 32 | 8 | 23 |
| 27 | 31 | 7 | 24 | 4 | 2 | 2 | 27 | 5 | 22 |
| 28 | 46 | 14 | 31 | 3 | 3 | 0 | 43 | 11 | 31 |
| 29 | 45 | 13 | 30 | 8 | 5 | 3 | 37 | 8 | 27 |
| 31 | 58 | 6 | 52 | 4 | 2 | 2 | 54 | 4 | 50 |
| 32 | 39 | 10 | 28 | 3 | 2 | 1 | 36 | 8 | 27 |
| 33 | 53 | 12 | 39 | 5 | 5 | 0 | 48 | 7 | 39 |
| 34 | 30 | 10 | 20 | 3 | 3 | 0 | 27 | 7 | 20 |
| 35 | 52 | 13 | 37 | 5 | 3 | 2 | 47 | 10 | 35 |
| 36 | 108 | 12 | 96 | 3 | 2 | 1 | 105 | 10 | 95 |
| 37 | 63 | 18 | 43 | 9 | 5 | 4 | 54 | 13 | 39 |
| UNKNOWN TRACT | 21 | 4 | 17 | 2 | 0 | 2 | 19 | 4 | 15 |
| RICHMOND | 9 | 3 | 5 | 0 | 0 | 0 | 9 | 3 | 5 |
| 506 | 9 | 3 | 5 | 0 | 0 | 0 | 9 | 3 | 5 |
| SCITUATE | 58 | 23 | 35 | 9 | 9 | 0 | 49 | 14 | 35 |
| 132 | 58 | 23 | 35 | 9 | 9 | 0 | 49 | 14 | 35 |
| SMITHFIELD | 99 | 23 | 72 | 13 | 12 | 1 | 86 | 11 | 71 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1980



| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| 126 | 74 | 16 | 57 | 9 | 8 | 1 | 67 | 8 | 56 |
| 127 | 23 | 7 | 15 | 4 | 4 | 0 | 19 | 3 | 15 |
| SOUTH KINGSTOWN | 155 | 19 | 136 | 5 | 4 | 1 | 150 | 15 | 135 |
| 512 | 47 | 7 | 40 | 3 | 2 | 1 | 44 | 5 | 39 |
| 513 | 51 | 10 | 41 | 2 | 2 | 0 | 49 | 8 | 41 |
| 514 | 55 | 2 | 53 | 0 | 0 | 0 | 55 | 2 | 53 |
| UNKNOWN TRACT | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 2 |
| TIVERTON | 33 | 7 | 24 | 2 | 2 | 0 | 31 | 5 | 24 |
| 416 | 23 | 4 | 18 | 1 | 1 | 0 | 22 | 3 | 18 |
| 417 | 10 | 3 | 6 | 1 | 1 | 0 | 9 | 2 | 6 |
| WARREN | 63 | 28 | 34 | 12 | 11 | 1 | 51 | 17 | 33 |
| 305 | 32 | 14 | 18 | 6 | 5 | 1 | 26 | 9 | 17 |
| 306 | 31 | 14 | 16 | 6 | 6 | 0 | 25 | 8 | 16 |
| WARWICK | 481 | 141 | 333 | 43 | 36 | 7 | 438 | 105 | 326 |
| 210 | 49 | 9 | 40 | 4 | 4 | 0 | 45 | 5 | 40 |
| 211 | 41 | 17 | 24 | 4 | 4 | 0 | 37 | 13 | 24 |
| 212 | 23 | 8 | 14 | 5 | 5 | 0 | 18 | 3 | 14 |
| 213 | 24 | 6 | 18 | 1 | 0 | 1 | 23 | 6 | 17 |
| 214 | 33 | 6 | 27 | 3 | 2 | 1 | 30 | 4 | 26 |
| 215 | 45 | 12 | 32 | 4 | 3 | 1 | 41 | 9 | 31 |
| 216 | 8 | 3 | 5 | 1 | 1 | 0 | 7 | 2 | 5 |
| 217 | 33 | 14 | 19 | 3 | 2 | 1 | 30 | 12 | 18 |
| 218 | 27 | 10 | 17 | 2 | 2 | 0 | 25 | 8 | 17 |
| 219 | 84 | 27 | 55 | 8 | 6 | 2 | 76 | 21 | 53 |
| 220 | 16 | 2 | 14 | 1 | 1 | 0 | 15 | 1 | 14 |
| 221 | 31 | 8 | 23 | 2 | 1 | 1 | 29 | 7 | 22 |
| 222 | 32 | 9 | 23 | 2 | 2 | 0 | 30 | 7 | 23 |
| 223 | 22 | 6 | 14 | 2 | 2 | 0 | 20 | 4 | 14 |
| 224 | 10 | 4 | 5 | 1 | 1 | 0 | 9 | 3 | 5 |
| UNKNOWN TRACT | 3 | 0 | 3 | 0 | 0 | 0 | 3 | 0 | 3 |

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1980

| | ALL FETAL DEATHS | | | SPONTANEOUS | | | INDUCED | | |
|---|---|---|---|---|---|---|---|---|---|
| | | MOTHER | | | MOTHER | | | MOTHER | |
| | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED | TOTAL* | MARRIED | NOT MARRIED |
| WESTERLY | 77 | 19 | 54 | 9 | 2 | 3 | 68 | 17 | 51 |
| 508 | 44 | 14 | 28 | 6 | 1 | 3 | 38 | 13 | 25 |
| 509 | 23 | 3 | 18 | 3 | 1 | 0 | 20 | 2 | 18 |
| 510 | 10 | 2 | 8 | 0 | 0 | 0 | 10 | 2 | 8 |
| WEST GREENWICH | 10 | 6 | 4 | 1 | 1 | 0 | 9 | 5 | 4 |
| 208 | 10 | 6 | 4 | 1 | 1 | 0 | 9 | 5 | 4 |
| WEST WARWICK | 153 | 37 | 113 | 8 | 5 | 3 | 145 | 32 | 110 |
| 201 | 50 | 14 | 34 | 1 | 0 | 1 | 49 | 14 | 33 |
| 202 | 31 | 7 | 24 | 1 | 1 | 0 | 30 | 6 | 24 |
| 203 | 36 | 8 | 27 | 2 | 2 | 0 | 34 | 6 | 27 |
| 204 | 14 | 5 | 9 | 2 | 1 | 1 | 12 | 4 | 8 |
| 205 | 19 | 3 | 16 | 2 | 1 | 1 | 17 | 2 | 15 |
| UNKNOWN TRACT | 3 | 0 | 3 | 0 | 0 | 0 | 3 | 0 | 3 |
| WOONSOCKET | 192 | 57 | 131 | 40 | 25 | 15 | 152 | 32 | 116 |
| 172 | 5 | 4 | 1 | 1 | 1 | 0 | 4 | 3 | 1 |
| 173 | 16 | 5 | 10 | 1 | 0 | 1 | 15 | 5 | 9 |
| 174 | 20 | 6 | 14 | 7 | 4 | 3 | 13 | 2 | 11 |
| 175 | 18 | 4 | 14 | 2 | 2 | 0 | 16 | 2 | 14 |
| 176 | 13 | 5 | 8 | 2 | 2 | 0 | 11 | 3 | 8 |
| 177 | 8 | 3 | 5 | 1 | 1 | 0 | 7 | 2 | 5 |
| 178 | 17 | 3 | 14 | 3 | 2 | 1 | 14 | 1 | 13 |
| 179 | 20 | 7 | 13 | 4 | 3 | 1 | 16 | 4 | 12 |
| 180 | 7 | 3 | 4 | 4 | 3 | 1 | 3 | 0 | 3 |
| 181 | 12 | 5 | 7 | 6 | 2 | 4 | 6 | 3 | 3 |
| 182 | 6 | 1 | 5 | 0 | 0 | 0 | 6 | 1 | 5 |
| 183 | 4 | 0 | 4 | 0 | 0 | 0 | 4 | 0 | 4 |
| 184 | 27 | 7 | 19 | 4 | 2 | 2 | 23 | 5 | 17 |
| 185 | 16 | 4 | 11 | 5 | 3 | 2 | 11 | 1 | 9 |
| UNKNOWN TRACT | 3 | 0 | 2 | 0 | 0 | 0 | 3 | 0 | 2 |

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1980



| | | | | AGE OF MOTHER IN YEARS | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES | < 15 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | UNKNOWN |
| TOTAL | | | 6625 | 16 | 73 | 177 | 324 | 650 | 663 | 622 | 573 | 450 | 469 | 302 | 1262 | 654 | 281 | 85 | 19 | 5 |
| MARITAL STATUS OF MOTHER | | | | | | | | | | | | | | | | | | | | |
| MARRIED | | | 1595 | 1 | 1 | 3 | 12 | 28 | 47 | 62 | 91 | 92 | 111 | 81 | 494 | 340 | 163 | 55 | 13 | 1 |
| UNMARRIED | | | 4896 | 15 | 72 | 174 | 307 | 608 | 607 | 548 | 471 | 348 | 351 | 212 | 736 | 297 | 111 | 29 | 6 | 4 |
| UNKNOWN | | | 134 | 0 | 0 | 0 | 5 | 14 | 9 | 12 | 11 | 10 | 7 | 9 | 32 | 17 | 7 | 1 | 0 | 0 |
| PREVIOUS DELIVERIES TO MOTHER | | | | | | | | | | | | | | | | | | | | |
| NONE | | | 3100 | 12 | 68 | 161 | 260 | 503 | 467 | 402 | 285 | 205 | 182 | 104 | 341 | 89 | 18 | 1 | 0 | 2 |
| ONE | | | 1509 | 2 | 4 | 13 | 48 | 115 | 140 | 145 | 177 | 129 | 160 | 87 | 315 | 126 | 31 | 12 | 2 | 3 |
| PREVIOUS DELIVERIES WERE | | | | | | | | | | | | | | | | | | | | |
| *L.B. | S.F.D. | I.F.D. | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 1 | 841 | 2 | 3 | 7 | 30 | 77 | 88 | 94 | 118 | 72 | 85 | 46 | 167 | 45 | 6 | 1 | 0 | 0 |
| 0 | 1 | 0 | 66 | 0 | 0 | 1 | 3 | 6 | 6 | 7 | 3 | 9 | 7 | 2 | 15 | 3 | 1 | 2 | 0 | 1 |
| 1 | 0 | 0 | 602 | 0 | 1 | 5 | 15 | 32 | 46 | 44 | 56 | 48 | 68 | 39 | 133 | 78 | 24 | 9 | 2 | 2 |
| TWO | | | 950 | 0 | 0 | 3 | 14 | 27 | 35 | 45 | 64 | 73 | 67 | 52 | 296 | 193 | 63 | 15 | 3 | 0 |
| PREVIOUS DELIVERIES WERE | | | | | | | | | | | | | | | | | | | | |
| *L.B. | S.F.D. | I.F.D. | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 2 | 144 | 0 | 0 | 0 | 4 | 10 | 7 | 12 | 15 | 19 | 19 | 4 | 39 | 14 | 1 | 0 | 0 | 0 |
| 0 | 1 | 1 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 7 | 0 | 10 | 3 | 0 | 0 | 0 | 0 |
| 0 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 1 | 0 | 1 | 268 | 0 | 0 | 1 | 7 | 8 | 13 | 20 | 16 | 30 | 17 | 22 | 86 | 39 | 6 | 3 | 0 | 0 |
| 1 | 1 | 0 | 84 | 0 | 0 | 0 | 2 | 6 | 3 | 2 | 7 | 5 | 5 | 6 | 24 | 15 | 4 | 4 | 1 | 0 |
| 2 | 0 | 0 | 425 | 0 | 0 | 2 | 1 | 3 | 12 | 11 | 24 | 16 | 17 | 20 | 136 | 121 | 52 | 8 | 2 | 0 |

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1980

| | | | | AGE OF MOTHER IN YEARS | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES | < 15 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | UNKNOWN |
| THREE | | | 548 | 0 | 0 | 0 | 1 | 2 | 16 | 23 | 32 | 35 | 37 | 32 | 159 | 125 | 69 | 13 | 4 | 0 |
| PREVIOUS DELIVERIES WERE | | | | | | | | | | | | | | | | | | | | |
| *L.B. | S.F.D. | I.F.D. | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 3 | 39 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 6 | 2 | 6 | 6 | 10 | 3 | 0 | 0 | 0 | 0 |
| 0 | 1 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 0 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 0 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 1 | 0 | 2 | 74 | 0 | 0 | 0 | 0 | 0 | 8 | 2 | 10 | 5 | 4 | 5 | 31 | 8 | 1 | 0 | 0 | 0 |
| 1 | 1 | 1 | 20 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 2 | 1 | 2 | 1 | 10 | 1 | 0 | 0 | 0 | 0 |
| 1 | 2 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 0 | 0 | 0 | 0 |
| 2 | 0 | 1 | 168 | 0 | 0 | 0 | 1 | 0 | 2 | 8 | 9 | 13 | 16 | 13 | 46 | 43 | 15 | 0 | 2 | 0 |
| 2 | 1 | 0 | 74 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 6 | 3 | 3 | 24 | 19 | 12 | 2 | 1 | 0 |
| 3 | 0 | 0 | 153 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 4 | 6 | 4 | 3 | 33 | 45 | 41 | 11 | 1 | 0 |
| FOUR | | | 254 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 7 | 5 | 15 | 18 | 88 | 60 | 45 | 8 | 2 | 0 |
| PREVIOUS DELIVERIES WERE | | | | | | | | | | | | | | | | | | | | |
| *L.B. | S.F.D. | I.F.D. | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 |
| 0 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 1 | 0 | 3 | 19 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 1 | 2 | 1 | 6 | 4 | 0 | 1 | 0 | 0 |
| 1 | 1 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 1 | 2 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 2 | 0 | 2 | 49 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 7 | 21 | 12 | 1 | 0 | 0 | 0 |
| 2 | 1 | 1 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 1 | 8 | 5 | 1 | 0 | 0 | 0 |
| 2 | 2 | 0 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 3 | 4 | 1 | 0 | 0 | 0 |
| 3 | 0 | 1 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 24 | 9 | 15 | 1 | 0 | 0 |

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1980



| | | | | AGE OF MOTHER IN YEARS | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES | < 15 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | UNKNOWN |
| FOUR (CONTINUED) | | | | | | | | | | | | | | | | | | | | |
| 3 | 1 | 0 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 3 | 9 | 8 | 4 | 2 | 0 | 0 |
| 4 | 0 | 0 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 11 | 13 | 23 | 4 | 2 | 0 |
| FIVE | | | 109 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 3 | 5 | 31 | 27 | 23 | 10 | 4 | 0 |
| PREVIOUS DELIVERIES WERE | | | | | | | | | | | | | | | | | | | | |
| *L.B. | S.F.D. | I.F.D. | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| 1 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 1 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 1 | 3 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| 1 | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 3 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 5 | 1 | 2 | 0 | 0 | 0 |
| 2 | 1 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | 0 |
| 2 | 2 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 2 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 0 | 0 |
| 3 | 0 | 2 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 | 2 | 3 | 0 | 0 | 0 |
| 3 | 1 | 1 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 3 | 2 | 2 | 0 | 0 |
| 3 | 2 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 4 | 0 | 0 |
| 4 | 0 | 1 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 3 | 1 | 2 | 0 |
| 4 | 1 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 5 | 0 | 0 | 0 |
| 5 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | 4 | 2 | 1 | 0 |

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1980

| | | | AGE OF MOTHER IN YEARS | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES | < 15 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | UNKNOWN |
| SIX | | | 58 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 14 | 11 | 15 | 12 | 2 | 0 |
| PREVIOUS DELIVERIES WERE | | | | | | | | | | | | | | | | | | | | |
| *L.B. | S.F.D. | I.F.D. | | | | | | | | | | | | | | | | | | |
| 0 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 1 | 3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 2 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| 2 | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| 2 | 4 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 |
| 3 | 0 | 3 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 0 | 0 | 0 |
| 3 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 3 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| 4 | 0 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 |
| 4 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 4 | 2 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| 5 | 0 | 1 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 4 | 3 | 0 | 0 |
| 5 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| 6 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 5 | 4 | 2 | 0 |
| SEVEN + | | | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 9 | 18 | 16 | 12 | 2 | 0 |
| UNKNOWN | | | 37 | 2 | 1 | 0 | 1 | 3 | 1 | 2 | 4 | 1 | 4 | 1 | 9 | 5 | 1 | 2 | 0 | 0 |

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1980

| BIRTH ORDER OF THIS FETUS | TOTAL | | AGE OF MOTHER IN YEARS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | NUMBER | PERCENT | UNDER 20 | 20 - 24 | 25 - 29 | 30 - 34 | 35 - 39 | 40 - 44 | OVER 44 | UNKNOWN |
| TOTAL FETAL DEATHS OF 20 WEEKS OR MORE | 126 | 100.0 | 14 | 43 | 43 | 18 | 5 | 1 | 0 | 2 |
| FIRST DELIVERY | 36 | 28.6 | 8 | 14 | 10 | 4 | 0 | 0 | 0 | 0 |
| SECOND DELIVERY | 35 | 27.8 | 1 | 12 | 15 | 6 | 1 | 0 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 22 | | 1 | 7 | 9 | 5 | 0 | 0 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 13 | | 0 | 5 | 6 | 1 | 1 | 0 | 0 | 0 |
| THIRD DELIVERY | 21 | 16.7 | 0 | 8 | 8 | 4 | 1 | 0 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 13 | | 0 | 2 | 7 | 3 | 1 | 0 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 5 | | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 3 | | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 |
| FOURTH DELIVERY | 8 | 6.3 | 0 | 3 | 2 | 2 | 1 | 0 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 5 | | 0 | 1 | 2 | 1 | 1 | 0 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 2 | | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 1 | | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FIFTH DELIVERY | 2 | 1.6 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| NO PREVICUS FETAL DEATHS | 1 | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 1 | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SIXTH DELIVERY | 1 | 0.8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 1 | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SEVENTH DELIVERY | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EIGHTH OR MORE DELIVERY | 1 | 0.8 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 1 | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN BIRTH ORDER | 22 | 17.5 | 5 | 6 | 6 | 2 | 1 | 0 | 0 | 2 |

TABLE 22B - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1980

| BIRTH ORDER OF THIS FETUS | TOTAL | | AGE OF MOTHER IN YEARS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | NUMBER | PERCENT | UNDER 20 | 20 - 24 | 25 - 29 | 30 - 34 | 35 - 39 | 40 - 44 | OVER 44 | UNKNOWN |
| TOTAL SPONTANEOUS FETAL DEATHS | 652 | 100.0 | 71 | 209 | 191 | 123 | 36 | 15 | 3 | 4 |
| FIRST DELIVERY | 181 | 27.8 | 35 | 70 | 44 | 24 | 6 | 1 | 0 | 1 |
| SECOND DELIVERY | 196 | 30.1 | 17 | 55 | 77 | 37 | 6 | 3 | 0 | 1 |
| NO PREVIOUS FETAL DEATHS | 147 | | 13 | 38 | 58 | 31 | 4 | 3 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 49 | | 4 | 17 | 19 | 6 | 2 | 0 | 0 | 1 |
| THIRD DELIVERY | 116 | 17.8 | 7 | 35 | 36 | 29 | 8 | 1 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 60 | | 2 | 16 | 22 | 15 | 4 | 1 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 38 | | 2 | 13 | 11 | 8 | 4 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 18 | | 3 | 6 | 3 | 6 | 0 | 0 | 0 | 0 |
| FOURTH DELIVERY | 60 | 9.2 | 2 | 17 | 15 | 13 | 7 | 5 | 1 | 0 |
| NO PREVIOUS FETAL DEATHS | 17 | | 0 | 2 | 6 | 3 | 2 | 3 | 1 | 0 |
| ONE PREVIOUS FETAL DEATH | 24 | | 0 | 5 | 4 | 9 | 4 | 2 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 13 | | 1 | 6 | 4 | 1 | 1 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 6 | | 1 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| FIFTH DELIVERY | 26 | 4.0 | 0 | 8 | 6 | 9 | 2 | 1 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 7 | | 0 | 2 | 0 | 2 | 2 | 1 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 8 | | 0 | 3 | 2 | 3 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 6 | | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 5 | | 0 | 0 | 4 | 1 | 0 | 0 | 0 | 0 |
| SIXTH DELIVERY | 17 | 2.6 | 0 | 4 | 2 | 6 | 1 | 3 | 1 | 0 |
| NO PREVIOUS FETAL DEATHS | 6 | | 0 | 0 | 0 | 3 | 1 | 2 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 5 | | 0 | 2 | 0 | 1 | 0 | 1 | 1 | 0 |
| TWO PREVIOUS FETAL DEATHS | 3 | | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 3 | | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| SEVENTH DELIVERY | 3 | 0.5 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 2 | | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 1 | | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EIGHTH OR MORE DELIVERY | 5 | 0.8 | 0 | 0 | 1 | 0 | 3 | 1 | 0 | 0 |
| NO PREVIOUS FETAL DEATHS | 2 | | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| ONE PREVIOUS FETAL DEATH | 1 | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| TWO PREVIOUS FETAL DEATHS | 1 | | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| THREE+ PREVIOUS FETAL DEATHS | 1 | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN BIRTH ORDER | 48 | 7.4 | 10 | 19 | 10 | 4 | 2 | 0 | 1 | 2 |

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1980



| FETAL WEIGHT IN GRAMS | TOTAL NUMBER | TOTAL PER CENT | AGE OF MOTHER IN YEARS UNDER 20 | 20 - 24 | 25 - 29 | 30 - 34 | 35 - 39 | 40 - 44 | 45 AND OVER | UNKNOWN |
|---|---|---|---|---|---|---|---|---|---|---|
| TOTAL | 126 | 100.0 | 14 | 43 | 43 | 18 | 5 | 1 | 0 | 2 |
| 1,000 OR LESS | 48 | 38.1 | 7 | 16 | 16 | 6 | 3 | 0 | 0 | 0 |
| 1,001 - 1,500 | 9 | 7.1 | 1 | 3 | 4 | 1 | 0 | 0 | 0 | 0 |
| 1,501 - 2,000 | 7 | 5.6 | 1 | 3 | 3 | 0 | 0 | 0 | 0 | 0 |
| 2,001 - 2,500 | 12 | 9.5 | 1 | 2 | 3 | 5 | 0 | 1 | 0 | 0 |
| LOW WEIGHT TOTAL | 76 | 60.3 | 10 | 24 | 26 | 12 | 3 | 1 | 0 | 0 |
| 2,501 - 3,000 | 6 | 4.8 | 0 | 3 | 2 | 1 | 0 | 0 | 0 | 0 |
| 3,001 - 3,500 | 7 | 5.6 | 0 | 5 | 2 | 0 | 0 | 0 | 0 | 0 |
| 3,501 - 4,000 | 2 | 1.6 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| 4,001 - 4,500 | 2 | 1.6 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 4,501 - 5,000 | 1 | 0.8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5,001 OR MORE | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOT STATED | 32 | 25.4 | 4 | 10 | 11 | 4 | 1 | 0 | 0 | 2 |

TABLE 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1980

| CAUSE OF FETAL DEATH (ICDA, 1975) | FETAL DEATHS BY WEEKS OF UTEROGESTATION | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | | UNDER 20 | | 20 - 27 | | 28 OR MORE | | UNKNOWN | |
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| ALL CAUSES | 7277 | 100.0 | 7132 | 98.0 | 63 | 0.9 | 72 | 1.0 | 10 | 0.1 |
| CONGENITAL ANOMALIES (740-759) | 2 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 2.8 | 0 | 0.0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 7275 | 100.0 | 7132 | 100.0 | 63 | 100.0 | 70 | 97.2 | 10 | 100.0 |
| MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760) | 8 | 0.1 | 1 | 0.0 | 1 | 1.6 | 6 | 8.3 | 0 | 0.0 |
| MATERNAL COMPLICATIONS OF PREGNANCY (761) | 486 | 6.7 | 469 | 6.6 | 12 | 19.0 | 3 | 4.2 | 2 | 20.0 |
| COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762) | 79 | 1.1 | 44 | 0.6 | 13 | 20.6 | 22 | 30.6 | 0 | 0.0 |
| SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765) | 8 | 0.1 | 2 | 0.0 | 4 | 6.3 | 1 | 1.4 | 1 | 10.0 |
| INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768) | 12 | 0.2 | 0 | 0.0 | 4 | 6.3 | 8 | 11.1 | 0 | 0.0 |
| OTHER RESPIRATORY CONDITIONS OF FETUS (770) | 1 | 0.0 | 0 | 0.0 | 1 | 1.6 | 0 | 0.0 | 0 | 0.0 |
| FETAL HEMORRHAGE (772) | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.4 | 0 | 0.0 |
| ENDOCRINE AND METABOLIC DISTURBANCES TO FETUS (775) | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.4 | 0 | 0.0 |
| CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS (778) | 2 | 0.0 | 0 | 0.0 | 1 | 1.6 | 1 | 1.4 | 0 | 0.0 |
| OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779) | 6677 | 91.8 | 6616 | 92.8 | 27 | 42.9 | 27 | 37.5 | 7 | 70.0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1980

| CAUSE(ICD CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | | | | | | | | | | | | | | | | | |
| TOTAL | 9300* | 133 | 18 | 19 | 22 | 66 | 92 | 160 | 196 | 510 | 578 | 816 | 970 | 1186 | 1306 | 1287 | 1341 |
| WHITE MALE | 4649 | 59 | 9 | 11 | 16 | 49 | 70 | 138 | 112 | 315 | 360 | 519 | 582 | 652 | 652 | 544 | 641 |
| WHITE FEMALE | 4373 | 59 | 6 | 5 | 5 | 15 | 18 | 41 | 66 | 174 | 195 | 276 | 370 | 515 | 634 | 726 | 1268 |
| NON-WHITE MALE | 128 | 10 | 1 | 2 | 0 | 1 | 3 | 9 | 13 | 10 | 15 | 12 | 9 | 14 | 9 | 8 | 12 |
| NON-WHITE FEMALE | 91 | 3 | 2 | 1 | 1 | 1 | 1 | 2 | 5 | 9 | 8 | 9 | 8 | 2 | 10 | 9 | 20 |
| UNKNOWN MALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 2 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| UNKNOWN SEX | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TUBERCULOSIS(010-018) | | | | | | | | | | | | | | | | | |
| TOTAL | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 1 |
| WHITE MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012) | | | | | | | | | | | | | | | | | |
| TOTAL | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 1 |
| WHITE MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| MENINGOCOCCAL INFECTION(036) | | | | | | | | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WHITE MALE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| SEPTICEMIA(038) | | | | | | | | | | | | | | | | | |
| TOTAL | 37 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 4 | 5 | 6 | 7 | 9 |
| WHITE MALE | 11 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 3 | 1 | 0 |
| WHITE FEMALE | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 3 | 1 | 2 | 5 | 9 |
| NON-WHITE MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| VIRAL HEPATITIS(070) | | | | | | | | | | | | | | | | | |
| TOTAL | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039-041,046-054,056-066,071-088,098-139) | | | | | | | | | | | | | | | | | |
| TOTAL | 16 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 2 | 1 | 0 | 3 | 2 | 4 |
| WHITE MALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 2 |
| WHITE FEMALE | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 2 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1940

| CAUSE(ICD CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208) | | | | | | | | | | | | | | | | | |
| TOTAL | 2127 | 0 | 3 | 4 | 3 | 5 | 9 | 25 | 59 | 174 | 191 | 288 | 325 | 314 | 303 | 203 | 221 |
| WHITE MALE | 1090 | 0 | 2 | 2 | 3 | 2 | 7 | 13 | 25 | 90 | 95 | 167 | 175 | 156 | 162 | 103 | 88 |
| WHITE FEMALE | 996 | 0 | 1 | 2 | 0 | 3 | 2 | 12 | 32 | 77 | 93 | 115 | 141 | 153 | 137 | 99 | 129 |
| NON-WHITE MALE | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 4 | 5 | 2 | 2 | 0 | 1 |
| NON-WHITE FEMALE | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 2 | 4 | 2 | 2 | 1 | 3 |
| UNKNOWN MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149) | | | | | | | | | | | | | | | | | |
| TOTAL | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 7 | 7 | 8 | 10 | 7 | 9 | 4 |
| WHITE MALE | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 4 | 5 | 5 | 5 | 5 | 5 | 3 |
| WHITE FEMALE | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 3 | 4 | 2 | 4 | 1 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159) | | | | | | | | | | | | | | | | | |
| TOTAL | 677 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 12 | 33 | 54 | 83 | 102 | 110 | 104 | 82 | 95 |
| WHITE MALE | 346 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 9 | 18 | 33 | 51 | 58 | 59 | 49 | 32 | 35 |
| WHITE FEMALE | 322 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 14 | 21 | 30 | 44 | 50 | 52 | 50 | 59 |
| NON-WHITE MALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 1 | 0 | 0 |
| NON-WHITE FEMALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 |
| MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165) | | | | | | | | | | | | | | | | | |
| TOTAL | 502 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 9 | 59 | 57 | 96 | 97 | 69 | 61 | 31 | 20 |
| WHITE MALE | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 38 | 33 | 66 | 68 | 48 | 54 | 28 | 11 |
| WHITE FEMALE | 143 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 6 | 19 | 23 | 29 | 25 | 21 | 6 | 3 | 9 |
| NON-WHITE MALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 0 | 0 |
| NON-WHITE FEMALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALIGNANT NEOPLASMS OF BREAST(174-175) | | | | | | | | | | | | | | | | | |
| TOTAL | 185 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 11 | 27 | 25 | 21 | 22 | 30 | 22 | 8 | 18 |
| WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 179 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10 | 27 | 24 | 21 | 20 | 29 | 22 | 8 | 17 |
| NON-WHITE FEMALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 1 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

| CAUSE(ICD CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187) | | | | | | | | | | | | | | | | | |
| TOTAL | 209 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 11 | 12 | 25 | 34 | 33 | 32 | 23 | 34 |
| WHITE MALE | 84 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 3 | 7 | 11 | 9 | 17 | 13 | 21 |
| WHITE FEMALE | 116 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 8 | 9 | 16 | 21 | 22 | 15 | 6 | 12 |
| NON-WHITE MALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 1 |
| NON-WHITE FEMALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| UNKNOWN MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189) | | | | | | | | | | | | | | | | | |
| TOTAL | 113 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 5 | 19 | 13 | 14 | 22 | 16 | 17 |
| WHITE MALE | 79 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 17 | 7 | 13 | 17 | 12 | 7 |
| WHITE FEMALE | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 2 | 5 | 1 | 5 | 4 | 9 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199) | | | | | | | | | | | | | | | | | |
| TOTAL | 203 | 0 | 2 | 3 | 2 | 2 | 3 | 10 | 9 | 20 | 20 | 19 | 26 | 23 | 31 | 14 | 16 |
| WHITE MALE | 110 | 0 | 1 | 2 | 2 | 0 | 2 | 6 | 7 | 15 | 12 | 11 | 15 | 14 | 13 | 5 | 5 |
| WHITE FEMALE | 89 | 0 | 1 | 1 | 0 | 2 | 1 | 4 | 2 | 3 | 7 | 8 | 13 | 9 | 18 | 9 | 11 |
| NON-WHITE FEMALE | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| LEUKEMIA(204-208) | | | | | | | | | | | | | | | | | |
| TOTAL | 71 | 0 | 1 | 1 | 1 | 2 | 2 | 4 | 2 | 2 | 2 | 6 | 9 | 11 | 10 | 11 | 7 |
| WHITE MALE | 28 | 0 | 1 | 0 | 1 | 1 | 1 | 3 | 0 | 0 | 0 | 3 | 5 | 3 | 4 | 4 | 2 |
| WHITE FEMALE | 43 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 8 | 6 | 7 | 5 |
| OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203) | | | | | | | | | | | | | | | | | |
| TOTAL | 108 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 8 | 13 | 8 | 12 | 11 | 14 | 14 | 12 | 10 |
| WHITE MALE | 53 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 4 | 11 | 5 | 7 | 5 | 5 | 3 | 4 | 4 |
| WHITE FEMALE | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 | 3 | 4 | 5 | 9 | 11 | 8 | 6 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239) | | | | | | | | | | | | | | | | | |
| TOTAL | 31 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 4 | 2 | 4 | 2 | 7 | 4 | 3 |
| WHITE MALE | 15 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 0 | 3 | 2 | 1 |
| WHITE FEMALE | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 1 | 0 | 2 | 4 | 2 | 2 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

| CAUSE(ICD CODE)<br>RACE AND SEX | TOTAL<br>NUMBER | UNDER<br>1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 &<br>OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DIABETES MELLITUS(250) | | | | | | | | | | | | | | | | | |
| TOTAL | 199 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 15 | 9 | 26 | 22 | 37 | 32 | 21 | 29 |
| WHITE MALE | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 8 | 7 | 16 | 12 | 19 | 12 | 8 | 11 |
| WHITE FEMALE | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 1 | 8 | 10 | 18 | 19 | 12 | 18 |
| NON-WHITE MALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| NON-WHITE FEMALE | 6 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 |
| NUTRITIONAL DEFICIENCIES(260-269) | | | | | | | | | | | | | | | | | |
| TOTAL | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 1 |
| WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WHITE FEMALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ANEMIAS(280-285) | | | | | | | | | | | | | | | | | |
| TOTAL | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 2 |
| WHITE FEMALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 2 |
| MENINGITIS(320-322) | | | | | | | | | | | | | | | | | |
| TOTAL | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| WHITE MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| MAJOR CARDIOVASCULAR DISEASES (390-448) | | | | | | | | | | | | | | | | | |
| TOTAL | 4831 | 1 | 0 | 0 | 1 | 2 | 2 | 15 | 43 | 164 | 262 | 361 | 466 | 631 | 749 | 836 | 1298 |
| WHITE MALE | 2356 | 1 | 0 | 0 | 0 | 1 | 2 | 9 | 31 | 117 | 189 | 255 | 298 | 362 | 359 | 335 | 397 |
| WHITE FEMALE | 2393 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 9 | 42 | 62 | 100 | 162 | 260 | 379 | 491 | 882 |
| NON-WHITE MALE | 49 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 9 | 4 | 3 | 8 | 5 | 5 | 9 |
| NON-WHITE FEMALE | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 0 | 6 | 5 | 10 |
| UNKNOWN MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | | | | | | | | | | | | | | | | | |
| TOTAL | 3831 | 1 | 0 | 0 | 1 | 2 | 2 | 10 | 38 | 140 | 232 | 308 | 390 | 506 | 587 | 649 | 965 |
| WHITE MALE | 1939 | 1 | 0 | 0 | 0 | 1 | 2 | 8 | 29 | 105 | 172 | 221 | 251 | 285 | 279 | 265 | 319 |
| WHITE FEMALE | 1830 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 7 | 31 | 50 | 82 | 135 | 213 | 299 | 378 | 633 |
| NON-WHITE MALE | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 8 | 4 | 2 | 7 | 4 | 2 | 6 |
| NON-WHITE FEMALE | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 5 | 3 | 7 |
| UNKNOWN MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1980



| CAUSE(ICD CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE(390-398) | | | | | | | | | | | | | | | | | |
| TOTAL | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 4 | 4 | 10 | 10 | 7 | 3 | 2 |
| WHITE MALE | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 1 | 0 | 2 | 0 | 0 | 0 |
| WHITE FEMALE | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 10 | 8 | 7 | 3 | 1 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| HYPERTENSIVE HEART DISEASE(402) | | | | | | | | | | | | | | | | | |
| TOTAL | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 5 | 7 | 10 | 7 | 10 | 13 |
| WHITE MALE | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 4 | 5 | 5 | 2 | 2 | 3 |
| WHITE FEMALE | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 5 | 5 | 8 | 10 |
| HYPERTENSIVE HEART AND RENAL DISEASE (404) | | | | | | | | | | | | | | | | | |
| TOTAL | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 2 | 3 | 6 |
| WHITE MALE | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| WHITE FEMALE | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 6 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ISCHEMIC HEART DISEASE (410-414) | | | | | | | | | | | | | | | | | |
| TOTAL | 3243 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 27 | 112 | 200 | 256 | 332 | 436 | 507 | 555 | 816 |
| WHITE MALE | 1670 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 23 | 86 | 150 | 187 | 222 | 251 | 245 | 232 | 272 |
| WHITE FEMALE | 1523 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 23 | 42 | 64 | 106 | 178 | 254 | 318 | 535 |
| NON-WHITE MALE | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 6 | 4 | 2 | 6 | 3 | 2 | 3 |
| NON-WHITE FEMALE | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 5 | 3 | 6 |
| UNKNOWN MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| ACUTE MYOCARDIAL INFARCTION (410) | | | | | | | | | | | | | | | | | |
| TOTAL | 1727 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 84 | 144 | 173 | 212 | 276 | 296 | 250 | 273 |
| WHITE MALE | 970 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 66 | 109 | 132 | 144 | 159 | 138 | 112 | 95 |
| WHITE FEMALE | 730 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 17 | 29 | 37 | 66 | 113 | 152 | 137 | 176 |
| NON-WHITE MALE | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 3 | 2 | 3 | 2 | 0 | 1 |
| NON-WHITE FEMALE | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 4 | 1 | 1 |
| UNKNOWN MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411) | | | | | | | | | | | | | | | | | |
| TOTAL | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 2 | 4 | 1 | 6 |
| WHITE MALE | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 2 | 0 | 2 |
| WHITE FEMALE | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 4 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1930

| CAUSE(ICO CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ANGINA PECTORIS(413) | | | | | | | | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE(412,414) | | | | | | | | | | | | | | | | | |
| TOTAL | 1496 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 8 | 28 | 54 | 82 | 117 | 158 | 206 | 304 | 537 |
| WHITE MALE | 690 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 8 | 20 | 39 | 54 | 77 | 91 | 104 | 120 | 175 |
| WHITE FEMALE | 783 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 13 | 27 | 38 | 64 | 100 | 180 | 355 |
| NON-WHITE MALE | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 3 | 1 | 2 | 2 |
| NON-WHITE FEMALE | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 5 |
| UNKNOWN MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| OTHER DISEASES OF ENDOCARDIUM(424) | | | | | | | | | | | | | | | | | |
| TOTAL | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 7 | 2 | 9 | 12 | 11 |
| WHITE MALE | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 4 | 1 | 4 | 3 | 4 |
| WHITE FEMALE | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 5 | 9 | 7 |
| ALL OTHER FORMS OF HEART DISEASE (415-423,425-429) | | | | | | | | | | | | | | | | | |
| TOTAL | 423 | 1 | 0 | 0 | 1 | 2 | 2 | 7 | 7 | 22 | 23 | 39 | 34 | 47 | 55 | 66 | 117 |
| WHITE MALE | 209 | 1 | 0 | 0 | 0 | 1 | 2 | 5 | 4 | 15 | 15 | 27 | 20 | 26 | 26 | 27 | 40 |
| WHITE FEMALE | 205 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 6 | 7 | 12 | 14 | 20 | 28 | 39 | 74 |
| NON-WHITE MALE | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 3 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403) | | | | | | | | | | | | | | | | | |
| TOTAL | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 1 | 7 | 3 | 8 | 9 |
| WHITE MALE | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 2 | 0 | 4 | 4 |
| WHITE FEMALE | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 5 | 2 | 4 | 5 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| CEREBROVASCULAR DISEASES (430-438) | | | | | | | | | | | | | | | | | |
| TOTAL | 723 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 4 | 17 | 19 | 33 | 52 | 92 | 126 | 141 | 244 |
| WHITE MALE | 267 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 6 | 7 | 18 | 31 | 45 | 57 | 52 | 49 |
| WHITE FEMALE | 442 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 10 | 11 | 15 | 19 | 36 | 68 | 86 | 191 |
| NON-WHITE MALE | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 2 | 2 |
| NON-WHITE FEMALE | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 2 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

| CAUSE(ICD CODE)<br>RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432) | | | | | | | | | | | | | | | | | |
| TOTAL | 99 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 3 | 6 | 13 | 17 | 17 | 16 | 21 |
| WHITE MALE | 46 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 4 | 8 | 9 | 7 | 6 | 7 |
| WHITE FEMALE | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 4 | 8 | 10 | 10 | 14 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9) | | | | | | | | | | | | | | | | | |
| TOTAL | 158 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 7 | 9 | 17 | 31 | 36 | 54 |
| WHITE MALE | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 8 | 14 | 15 | 16 |
| WHITE FEMALE | 98 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 4 | 6 | 9 | 17 | 21 | 38 |
| CEREBRAL EMBOLISM(434.1) | | | | | | | | | | | | | | | | | |
| TOTAL | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438) | | | | | | | | | | | | | | | | | |
| TOTAL | 463 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 11 | 14 | 20 | 30 | 48 | 78 | 89 | 167 |
| WHITE MALE | 161 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 5 | 11 | 20 | 28 | 36 | 31 | 26 |
| WHITE FEMALE | 292 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 8 | 9 | 9 | 9 | 19 | 41 | 55 | 137 |
| NON-WHITE MALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 |
| NON-WHITE FEMALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 |
| ATHEROSCLEROSIS(440) | | | | | | | | | | | | | | | | | |
| TOTAL | 135 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 9 | 7 | 12 | 12 | 25 | 56 |
| WHITE MALE | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 7 | 5 | 9 | 7 | 8 | 20 |
| WHITE FEMALE | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 5 | 17 | 44 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES(441-448) | | | | | | | | | | | | | | | | | |
| TOTAL | 110 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 9 | 10 | 16 | 24 | 21 | 13 | 14 |
| WHITE MALE | 77 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 8 | 8 | 11 | 21 | 16 | 5 | 5 |
| WHITE FEMALE | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 3 | 5 | 6 | 9 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 198

| CAUSE(ICD CODE)<br>RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ACUTE BRONCHITIS AND BRONCHIOLITIS(466) | | | | | | | | | | | | | | | | | |
| TOTAL | 7 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 0 |
| WHITE MALE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 |
| NON-WHITE MALE | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| PNEUMONIA AND INFLUENZA(480-487) | | | | | | | | | | | | | | | | | |
| TOTAL | 206 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 6 | 0 | 7 | 0 | 19 | 23 | 36 | 109 |
| WHITE MALE | 90 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 4 | 0 | 4 | 4 | 8 | 13 | 16 | 38 |
| WHITE FEMALE | 112 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 11 | 10 | 20 | 64 |
| NON-WHITE MALE | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| PNEUMONIA(480-486) | | | | | | | | | | | | | | | | | |
| TOTAL | 193 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 6 | 0 | 7 | 4 | 18 | 19 | 36 | 97 |
| WHITE MALE | 86 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 4 | 0 | 4 | 3 | 8 | 12 | 16 | 36 |
| WHITE FEMALE | 103 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 10 | 7 | 20 | 60 |
| NON-WHITE MALE | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| INFLUENZA(487) | | | | | | | | | | | | | | | | | |
| TOTAL | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 4 | 0 | 6 |
| WHITE MALE | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 |
| WHITE FEMALE | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 4 |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496) | | | | | | | | | | | | | | | | | |
| TOTAL | 279 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 16 | 11 | 28 | 45 | 56 | 45 | 38 | 39 |
| WHITE MALE | 189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 6 | 18 | 28 | 39 | 33 | 27 | 25 |
| WHITE FEMALE | 83 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 10 | 15 | 16 | 11 | 10 | 13 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| NON-WHITE FEMALE | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 1 |
| UNKNOWN FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) | | | | | | | | | | | | | | | | | |
| TOTAL | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 3 | 0 | 5 | 2 | 2 |
| WHITE MALE | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 4 | 3 | 2 | 2 |
| WHITE FEMALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 2 | 0 | 0 |
| UNKNOWN FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1980

| CAUSE(ICD CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EMPHYSEMA(492) | | | | | | | | | | | | | | | | | |
| TOTAL | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 4 | 7 | 11 | 3 | 7 | 5 |
| WHITE MALE | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 4 | 7 | 9 | 3 | 4 | 2 |
| WHITE FEMALE | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 3 | 3 |
| ASTHMA(493) | | | | | | | | | | | | | | | | | |
| TOTAL | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 4 | 2 | 2 | 3 | 1 |
| WHITE MALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 0 |
| WHITE FEMALE | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 2 | 2 | 1 | 2 | 1 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496) | | | | | | | | | | | | | | | | | |
| TOTAL | 196 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 5 | 21 | 31 | 37 | 35 | 26 | 31 |
| WHITE MALE | 136 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 3 | 13 | 18 | 26 | 26 | 20 | 21 |
| WHITE FEMALE | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 12 | 11 | 8 | 5 | 9 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| ULCER OF STOMACH AND DUODENUM(531-533) | | | | | | | | | | | | | | | | | |
| TOTAL | 38 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 2 | 3 | 8 | 4 | 3 | 7 | 6 |
| WHITE MALE | 22 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 3 | 5 | 1 | 2 | 3 | 4 |
| WHITE FEMALE | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | 3 | 1 | 4 | 2 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| APPENDICITIS(540-543) | | | | | | | | | | | | | | | | | |
| TOTAL | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| WHITE MALE | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560) | | | | | | | | | | | | | | | | | |
| TOTAL | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 1 | 7 | 4 | 7 | 10 |
| WHITE MALE | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 4 | 1 | 4 | 2 |
| WHITE FEMALE | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 3 | 2 | 8 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS(571) | | | | | | | | | | | | | | | | | |
| TOTAL | 148 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 11 | 31 | 26 | 28 | 17 | 17 | 5 | 7 | 3 |
| WHITE MALE | 101 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 8 | 23 | 16 | 16 | 13 | 12 | 4 | 6 | 1 |
| WHITE FEMALE | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 7 | 9 | 12 | 4 | 4 | 1 | 1 | 2 |
| NON-WHITE MALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1980

| CAUSE(ICD CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER(574-575) | | | | | | | | | | | | | | | | | |
| TOTAL | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 3 | 0 | 0 | 4 |
| WHITE MALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 2 |
| WHITE FEMALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-589) | | | | | | | | | | | | | | | | | |
| TOTAL | 81 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 6 | 5 | 7 | 19 | 13 | 23 |
| WHITE MALE | 43 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 2 | 6 | 12 | 7 | 10 |
| WHITE FEMALE | 35 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 1 | 3 | 1 | 7 | 6 | 12 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581) | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587) | | | | | | | | | | | | | | | | | |
| TOTAL | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 3 | 0 | 4 |
| WHITE MALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 3 |
| WHITE FEMALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 2 | 0 | 1 |
| RENAL FAILURE,DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE(584-586,588-589) | | | | | | | | | | | | | | | | | |
| TOTAL | 68 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 6 | 2 | 6 | 16 | 13 | 19 |
| WHITE MALE | 37 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 | 5 | 11 | 7 | 7 |
| WHITE FEMALE | 29 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 5 | 6 | 11 |
| NON-WHITE FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| INFECTIONS OF KIDNEY(590) | | | | | | | | | | | | | | | | | |
| TOTAL | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 7 |
| WHITE MALE | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 |
| WHITE FEMALE | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 2 |
| HYPERPLASIA OF PROSTATE(600) | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1987

| CAUSE(ICD CODE)<br>RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM(630-676) | | | | | | | | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PREGNANCY WITH ABORTIVE OUTCOME (630-638) | | | | | | | | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES(740-759) | | | | | | | | | | | | | | | | | |
| TOTAL | 58 | 36 | 5 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 0 | 1 | 0 | 1 | 3 | 1 | 1 |
| WHITE MALE | 31 | 18 | 2 | 1 | 0 | 1 | 0 | 1 | 1 | 2 | 0 | 1 | 0 | 0 | 2 | 1 | 1 |
| WHITE FEMALE | 24 | 16 | 2 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| NON-WHITE MALE | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779) | | | | | | | | | | | | | | | | | |
| TOTAL | 69 | 68 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 29 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 34 | 33 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN SEX | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769) | | | | | | | | | | | | | | | | | |
| TOTAL | 19 | 18 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 10 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779) | | | | | | | | | | | | | | | | | |
| TOTAL | 50 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 21 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE FEMALE | 24 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE MALE | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN SEX | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1980

| CAUSE(ICD CODE) RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799) | | | | | | | | | | | | | | | | | |
| TOTAL | 20 | 5 | 1 | 0 | 0 | 0 | 3 | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 2 | 4 |
| WHITE MALE | 8 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| WHITE FEMALE | 9 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 |
| NON-WHITE MALE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER DISEASES(RESIDUAL) | | | | | | | | | | | | | | | | | |
| TOTAL | 559 | 8 | 2 | 0 | 3 | 7 | 4 | 18 | 20 | 44 | 37 | 41 | 48 | 58 | 67 | 69 | 133 |
| WHITE MALE | 251 | 4 | 2 | 0 | 3 | 5 | 3 | 10 | 12 | 26 | 22 | 22 | 28 | 29 | 27 | 20 | 38 |
| WHITE FEMALE | 286 | 3 | 0 | 0 | 0 | 1 | 1 | 5 | 5 | 15 | 15 | 17 | 20 | 27 | 38 | 48 | 91 |
| NON-WHITE MALE | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 2 | 0 | 1 | 0 | 2 | 1 | 1 | 0 |
| NON-WHITE FEMALE | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 4 |
| UNKNOWN FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| ACCIDENTS AND ADVERSE EFFECTS(E800-E949) | | | | | | | | | | | | | | | | | |
| TOTAL | 328 | 1 | 5 | 12 | 10 | 40 | 40 | 51 | 25 | 19 | 10 | 9 | 13 | 16 | 24 | 20 | 33 |
| WHITE MALE | 202 | 0 | 2 | 7 | 7 | 32 | 31 | 38 | 14 | 12 | 7 | 5 | 8 | 8 | 12 | 8 | 11 |
| WHITE FEMALE | 107 | 1 | 1 | 2 | 2 | 7 | 8 | 10 | 8 | 7 | 2 | 3 | 4 | 8 | 12 | 11 | 21 |
| NON-WHITE MALE | 14 | 0 | 1 | 2 | 0 | 1 | 1 | 2 | 3 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 |
| NON-WHITE FEMALE | 5 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MOTOR VEHICLE ACCIDENTS(E810-E825) | | | | | | | | | | | | | | | | | |
| TOTAL | 140 | 0 | 0 | 5 | 4 | 29 | 28 | 33 | 14 | 8 | 2 | 1 | 4 | 3 | 2 | 7 | 0 |
| WHITE MALE | 96 | 0 | 0 | 3 | 3 | 23 | 20 | 23 | 8 | 5 | 1 | 1 | 3 | 2 | 1 | 3 | 0 |
| WHITE FEMALE | 38 | 0 | 0 | 1 | 1 | 5 | 7 | 8 | 5 | 3 | 1 | 0 | 1 | 1 | 1 | 4 | 0 |
| NON-WHITE MALE | 6 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949) | | | | | | | | | | | | | | | | | |
| TOTAL | 188 | 1 | 5 | 7 | 6 | 11 | 12 | 18 | 11 | 11 | 8 | 8 | 9 | 13 | 22 | 13 | 33 |
| WHITE MALE | 106 | 0 | 2 | 4 | 4 | 9 | 11 | 15 | 6 | 7 | 6 | 4 | 5 | 6 | 11 | 5 | 11 |
| WHITE FEMALE | 69 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 3 | 4 | 1 | 3 | 3 | 7 | 11 | 7 | 21 |
| NON-WHITE MALE | 8 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 |
| NON-WHITE FEMALE | 5 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| SUICIDE(E950-E959) | | | | | | | | | | | | | | | | | |
| TOTAL | 108 | 0 | 0 | 0 | 0 | 6 | 16 | 24 | 14 | 14 | 15 | 5 | 2 | 4 | 7 | 0 | 1 |
| WHITE MALE | 77 | 0 | 0 | 0 | 0 | 5 | 14 | 21 | 8 | 8 | 11 | 2 | 1 | 3 | 4 | 0 | 0 |
| WHITE FEMALE | 28 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 6 | 6 | 4 | 2 | 1 | 1 | 3 | 0 | 1 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1980

| CAUSE(ICD CODE)<br>RACE AND SEX | TOTAL NUMBER | UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HOMICIDE AND LEGAL INTERVENTION (E960-E978) | | | | | | | | | | | | | | | | | |
| TOTAL | 55 | 3 | 0 | 0 | 2 | 5 | 12 | 11 | 8 | 6 | 1 | 2 | 0 | 2 | 0 | 1 | 2 |
| WHITE MALE | 34 | 1 | 0 | 0 | 1 | 3 | 8 | 7 | 6 | 4 | 1 | 1 | 0 | 0 | 0 | 1 | 1 |
| WHITE FEMALE | 18 | 2 | 0 | 0 | 1 | 2 | 4 | 3 | 1 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 1 |
| NON-WHITE MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-WHITE FEMALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER EXTERNAL CAUSES(E980-E999) | | | | | | | | | | | | | | | | | |
| TOTAL | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 3 | 2 | 1 | 0 | 1 | 0 | 1 | 0 |
| WHITE MALE | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 2 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| WHITE FEMALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1980

| CITY OR TOWN | TOTAL | JAN | FEB | MARCH | APR | MAY | JUNE | JULY | AUG | SEPT | OCT | NOV | DEC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 9300 | 815 | 862 | 853 | 723 | 747 | 711 | 718 | 675 | 704 | 749 | 827 | 916 |
| BARRINGTON | 94 | 14 | 7 | 10 | 3 | 4 | 8 | 10 | 8 | 7 | 7 | 6 | 10 |
| BRISTOL | 170 | 16 | 13 | 12 | 9 | 19 | 14 | 12 | 17 | 20 | 11 | 13 | 14 |
| BURRILLVILLE | 112 | 9 | 14 | 8 | 11 | 11 | 9 | 9 | 7 | 10 | 9 | 8 | 7 |
| CENTRAL FALLS | 196 | 17 | 23 | 16 | 14 | 6 | 15 | 14 | 17 | 19 | 8 | 24 | 23 |
| CHARLESTOWN | 43 | 6 | 4 | 2 | 4 | 6 | 3 | 2 | 2 | 3 | 3 | 3 | 5 |
| COVENTRY | 188 | 16 | 13 | 21 | 11 | 13 | 15 | 15 | 12 | 28 | 11 | 17 | 16 |
| CRANSTON | 755 | 76 | 62 | 80 | 71 | 54 | 62 | 54 | 50 | 50 | 68 | 65 | 63 |
| CUMBERLAND | 232 | 22 | 27 | 22 | 18 | 25 | 9 | 16 | 17 | 16 | 13 | 20 | 27 |
| EAST GREENWICH | 85 | 2 | 13 | 7 | 6 | 5 | 4 | 3 | 11 | 5 | 10 | 7 | 12 |
| EAST PROVIDENCE | 530 | 32 | 50 | 41 | 45 | 38 | 44 | 48 | 42 | 46 | 40 | 44 | 60 |
| EXETER | 30 | 2 | 2 | 3 | 2 | 2 | 3 | 1 | 3 | 3 | 2 | 1 | 6 |
| FOSTER | 29 | 2 | 1 | 4 | 1 | 1 | 7 | 1 | 1 | 3 | 3 | 3 | 2 |
| GLOCESTER | 52 | 9 | 2 | 4 | 4 | 2 | 1 | 2 | 6 | 5 | 4 | 7 | 6 |
| HOPKINTON | 47 | 2 | 3 | 5 | 6 | 6 | 4 | 2 | 0 | 2 | 3 | 6 | 8 |
| JAMESTOWN | 42 | 6 | 3 | 1 | 2 | 6 | 6 | 2 | 1 | 3 | 4 | 4 | 4 |
| JOHNSTON | 193 | 12 | 17 | 18 | 5 | 12 | 12 | 16 | 14 | 17 | 28 | 21 | 21 |
| LINCOLN | 177 | 12 | 15 | 16 | 10 | 14 | 18 | 13 | 14 | 21 | 13 | 9 | 22 |
| LITTLE COMPTON | 27 | 2 | 2 | 3 | 0 | 3 | 4 | 2 | 1 | 1 | 3 | 2 | 4 |
| MIDDLETOWN | 90 | 7 | 11 | 4 | 4 | 10 | 5 | 11 | 6 | 5 | 10 | 9 | 8 |
| NARRAGANSETT | 85 | 7 | 8 | 6 | 6 | 9 | 9 | 3 | 7 | 4 | 9 | 8 | 9 |
| NEWPORT | 326 | 24 | 24 | 26 | 25 | 34 | 24 | 29 | 15 | 31 | 28 | 38 | 28 |
| NEW SHOREHAM | 8 | 2 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 0 |
| NORTH KINGSTOWN | 179 | 12 | 11 | 22 | 16 | 13 | 12 | 13 | 16 | 15 | 9 | 20 | 20 |
| NORTH PROVIDENCE | 294 | 24 | 29 | 32 | 30 | 23 | 20 | 21 | 18 | 17 | 24 | 24 | 32 |
| NORTH SMITHFIELD | 81 | 6 | 7 | 7 | 6 | 9 | 7 | 5 | 5 | 2 | 9 | 7 | 11 |
| PAWTUCKET | 825 | 74 | 65 | 76 | 70 | 76 | 64 | 76 | 51 | 54 | 61 | 70 | 88 |
| PORTSMOUTH | 103 | 12 | 11 | 6 | 5 | 9 | 12 | 9 | 7 | 7 | 10 | 9 | 6 |
| PROVIDENCE | 1861 | 182 | 189 | 174 | 142 | 142 | 123 | 139 | 147 | 130 | 149 | 162 | 182 |
| RICHMOND | 26 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 3 | 3 | 7 |
| SCITUATE | 80 | 6 | 5 | 8 | 8 | 4 | 5 | 5 | 8 | 8 | 6 | 13 | 4 |
| SMITHFIELD | 117 | 13 | 16 | 12 | 5 | 6 | 13 | 12 | 9 | 4 | 6 | 11 | 10 |
| SOUTH KINGSTOWN | 136 | 9 | 12 | 10 | 17 | 11 | 7 | 13 | 11 | 10 | 12 | 14 | 10 |
| TIVERTON | 117 | 9 | 16 | 10 | 9 | 8 | 8 | 14 | 11 | 11 | 6 | 9 | 6 |
| WARREN | 102 | 5 | 12 | 11 | 9 | 6 | 6 | 6 | 10 | 8 | 6 | 9 | 14 |
| WARWICK | 846 | 67 | 78 | 71 | 71 | 76 | 78 | 69 | 67 | 62 | 68 | 64 | 75 |
| WESTERLY | 193 | 16 | 21 | 19 | 10 | 10 | 20 | 18 | 10 | 21 | 14 | 18 | 16 |
| WEST GREENWICH | 18 | 1 | 3 | 1 | 1 | 2 | 0 | 1 | 0 | 2 | 3 | 2 | 2 |
| WEST WARWICK | 231 | 28 | 15 | 24 | 17 | 14 | 11 | 17 | 16 | 16 | 32 | 20 | 21 |
| WOONSOCKET | 580 | 54 | 56 | 59 | 47 | 56 | 46 | 33 | 37 | 37 | 42 | 56 | 57 |

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1980



| CAUSE OF DEATH(ICDA CODE) | ALL INFANTS | NEONATAL (-28 DAYS) | UNDER 1 DAY | 1 - 6 DAYS | 7 -27 DAYS | 28 DAYS-11 MONTHS |
|---|---|---|---|---|---|---|
| ALL CAUSES - TOTAL | 133 | 102 | 60 | 26 | 16 | 31 |
| SEPTICEMIA(038) | 2 | 0 | 0 | 0 | 0 | 2 |
| BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE(210-239) | 1 | 1 | 1 | 0 | 0 | 0 |
| MENINGITIS(320-322) | 1 | 0 | 0 | 0 | 0 | 1 |
| BRONCHITIS AND BRONCHIOLITIS(466,490-491) | 2 | 0 | 0 | 0 | 0 | 2 |
| PNEUMONIA AND INFLUENZA(480-487) | 2 | 0 | 0 | 0 | 0 | 2 |
| PNEUMONIA(480-486) | 2 | 0 | 0 | 0 | 0 | 2 |
| REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519) | 1 | 0 | 0 | 0 | 0 | 1 |
| GASTRITIS,DUODENITIS,AND NONINFECTIVE ENTERITIS AND COLITIS(535,555-558) | 1 | 0 | 0 | 0 | 0 | 1 |
| CONGENITAL ANOMALIES(740-759) | 36 | 27 | 10 | 10 | 7 | 9 |
| ANENCEPHALUS AND SIMILAR ANOMALIES(740) | 6 | 6 | 3 | 2 | 1 | 0 |
| SPINA BIFIDA(741) | 1 | 0 | 0 | 0 | 0 | 1 |
| CONGENITAL HYDROCEPHALUS(742.3) | 1 | 1 | 0 | 1 | 0 | 0 |
| OTHER CONGEN ANOMALIES OF CNTRL SYSTM & EYE(742.0-742.2,742.4-742.9,743) | 1 | 0 | 0 | 0 | 0 | 1 |
| CONGENITAL ANOMALIES OF HEART(745-746) | 9 | 7 | 0 | 3 | 4 | 2 |
| OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM(747) | 5 | 4 | 1 | 2 | 1 | 1 |
| CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751) | 2 | 1 | 0 | 0 | 1 | 1 |
| CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753) | 1 | 1 | 1 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756) | 3 | 2 | 1 | 1 | 0 | 1 |
| DOWN'S SYNDROME(758.0) | 1 | 1 | 1 | 0 | 0 | 0 |
| OTHER CHROMOSOMAL ANOMALIES(758.1-758.9) | 3 | 2 | 2 | 0 | 0 | 1 |
| ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759) | 3 | 2 | 1 | 1 | 0 | 1 |

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1980

| CAUSE OF DEATH(ICDA CODE) | ALL INFANTS | NEONATAL (-28 DAYS) | UNDER 1 DAY | 1 - 6 DAYS | 7 -27 DAYS | 28 DAYS-11 MONTHS |
|---|---|---|---|---|---|---|
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779) | 68 | 67 | 49 | 13 | 5 | 1 |
| NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760) | 2 | 2 | 2 | 0 | 0 | 0 |
| NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761) | 4 | 4 | 4 | 0 | 0 | 0 |
| NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762) | 8 | 8 | 6 | 2 | 0 | 0 |
| NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY(763) | 2 | 2 | 1 | 0 | 1 | 0 |
| DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765) | 7 | 7 | 7 | 0 | 0 | 0 |
| INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768) | 5 | 5 | 3 | 1 | 1 | 0 |
| FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4) | 1 | 1 | 1 | 0 | 0 | 0 |
| BIRTH ASPHYXIA(768.5-768.9) | 4 | 4 | 2 | 1 | 1 | 0 |
| RESPIRATORY DISTRESS SYNDROME(769) | 13 | 13 | 8 | 5 | 0 | 0 |
| OTHER RESPIRATORY CONDITIONS OF NEWBORN(770) | 13 | 13 | 11 | 2 | 0 | 0 |
| INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771) | 2 | 2 | 2 | 0 | 0 | 0 |
| NEONATAL HEMORRHAGE(772) | 3 | 3 | 0 | 2 | 1 | 0 |
| ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779) | 9 | 8 | 5 | 1 | 2 | 1 |
| SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799) | 5 | 1 | 0 | 0 | 1 | 4 |
| SUDDEN INFANT DEATH SYNDROME(798.0) | 5 | 1 | 0 | 0 | 1 | 4 |
| ACCIDENTS AND ADVERSE EFFECTS(E800-E949) | 1 | 0 | 0 | 0 | 0 | 1 |
| OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949) | 1 | 0 | 0 | 0 | 0 | 1 |
| HOMICIDE(E960-E969) | 3 | 0 | 0 | 0 | 0 | 3 |
| CHILD BATTERING AND OTHER MALTREATMENT(E967) | 1 | 0 | 0 | 0 | 0 | 1 |
| OTHER HOMICIDE(E960-E966,E968-E969) | 2 | 0 | 0 | 0 | 0 | 2 |
| ALL OTHER CAUSES(RESIDUAL) | 10 | 6 | 0 | 3 | 3 | 4 |

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1980

| TYPE OR PLACE OF ACCIDENT | TOTAL | AGE OF DECEDENT IN YEARS: UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL ACCIDENTS (E8000-9499)* | | | | | | | | | | | | | | | | | |
| TOTAL | 324** | 1 | 5 | 12 | 10 | 40 | 40 | 51 | 25 | 19 | 10 | 9 | 13 | 16 | 24 | 20 | 33 |
| MALE | 216 | 0 | 3 | 9 | 7 | 33 | 32 | 40 | 17 | 12 | 8 | 6 | 9 | 8 | 12 | 8 | 12 |
| FEMALE | 112 | 1 | 2 | 3 | 3 | 7 | 8 | 11 | 8 | 7 | 2 | 3 | 4 | 8 | 12 | 12 | 21 |
| MOTOR VEHICLE ACCIDENTS (E810-825) | | | | | | | | | | | | | | | | | |
| TOTAL | 140 | 0 | 0 | 5 | 4 | 29 | 28 | 33 | 14 | 8 | 2 | 1 | 4 | 3 | 2 | 7 | 0 |
| MALE | 102 | 0 | 0 | 4 | 3 | 24 | 21 | 25 | 9 | 5 | 1 | 1 | 3 | 2 | 1 | 3 | 0 |
| FEMALE | 38 | 0 | 0 | 1 | 1 | 5 | 7 | 8 | 5 | 3 | 1 | 0 | 1 | 1 | 1 | 4 | 0 |
| NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949) | | | | | | | | | | | | | | | | | |
| TOTAL | 188 | 1 | 5 | 7 | 6 | 11 | 12 | 18 | 11 | 11 | 8 | 8 | 9 | 13 | 22 | 13 | 33 |
| MALE | 114 | 0 | 3 | 5 | 4 | 9 | 11 | 15 | 8 | 7 | 7 | 5 | 6 | 6 | 11 | 5 | 12 |
| FEMALE | 74 | 1 | 2 | 2 | 2 | 2 | 1 | 3 | 3 | 4 | 1 | 3 | 3 | 7 | 11 | 8 | 21 |
| 00 HOME | | | | | | | | | | | | | | | | | |
| TOTAL | 95 | 1 | 5 | 6 | 1 | 1 | 5 | 9 | 4 | 5 | 6 | 3 | 7 | 7 | 13 | 8 | 14 |
| MALE | 52 | 0 | 3 | 4 | 0 | 1 | 4 | 6 | 2 | 2 | 5 | 2 | 4 | 2 | 8 | 4 | 5 |
| FEMALE | 43 | 1 | 2 | 2 | 1 | 0 | 1 | 3 | 2 | 3 | 1 | 1 | 3 | 5 | 5 | 4 | 9 |
| 20 MINE AND QUARRY | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-39 INDUSTRIAL | | | | | | | | | | | | | | | | | |
| TOTAL | 8 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| MALE | 7 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| FEMALE | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 MANUFACTURING | | | | | | | | | | | | | | | | | |
| TOTAL | 5 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| MALE | 4 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| FEMALE | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 CONSTRUCTION | | | | | | | | | | | | | | | | | |
| TOTAL | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1980

| TYPE OR PLACE OF ACCIDENT | TOTAL | AGE OF DECEDENT IN YEARS: UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 40-49 PLACE OF RECREATION | | | | | | | | | | | | | | | | | |
| TOTAL | 10 | 0 | 0 | 0 | 1 | 3 | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| MALE | 10 | 0 | 0 | 0 | 1 | 3 | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| 41 BOATING | | | | | | | | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 42 DIVING WITH EQUIPMENT | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 43 SWIMMING | | | | | | | | | | | | | | | | | |
| TOTAL | 4 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| MALE | 4 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 44 FISHING | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 49 OTHERS AND UNKNOWN | | | | | | | | | | | | | | | | | |
| TOTAL | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| MALE | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 50 STREET AND HIGHWAY - SIDEWALK | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PUBLIC BUILDING | | | | | | | | | | | | | | | | | |
| TOTAL | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 70 RESIDENT INSTITUTION | | | | | | | | | | | | | | | | | |
| TOTAL | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 1 | 5 | 3 | 14 |
| MALE | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 2 | 1 | 4 |
| FEMALE | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 3 | 2 | 10 |
| 80-88 OTHER SPECIFIED PLACE | | | | | | | | | | | | | | | | | |
| TOTAL | 16 | 0 | 0 | 0 | 4 | 6 | 0 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MALE | 14 | 0 | 0 | 0 | 3 | 5 | 0 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| FEMALE | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 OPEN SEA | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 82 FIELD AND FOREST - OTHER THAN RECREATIONAL & FARMING | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION | | | | | | | | | | | | | | | | | |
| TOTAL | 6 | 0 | 0 | 0 | 3 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1980

| TYPE OR PLACE OF ACCIDENT | TOTAL | AGE OF DECEDENT IN YEARS: UNDER 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MALE | 5 | 0 | 0 | 0 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FEMALE | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 88 OTHER | | | | | | | | | | | | | | | | | |
| TOTAL | 8 | 0 | 0 | 0 | 1 | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MALE | 7 | 0 | 0 | 0 | 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| FEMALE | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 90 UNKNOWN | | | | | | | | | | | | | | | | | |
| TOTAL | 12 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 4 |
| MALE | 9 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 3 |
| FEMALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 |

* NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICDA E830-E838, E846-E869, AND E880-E928.
** TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 294 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 9300 | 102 | 133 | 2127 | 481 | 184 | 21 | 59 | 199 | 3831 | 1727 | 44 |
| BARRINGTON | 94 | 0 | 0 | 19 | 3 | 2 | 0 | 0 | 2 | 35 | 12 | 0 |
| 301 | 31 | 0 | 0 | 6 | 2 | 1 | 0 | 0 | 0 | 9 | 3 | 0 |
| 302 | 13 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 8 | 3 | 0 |
| 303 | 23 | 0 | 0 | 5 | 1 | 0 | 0 | 0 | 0 | 7 | 4 | 0 |
| 304 | 27 | 0 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 11 | 2 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BRISTOL | 170 | 1 | 2 | 44 | 6 | 3 | 2 | 3 | 4 | 56 | 30 | 1 |
| 307 | 43 | 0 | 0 | 13 | 2 | 1 | 0 | 1 | 1 | 13 | 10 | 1 |
| 308 | 34 | 0 | 1 | 11 | 1 | 0 | 1 | 0 | 2 | 12 | 6 | 0 |
| 309 | 93 | 1 | 1 | 20 | 3 | 2 | 1 | 2 | 1 | 31 | 14 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BURRILLVILLE | 112 | 2 | 2 | 19 | 3 | 1 | 0 | 0 | 3 | 43 | 18 | 1 |
| 129 | 74 | 1 | 1 | 11 | 2 | 1 | 0 | 0 | 2 | 28 | 15 | 1 |
| 130 | 38 | 1 | 1 | 8 | 1 | 0 | 0 | 0 | 1 | 15 | 3 | 0 |
| CENTRAL FALLS | 196 | 2 | 2 | 36 | 8 | 0 | 0 | 2 | 2 | 89 | 31 | 0 |
| 108 | 51 | 1 | 1 | 5 | 0 | 0 | 0 | 1 | 1 | 29 | 9 | 0 |
| 109 | 52 | 0 | 0 | 7 | 1 | 0 | 0 | 0 | 0 | 19 | 7 | 0 |
| 110 | 58 | 0 | 0 | 17 | 5 | 0 | 0 | 1 | 1 | 27 | 9 | 0 |
| 111 | 35 | 1 | 1 | 7 | 2 | 0 | 0 | 0 | 0 | 14 | 6 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHARLESTOWN-511 | 43 | 0 | 0 | 10 | 6 | 1 | 0 | 0 | 0 | 17 | 9 | 0 |
| COVENTRY | 188 | 2 | 3 | 42 | 12 | 3 | 0 | 1 | 6 | 84 | 46 | 0 |
| 206 | 146 | 2 | 3 | 35 | 10 | 3 | 0 | 1 | 4 | 67 | 39 | 0 |
| 207 | 42 | 0 | 0 | 7 | 2 | 0 | 0 | 0 | 2 | 17 | 7 | 0 |
| CRANSTON | 755 | 3 | 4 | 187 | 45 | 23 | 2 | 5 | 15 | 323 | 150 | 4 |
| 134 | 60 | 2 | 2 | 15 | 2 | 1 | 0 | 0 | 1 | 26 | 12 | 0 |
| 135 | 52 | 0 | 0 | 9 | 1 | 1 | 0 | 1 | 0 | 23 | 13 | 0 |
| 136 | 29 | 0 | 0 | 5 | 1 | 0 | 0 | 0 | 0 | 14 | 6 | 0 |
| 137 | 99 | 0 | 0 | 25 | 3 | 4 | 0 | 1 | 2 | 39 | 18 | 2 |

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CRANSTON(CONT.) | | | | | | | | | | | | |
| 138 | 71 | 0 | 0 | 19 | 7 | 4 | 0 | 0 | 1 | 36 | 16 | 0 |
| 139 | 45 | 0 | 0 | 11 | 0 | 3 | 0 | 0 | 0 | 19 | 13 | 0 |
| 140 | 60 | 0 | 0 | 15 | 4 | 2 | 1 | 0 | 2 | 23 | 14 | 0 |
| 141 | 57 | 0 | 0 | 12 | 5 | 1 | 0 | 0 | 1 | 26 | 10 | 0 |
| 142 | 21 | 0 | 0 | 5 | 2 | 1 | 0 | 0 | 1 | 9 | 1 | 0 |
| 143 | 33 | 0 | 0 | 8 | 2 | 1 | 0 | 0 | 1 | 17 | 8 | 1 |
| 144 | 33 | 0 | 1 | 10 | 5 | 1 | 0 | 0 | 1 | 14 | 7 | 0 |
| 145 | 40 | 0 | 0 | 7 | 0 | 1 | 0 | 2 | 1 | 12 | 8 | 0 |
| 146 | 15 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 6 | 1 | 0 |
| 147 | 113 | 1 | 1 | 34 | 12 | 3 | 1 | 1 | 2 | 45 | 18 | 1 |
| 148 | 24 | 0 | 0 | 5 | 1 | 0 | 0 | 0 | 1 | 12 | 5 | 0 |
| UNKNOWN | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 |
| CUMBERLAND | 232 | 2 | 4 | 52 | 11 | 5 | 0 | 2 | 3 | 105 | 39 | 0 |
| 112 | 48 | 1 | 2 | 9 | 1 | 1 | 0 | 1 | 1 | 23 | 11 | 0 |
| 113 | 72 | 0 | 0 | 18 | 5 | 2 | 0 | 1 | 0 | 32 | 9 | 0 |
| 114 | 112 | 1 | 2 | 25 | 5 | 2 | 0 | 0 | 2 | 50 | 19 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EAST GREENWICH-209 | 85 | 1 | 1 | 20 | 8 | 1 | 1 | 0 | 0 | 43 | 22 | 1 |
| EAST PROVIDENCE | 530 | 7 | 7 | 123 | 26 | 8 | 3 | 1 | 11 | 211 | 96 | 5 |
| 101 | 98 | 1 | 1 | 25 | 7 | 1 | 0 | 0 | 2 | 36 | 14 | 2 |
| 102 | 74 | 1 | 1 | 15 | 4 | 1 | 0 | 1 | 1 | 39 | 20 | 0 |
| 103 | 57 | 0 | 0 | 11 | 4 | 0 | 0 | 0 | 1 | 23 | 9 | 0 |
| 104 | 63 | 1 | 1 | 19 | 3 | 0 | 1 | 0 | 1 | 21 | 12 | 1 |
| 105 | 94 | 1 | 1 | 17 | 1 | 1 | 1 | 0 | 4 | 39 | 15 | 1 |
| 106 | 79 | 2 | 2 | 20 | 3 | 4 | 0 | 0 | 2 | 29 | 17 | 0 |
| 107 | 65 | 1 | 1 | 16 | 4 | 1 | 1 | 0 | 0 | 24 | 9 | 1 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EXETER-505 | 30 | 1 | 1 | 6 | 2 | 0 | 0 | 0 | 0 | 6 | 1 | 0 |
| FOSTER-133 | 29 | 0 | 0 | 10 | 1 | 0 | 0 | 0 | 2 | 9 | 2 | 0 |
| GLOCESTER-131 | 52 | 1 | 1 | 13 | 3 | 0 | 1 | 0 | 2 | 20 | 9 | 0 |

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HOPKINTON-507 | 47 | 5 | 5 | 11 | 3 | 1 | 0 | 1 | 1 | 16 | 8 | 0 |
| JAMESTOWN-413 | 42 | 1 | 1 | 8 | 0 | 1 | 0 | 1 | 2 | 16 | 6 | 0 |
| JOHNSTON | 193 | 3 | 3 | 54 | 9 | 7 | 1 | 2 | 7 | 76 | 41 | 0 |
| 122 | 25 | 0 | 0 | 7 | 0 | 1 | 1 | 0 | 2 | 10 | 6 | 0 |
| 123 | 56 | 1 | 1 | 16 | 4 | 2 | 0 | 0 | 1 | 23 | 14 | 0 |
| 124 | 66 | 1 | 1 | 13 | 1 | 2 | 0 | 2 | 2 | 25 | 13 | 0 |
| 125 | 46 | 1 | 1 | 18 | 4 | 2 | 0 | 0 | 2 | 18 | 8 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINCOLN | 177 | 3 | 4 | 54 | 12 | 6 | 0 | 2 | 2 | 76 | 26 | 1 |
| 115 | 54 | 0 | 0 | 13 | 2 | 0 | 0 | 1 | 1 | 24 | 7 | 0 |
| 116 | 30 | 2 | 3 | 12 | 4 | 2 | 0 | 0 | 0 | 9 | 7 | 0 |
| 117 | 93 | 1 | 1 | 29 | 6 | 4 | 0 | 1 | 1 | 43 | 12 | 1 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LITTLE COMPTON-414 | 27 | 1 | 2 | 6 | 0 | 0 | 0 | 0 | 1 | 7 | 5 | 0 |
| MIDDLETOWN | 90 | 1 | 2 | 30 | 9 | 3 | 1 | 0 | 0 | 42 | 17 | 0 |
| 402 | 3 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 403 | 55 | 0 | 0 | 16 | 7 | 1 | 0 | 0 | 0 | 29 | 12 | 0 |
| 404 | 32 | 1 | 2 | 11 | 1 | 2 | 1 | 0 | 0 | 13 | 5 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NARRAGANSETT-515 | 85 | 0 | 0 | 22 | 6 | 2 | 0 | 1 | 0 | 31 | 15 | 0 |
| NEWPORT | 326 | 2 | 4 | 89 | 26 | 10 | 1 | 3 | 5 | 111 | 56 | 0 |
| 405 | 46 | 0 | 2 | 14 | 3 | 1 | 0 | 1 | 0 | 9 | 3 | 0 |
| 406 | 54 | 0 | 0 | 13 | 4 | 0 | 0 | 0 | 2 | 22 | 14 | 0 |
| 407 | 44 | 0 | 0 | 9 | 5 | 1 | 0 | 0 | 0 | 18 | 6 | 0 |
| 408 | 61 | 1 | 1 | 20 | 6 | 2 | 0 | 1 | 2 | 17 | 7 | 0 |
| 409 | 58 | 0 | 0 | 16 | 4 | 4 | 1 | 0 | 0 | 24 | 13 | 0 |
| 410 | 33 | 0 | 0 | 10 | 3 | 1 | 0 | 0 | 1 | 11 | 7 | 0 |
| 411 | 21 | 0 | 0 | 6 | 1 | 1 | 0 | 1 | 0 | 9 | 5 | 0 |
| 412 | 6 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| UNKNOWN | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 294 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980



| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| NEW SHOREHAM-415 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 1 | 0 |
| NORTH KINGSTOWN | 179 | 2 | 2 | 26 | 4 | 5 | 0 | 0 | 0 | 72 | 37 | 1 |
| 501 | 94 | 2 | 2 | 14 | 0 | 5 | 0 | 0 | 0 | 36 | 21 | 0 |
| 502 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 503 | 57 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 28 | 13 | 1 |
| 504 | 25 | 0 | 0 | 8 | 3 | 0 | 0 | 0 | 0 | 8 | 3 | 0 |
| UNKNOWN | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH PROVIDENCE | 294 | 1 | 1 | 68 | 15 | 7 | 0 | 2 | 11 | 112 | 44 | 2 |
| 118 | 55 | 1 | 1 | 14 | 2 | 0 | 0 | 0 | 0 | 21 | 9 | 0 |
| 119 | 39 | 0 | 0 | 9 | 2 | 0 | 0 | 2 | 0 | 18 | 7 | 0 |
| 120 | 100 | 0 | 0 | 28 | 5 | 5 | 0 | 0 | 2 | 33 | 13 | 0 |
| 121 | 100 | 0 | 0 | 17 | 6 | 2 | 0 | 0 | 9 | 40 | 15 | 2 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH SMITHFIELD-128 | 81 | 1 | 1 | 16 | 3 | 2 | 0 | 0 | 1 | 42 | 17 | 1 |
| PAWTUCKET | 825 | 4 | 7 | 187 | 34 | 17 | 1 | 6 | 27 | 335 | 139 | 2 |
| 149 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9 | 2 | 0 |
| 150 | 40 | 0 | 0 | 10 | 4 | 1 | 0 | 1 | 2 | 17 | 7 | 0 |
| 151 | 35 | 1 | 1 | 8 | 1 | 1 | 0 | 1 | 0 | 17 | 7 | 0 |
| 152 | 56 | 0 | 0 | 5 | 1 | 0 | 0 | 0 | 0 | 30 | 16 | 0 |
| 153 | 33 | 1 | 1 | 2 | 0 | 1 | 0 | 0 | 3 | 12 | 6 | 1 |
| 154 | 15 | 0 | 0 | 8 | 0 | 1 | 0 | 2 | 0 | 3 | 0 | 0 |
| 155 | 41 | 0 | 1 | 10 | 2 | 1 | 0 | 0 | 2 | 17 | 7 | 0 |
| 156 | 25 | 0 | 0 | 6 | 0 | 1 | 0 | 0 | 0 | 10 | 3 | 0 |
| 157 | 39 | 0 | 0 | 10 | 4 | 1 | 0 | 0 | 3 | 16 | 5 | 0 |
| 158 | 49 | 0 | 1 | 15 | 2 | 4 | 0 | 1 | 0 | 20 | 5 | 0 |
| 159 | 37 | 0 | 0 | 7 | 2 | 0 | 0 | 0 | 0 | 19 | 12 | 0 |
| 160 | 26 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 2 | 9 | 5 | 0 |
| 161** | 59 | 1 | 2 | 13 | 2 | 0 | 0 | 0 | 1 | 18 | 6 | 0 |
| 163 | 25 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 2 | 10 | 3 | 0 |
| 164** | 70 | 1 | 1 | 19 | 2 | 3 | 0 | 0 | 2 | 28 | 10 | 0 |

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PAWTUCKET(CONT.) | | | | | | | | | | | | |
| 165 | 41 | 0 | 0 | 14 | 2 | 2 | 0 | 1 | 1 | 13 | 8 | 0 |
| 166 | 20 | 0 | 0 | 6 | 1 | 0 | 0 | 0 | 1 | 5 | 5 | 0 |
| 167 | 42 | 0 | 0 | 6 | 1 | 0 | 0 | 0 | 4 | 17 | 4 | 0 |
| 168 | 40 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 1 | 15 | 6 | 1 |
| 169 | 19 | 0 | 0 | 7 | 4 | 0 | 0 | 0 | 0 | 8 | 5 | 0 |
| 170 | 56 | 0 | 0 | 10 | 2 | 0 | 0 | 0 | 1 | 22 | 10 | 0 |
| 171 | 43 | 0 | 0 | 10 | 2 | 1 | 1 | 0 | 1 | 19 | 7 | 0 |
| UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| PORTSMOUTH-401 | 103 | 2 | 2 | 24 | 6 | 2 | 0 | 0 | 2 | 45 | 24 | 0 |
| PROVIDENCE | 1801 | 22 | 34 | 408 | 81 | 33 | 5 | 10 | 38 | 757 | 356 | 17 |
| 1 | 77 | 0 | 1 | 7 | 3 | 1 | 0 | 0 | 1 | 31 | 13 | 2 |
| 2 | 83 | 3 | 3 | 19 | 4 | 2 | 0 | 0 | 4 | 27 | 13 | 0 |
| 3 | 77 | 1 | 4 | 15 | 5 | 0 | 1 | 0 | 3 | 33 | 20 | 0 |
| 4 | 18 | 1 | 1 | 4 | 1 | 0 | 0 | 0 | 1 | 3 | 1 | 0 |
| 5 | 30 | 0 | 0 | 5 | 1 | 1 | 0 | 0 | 0 | 12 | 7 | 0 |
| 6 | 15 | 1 | 1 | 5 | 1 | 0 | 0 | 0 | 0 | 5 | 2 | 0 |
| 7 | 33 | 0 | 0 | 7 | 2 | 0 | 0 | 0 | 3 | 13 | 2 | 0 |
| 8 | 57 | 0 | 0 | 12 | 2 | 2 | 0 | 0 | 1 | 22 | 8 | 0 |
| 9 | 49 | 1 | 2 | 11 | 5 | 1 | 0 | 0 | 0 | 22 | 15 | 1 |
| 10 | 44 | 0 | 0 | 9 | 3 | 0 | 0 | 0 | 1 | 24 | 15 | 1 |
| 11 | 33 | 1 | 1 | 9 | 2 | 0 | 0 | 0 | 0 | 11 | 8 | 0 |
| 12 | 28 | 0 | 0 | 3 | 2 | 0 | 0 | 0 | 1 | 8 | 3 | 0 |
| 13 | 51 | 0 | 0 | 10 | 2 | 0 | 0 | 0 | 1 | 28 | 16 | 0 |
| 14 | 52 | 1 | 2 | 9 | 1 | 0 | 0 | 1 | 1 | 19 | 9 | 0 |
| 15 | 33 | 0 | 0 | 6 | 1 | 0 | 0 | 0 | 0 | 15 | 7 | 0 |
| 16 | 74 | 2 | 2 | 17 | 4 | 1 | 0 | 1 | 2 | 36 | 16 | 0 |
| 17 | 39 | 0 | 0 | 9 | 0 | 1 | 0 | 1 | 1 | 19 | 8 | 1 |
| 18 | 75 | 1 | 1 | 16 | 3 | 1 | 0 | 1 | 1 | 28 | 9 | 2 |
| 19 | 77 | 1 | 2 | 20 | 5 | 1 | 0 | 0 | 1 | 29 | 14 | 1 |
| 20 | 30 | 0 | 0 | 7 | 1 | 1 | 0 | 0 | 0 | 11 | 6 | 0 |

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PROVIDENCE(CONT.) | | | | | | | | | | | | |
| 21 | 100 | 1 | 2 | 31 | 4 | 2 | 0 | 0 | 1 | 38 | 17 | 0 |
| 22 | 52 | 0 | 1 | 10 | 2 | 1 | 0 | 1 | 1 | 26 | 14 | 0 |
| 23 | 61 | 0 | 0 | 15 | 4 | 1 | 0 | 1 | 1 | 26 | 12 | 1 |
| 24 | 63 | 0 | 0 | 14 | 2 | 1 | 0 | 0 | 1 | 29 | 13 | 1 |
| 25 | 35 | 1 | 1 | 5 | 2 | 0 | 0 | 0 | 0 | 15 | 8 | 0 |
| 26 | 64 | 1 | 1 | 15 | 0 | 0 | 1 | 1 | 0 | 25 | 13 | 0 |
| 27 | 27 | 0 | 0 | 5 | 2 | 2 | 0 | 0 | 0 | 9 | 3 | 1 |
| 28 | 60 | 1 | 1 | 18 | 5 | 2 | 1 | 1 | 4 | 22 | 11 | 0 |
| 29 | 72 | 3 | 3 | 18 | 4 | 2 | 0 | 0 | 0 | 35 | 12 | 0 |
| 30 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 |
| 31 | 34 | 0 | 1 | 8 | 0 | 2 | 0 | 0 | 1 | 14 | 6 | 1 |
| 32 | 34 | 1 | 2 | 9 | 0 | 1 | 0 | 1 | 2 | 13 | 3 | 1 |
| 33 | 89 | 0 | 0 | 15 | 1 | 1 | 0 | 1 | 2 | 36 | 12 | 2 |
| 34 | 49 | 0 | 0 | 14 | 1 | 2 | 1 | 0 | 0 | 16 | 7 | 1 |
| 35 | 72 | 0 | 0 | 19 | 4 | 3 | 1 | 0 | 2 | 26 | 15 | 0 |
| 36 | 25 | 0 | 0 | 5 | 0 | 1 | 0 | 0 | 0 | 10 | 4 | 0 |
| 37 | 39 | 1 | 2 | 6 | 2 | 0 | 0 | 0 | 1 | 17 | 12 | 1 |
| UNKNOWN | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INNER CITY | 679 | 10 | 18 | 141 | 34 | 5 | 2 | 2 | 14 | 278 | 151 | 5 |
| RICHMOND-506 | 26 | 2 | 2 | 6 | 0 | 2 | 0 | 0 | 1 | 7 | 3 | 0 |
| SCITUATE-132 | 80 | 1 | 1 | 19 | 7 | 1 | 0 | 1 | 4 | 25 | 10 | 0 |
| SMITHFIELD | 117 | 3 | 3 | 26 | 6 | 2 | 0 | 1 | 2 | 47 | 25 | 0 |
| 126 | 46 | 3 | 3 | 12 | 3 | 2 | 0 | 0 | 0 | 16 | 10 | 0 |
| 127 | 71 | 0 | 0 | 14 | 3 | 0 | 0 | 1 | 2 | 31 | 15 | 0 |
| SOUTH KINGSTOWN | 136 | 1 | 3 | 31 | 8 | 2 | 0 | 1 | 4 | 52 | 23 | 0 |
| 512 | 70 | 1 | 3 | 16 | 6 | 1 | 0 | 1 | 3 | 23 | 12 | 0 |
| 513 | 63 | 0 | 0 | 14 | 2 | 1 | 0 | 0 | 1 | 29 | 11 | 0 |
| 514 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TIVERTON | 117 | 2 | 2 | 35 | 9 | 2 | 0 | 1 | 0 | 41 | 21 | 0 |

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TIVERTON(CONT.) | | | | | | | | | | | | |
| 416 | 72 | 1 | 1 | 18 | 3 | 1 | 0 | 1 | 0 | 26 | 13 | 0 |
| 417 | 45 | 1 | 1 | 17 | 6 | 1 | 0 | 0 | 0 | 15 | 8 | 0 |
| WARREN | 102 | 1 | 2 | 16 | 4 | 3 | 0 | 0 | 2 | 51 | 24 | 0 |
| 305 | 37 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 22 | 12 | 0 |
| 306 | 65 | 1 | 2 | 11 | 4 | 3 | 0 | 0 | 2 | 29 | 12 | 0 |
| WARWICK | 846 | 6 | 6 | 203 | 52 | 18 | 1 | 6 | 12 | 375 | 171 | 3 |
| 210 | 94 | 0 | 0 | 31 | 4 | 1 | 0 | 1 | 1 | 36 | 18 | 0 |
| 211 | 55 | 0 | 0 | 16 | 6 | 1 | 0 | 0 | 1 | 26 | 8 | 1 |
| 212 | 58 | 0 | 0 | 9 | 4 | 1 | 0 | 0 | 1 | 36 | 19 | 0 |
| 213 | 67 | 1 | 1 | 12 | 4 | 0 | 0 | 0 | 1 | 30 | 11 | 0 |
| 214 | 70 | 2 | 2 | 21 | 6 | 3 | 0 | 0 | 1 | 33 | 14 | 0 |
| 215 | 63 | 1 | 1 | 11 | 1 | 2 | 0 | 1 | 1 | 23 | 6 | 1 |
| 216 | 11 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 8 | 7 | 0 |
| 217 | 61 | 0 | 0 | 15 | 6 | 2 | 0 | 1 | 1 | 24 | 12 | 1 |
| 218 | 41 | 0 | 0 | 8 | 0 | 2 | 0 | 0 | 0 | 20 | 9 | 0 |
| 219 | 111 | 1 | 1 | 24 | 6 | 2 | 0 | 1 | 1 | 51 | 25 | 0 |
| 220 | 31 | 1 | 1 | 6 | 1 | 0 | 0 | 0 | 0 | 12 | 5 | 0 |
| 221 | 52 | 0 | 0 | 13 | 4 | 1 | 1 | 1 | 2 | 20 | 8 | 0 |
| 222 | 65 | 0 | 0 | 16 | 4 | 2 | 0 | 0 | 1 | 30 | 14 | 0 |
| 223 | 52 | 0 | 0 | 14 | 3 | 0 | 0 | 0 | 1 | 22 | 13 | 0 |
| 224 | 15 | 0 | 0 | 5 | 3 | 0 | 0 | 1 | 0 | 4 | 2 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WESTERLY | 193 | 4 | 4 | 40 | 7 | 2 | 0 | 2 | 4 | 88 | 46 | 1 |
| 508 | 126 | 1 | 1 | 31 | 6 | 1 | 0 | 2 | 4 | 56 | 29 | 1 |
| 509 | 45 | 2 | 2 | 5 | 1 | 1 | 0 | 0 | 0 | 22 | 12 | 0 |
| 510 | 22 | 1 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 10 | 5 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WEST GREENWICH-208 | 18 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 7 | 4 | 0 |
| WEST WARWICK | 231 | 5 | 7 | 40 | 8 | 0 | 1 | 1 | 3 | 104 | 55 | 0 |
| 201 | 50 | 1 | 1 | 14 | 2 | 0 | 1 | 0 | 0 | 18 | 11 | 0 |

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | ALL DEATHS | NEONATAL DEATHS | INFANT DEATHS | MALIGNANT NEOPLASMS (140-208) | MALIGNANT NEOPLASM OF LUNG (162.2-162.9) | MALIGNANT NEOPLASM OF FEMALE BREAST (174) | MALIGNANT NEOPLASM OF CERVIX (180) | MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149) | DIABETES MELLITUS (250) | DISEASES OF THE HEART (390-398, 402, 410-429) | ACUTE MYOCARDIAL INFARCTION (410) | RHEUMATIC HEART DISEASE (390-398) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WEST WARWICK(CONT.) | | | | | | | | | | | | |
| 202 | 42 | 1 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 21 | 10 | 0 |
| 203 | 80 | 2 | 2 | 11 | 3 | 0 | 0 | 1 | 1 | 43 | 26 | 0 |
| 204 | 27 | 1 | 1 | 7 | 1 | 0 | 0 | 0 | 2 | 11 | 7 | 0 |
| 205 | 31 | 0 | 1 | 6 | 1 | 0 | 0 | 0 | 0 | 10 | 1 | 0 |
| UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| WOONSOCKET | 580 | 7 | 8 | 124 | 38 | 9 | 1 | 4 | 19 | 250 | 88 | 4 |
| 172 | 23 | 0 | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 13 | 5 | 0 |
| 173 | 48 | 1 | 1 | 12 | 3 | 0 | 0 | 0 | 2 | 23 | 8 | 0 |
| 174 | 38 | 0 | 0 | 11 | 2 | 2 | 0 | 0 | 2 | 16 | 6 | 0 |
| 175 | 37 | 0 | 0 | 10 | 4 | 1 | 0 | 0 | 2 | 11 | 5 | 1 |
| 176 | 34 | 0 | 0 | 6 | 0 | 1 | 1 | 0 | 0 | 14 | 5 | 0 |
| 177 | 45 | 0 | 0 | 8 | 1 | 1 | 0 | 0 | 1 | 19 | 6 | 0 |
| 178 | 38 | 1 | 1 | 8 | 2 | 0 | 0 | 1 | 2 | 15 | 5 | 0 |
| 179 | 62 | 1 | 2 | 9 | 2 | 0 | 0 | 1 | 2 | 29 | 10 | 1 |
| 180 | 60 | 0 | 0 | 11 | 6 | 0 | 0 | 2 | 1 | 36 | 10 | 1 |
| 181 | 39 | 0 | 0 | 6 | 3 | 0 | 0 | 0 | 2 | 19 | 10 | 0 |
| 182 | 29 | 0 | 0 | 8 | 1 | 1 | 0 | 0 | 3 | 5 | 4 | 0 |
| 183 | 23 | 1 | 1 | 6 | 4 | 1 | 0 | 0 | 0 | 11 | 2 | 0 |
| 184 | 82 | 2 | 2 | 18 | 6 | 2 | 0 | 0 | 2 | 31 | 12 | 1 |
| 185 | 21 | 1 | 1 | 7 | 3 | 0 | 0 | 0 | 0 | 7 | 0 | 0 |
| UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29b - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RHODE ISLAND | 723 | 135 | 206 | 279 | 148 | 58 | 69 | 328 | 140 | 108 | 55 | 13 |
| BARRINGTON | 10 | 1 | 2 | 0 | 4 | 0 | 0 | 5 | 4 | 2 | 0 | 0 |
| 301 | 5 | 0 | 1 | 0 | 3 | 0 | 0 | 1 | 1 | 1 | 0 | 0 |
| 302 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 303 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 1 | 0 | 0 |
| 304 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BRISTOL | 8 | 11 | 7 | 8 | 2 | 0 | 1 | 9 | 6 | 1 | 1 | 1 |
| 307 | 2 | 4 | 1 | 3 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 |
| 308 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 309 | 5 | 4 | 5 | 5 | 2 | 0 | 1 | 6 | 5 | 1 | 0 | 1 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BURRILLVILLE | 17 | 0 | 4 | 2 | 2 | 1 | 1 | 5 | 4 | 1 | 0 | 0 |
| 129 | 11 | 0 | 2 | 1 | 2 | 1 | 1 | 4 | 3 | 0 | 0 | 0 |
| 130 | 6 | 0 | 2 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 |
| CENTRAL FALLS | 20 | 1 | 5 | 8 | 1 | 1 | 2 | 9 | 1 | 1 | 0 | 0 |
| 108 | 2 | 0 | 1 | 1 | 0 | 0 | 1 | 3 | 0 | 1 | 0 | 0 |
| 109 | 10 | 0 | 1 | 4 | 1 | 1 | 0 | 4 | 0 | 0 | 0 | 0 |
| 110 | 3 | 1 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 111 | 5 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHARLESTOWN-511 | 4 | 1 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 0 | 0 |
| COVENTRY | 10 | 0 | 5 | 7 | 5 | 2 | 0 | 11 | 8 | 2 | 0 | 0 |
| 206 | 7 | 0 | 4 | 4 | 4 | 2 | 0 | 8 | 5 | 1 | 0 | 0 |
| 207 | 3 | 0 | 1 | 3 | 1 | 0 | 0 | 3 | 3 | 1 | 0 | 0 |
| CRANSTON | 50 | 13 | 16 | 25 | 10 | 3 | 2 | 16 | 3 | 4 | 5 | 2 |
| 134 | 2 | 0 | 4 | 4 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 0 |
| 135 | 4 | 0 | 3 | 3 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 1 |
| 136 | 2 | 1 | 0 | 2 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 137 | 8 | 1 | 2 | 4 | 4 | 0 | 0 | 1 | 0 | 1 | 1 | 1 |

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980



| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CRANSTON(CONT.) | | | | | | | | | | | | |
| 138 | 3 | 0 | 0 | 2 | 0 | 0 | 0 | 3 | 0 | 1 | 1 | 0 |
| 139 | 7 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 140 | 4 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 141 | 4 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 142 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 143 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 144 | 3 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 145 | 3 | 2 | 1 | 2 | 1 | 1 | 0 | 2 | 0 | 1 | 0 | 0 |
| 146 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 147 | 5 | 5 | 2 | 4 | 2 | 0 | 0 | 2 | 0 | 0 | 1 | 0 |
| 148 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CUMBERLAND | 12 | 1 | 6 | 5 | 5 | 2 | 1 | 8 | 6 | 3 | 1 | 1 |
| 112 | 1 | 0 | 3 | 0 | 3 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| 113 | 1 | 1 | 2 | 3 | 1 | 0 | 0 | 5 | 4 | 2 | 0 | 0 |
| 114 | 10 | 0 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 0 | 1 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EAST GREENWICH-209 | 1 | 1 | 2 | 2 | 3 | 1 | 0 | 1 | 1 | 1 | 0 | 1 |
| EAST PROVIDENCE | 39 | 11 | 8 | 16 | 8 | 5 | 4 | 19 | 8 | 4 | 3 | 0 |
| 101 | 7 | 3 | 1 | 1 | 3 | 1 | 0 | 5 | 3 | 0 | 0 | 0 |
| 102 | 6 | 1 | 1 | 3 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| 103 | 6 | 1 | 1 | 1 | 1 | 0 | 0 | 3 | 0 | 0 | 1 | 0 |
| 104 | 5 | 1 | 1 | 2 | 2 | 0 | 1 | 2 | 1 | 1 | 0 | 0 |
| 105 | 11 | 1 | 0 | 4 | 1 | 2 | 0 | 3 | 0 | 1 | 0 | 0 |
| 106 | 3 | 2 | 3 | 1 | 0 | 1 | 1 | 4 | 3 | 1 | 1 | 0 |
| 107 | 1 | 2 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EXETER-505 | 1 | 1 | 3 | 0 | 0 | 2 | 0 | 2 | 1 | 2 | 0 | 0 |
| FOSTER-133 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| GLOCESTER-131 | 5 | 0 | 1 | 2 | 0 | 0 | 0 | 3 | 3 | 1 | 0 | 0 |

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HOPKINTON-507 | 3 | 0 | 2 | 1 | 1 | 0 | 4 | 3 | 1 | 0 | 1 | 0 |
| JAMESTOWN-413 | 6 | 0 | 1 | 0 | 0 | 0 | 1 | 5 | 3 | 0 | 0 | 0 |
| JOHNSTON | 13 | 2 | 6 | 1 | 1 | 0 | 3 | 9 | 3 | 1 | 2 | 0 |
| 122 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 123 | 2 | 0 | 3 | 0 | 0 | 0 | 1 | 4 | 2 | 0 | 0 | 0 |
| 124 | 9 | 1 | 2 | 0 | 0 | 0 | 1 | 3 | 1 | 1 | 1 | 0 |
| 125 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINCOLN | 8 | 2 | 4 | 2 | 0 | 4 | 0 | 6 | 2 | 2 | 1 | 0 |
| 115 | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 2 | 0 | 0 |
| 116 | 2 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 1 | 0 | 1 | 0 |
| 117 | 4 | 0 | 3 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LITTLE COMPTON-414 | 3 | 2 | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 |
| MIDDLETOWN | 4 | 0 | 2 | 0 | 0 | 0 | 1 | 5 | 0 | 1 | 0 | 0 |
| 402 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 403 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 0 |
| 404 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NARRAGANSETT-515 | 9 | 0 | 2 | 3 | 1 | 0 | 0 | 3 | 1 | 3 | 0 | 0 |
| NEWPORT | 25 | 11 | 5 | 8 | 10 | 1 | 1 | 11 | 2 | 5 | 2 | 1 |
| 405 | 2 | 0 | 2 | 3 | 3 | 0 | 0 | 4 | 1 | 1 | 1 | 0 |
| 406 | 4 | 3 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 407 | 4 | 3 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| 408 | 8 | 0 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 0 | 0 |
| 409 | 4 | 3 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| 410 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 3 | 0 | 1 | 0 | 1 |
| 411 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 412 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

TABLE 293 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| NEW SHOREHAM-415 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| NORTH KINGSTOWN | 21 | 5 | 10 | 5 | 3 | 2 | 1 | 8 | 4 | 1 | 2 | 0 |
| 501 | 14 | 1 | 6 | 2 | 2 | 1 | 1 | 4 | 3 | 1 | 0 | 0 |
| 502 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 503 | 5 | 4 | 4 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 2 | 0 |
| 504 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 1 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH PROVIDENCE | 26 | 5 | 5 | 10 | 7 | 1 | 1 | 6 | 2 | 7 | 2 | 0 |
| 118 | 4 | 0 | 1 | 2 | 2 | 0 | 1 | 2 | 1 | 1 | 0 | 0 |
| 119 | 2 | 1 | 0 | 2 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 |
| 120 | 10 | 3 | 2 | 3 | 2 | 0 | 0 | 1 | 0 | 5 | 1 | 0 |
| 121 | 10 | 1 | 2 | 3 | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTH SMITHFIELD-128 | 4 | 0 | 0 | 6 | 0 | 0 | 1 | 3 | 2 | 0 | 1 | 0 |
| PAWTUCKET | 58 | 10 | 21 | 23 | 23 | 2 | 2 | 30 | 10 | 12 | 3 | 1 |
| 149 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 150 | 0 | 2 | 0 | 1 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 151 | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| 152 | 4 | 3 | 1 | 4 | 3 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 153 | 3 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 2 | 3 | 1 | 0 |
| 154 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 |
| 155 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| 156 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 157 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 158 | 4 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 159 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 160 | 3 | 0 | 0 | 2 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| 161** | 5 | 2 | 3 | 3 | 2 | 0 | 0 | 4 | 0 | 1 | 0 | 0 |
| 163 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 164** | 3 | 0 | 2 | 1 | 3 | 0 | 1 | 5 | 2 | 0 | 0 | 0 |

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PAWTUCKET(CONT.) | | | | | | | | | | | | |
| 165 | 3 | 0 | 3 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 |
| 166 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 167 | 4 | 0 | 3 | 0 | 1 | 0 | 0 | 3 | 1 | 0 | 0 | 0 |
| 168 | 8 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 169 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 170 | 1 | 0 | 2 | 4 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 171 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 1 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PORTSMOUTH-401 | 10 | 3 | 2 | 3 | 2 | 0 | 2 | 1 | 0 | 3 | 2 | 0 |
| PROVIDENCE | 164 | 18 | 42 | 64 | 25 | 13 | 18 | 55 | 17 | 18 | 18 | 4 |
| 1 | 11 | 0 | 3 | 2 | 1 | 0 | 1 | 4 | 1 | 2 | 2 | 1 |
| 2 | 10 | 1 | 2 | 4 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 0 |
| 3 | 3 | 1 | 1 | 2 | 1 | 1 | 1 | 5 | 3 | 1 | 2 | 0 |
| 4 | 1 | 1 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 5 | 1 | 0 | 1 | 3 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| 8 | 7 | 1 | 2 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 9 | 5 | 2 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 |
| 10 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 5 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| 12 | 4 | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 0 |
| 13 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 1 | 0 | 0 | 0 |
| 14 | 4 | 0 | 1 | 5 | 3 | 1 | 0 | 1 | 0 | 1 | 1 | 0 |
| 15 | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 0 | 0 | 0 |
| 16 | 3 | 1 | 2 | 1 | 1 | 0 | 2 | 4 | 0 | 1 | 1 | 0 |
| 17 | 3 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | 5 | 3 | 3 | 6 | 1 | 2 | 1 | 2 | 1 | 0 | 0 | 0 |
| 19 | 4 | 1 | 3 | 5 | 1 | 1 | 1 | 2 | 0 | 1 | 1 | 0 |
| 20 | 2 | 1 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PROVIDENCE(CONT.) | | | | | | | | | | | | |
| 21 | 9 | 0 | 0 | 3 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 |
| 22 | 4 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| 23 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 0 |
| 24 | 8 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | 1 | 0 | 0 | 3 | 1 | 0 | 1 | 2 | 1 | 0 | 2 | 1 |
| 26 | 6 | 1 | 3 | 0 | 3 | 1 | 1 | 4 | 2 | 0 | 2 | 0 |
| 27 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 28 | 5 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 29 | 4 | 0 | 1 | 2 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 |
| 30 | 2 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 |
| 32 | 4 | 0 | 0 | 3 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 |
| 33 | 11 | 1 | 5 | 4 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| 34 | 7 | 0 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 35 | 8 | 0 | 3 | 1 | 0 | 0 | 0 | 3 | 1 | 1 | 1 | 0 |
| 36 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 37 | 1 | 0 | 1 | 3 | 0 | 2 | 0 | 2 | 1 | 1 | 0 | 1 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INNER CITY | 44 | 7 | 13 | 27 | 13 | 6 | 8 | 29 | 9 | 10 | 10 | 3 |
| RICHMOND-506 | 1 | 1 | 0 | 1 | 0 | 1 | 1 | 5 | 0 | 0 | 0 | 0 |
| SCITUATE-132 | 10 | 1 | 1 | 3 | 3 | 0 | 1 | 5 | 2 | 0 | 0 | 0 |
| SMITHFIELD | 7 | 2 | 2 | 3 | 2 | 1 | 2 | 6 | 2 | 1 | 3 | 0 |
| 126 | 1 | 2 | 1 | 2 | 1 | 1 | 2 | 0 | 0 | 1 | 1 | 0 |
| 127 | 6 | 0 | 1 | 1 | 1 | 0 | 0 | 6 | 2 | 0 | 2 | 0 |
| SOUTH KINGSTOWN | 14 | 1 | 4 | 4 | 0 | 0 | 1 | 6 | 3 | 5 | 2 | 0 |
| 512 | 7 | 1 | 3 | 3 | 0 | 0 | 1 | 3 | 2 | 2 | 0 | 0 |
| 513 | 7 | 0 | 1 | 1 | 0 | 0 | 0 | 3 | 1 | 2 | 2 | 0 |
| 514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TIVERTON | 12 | 0 | 1 | 4 | 2 | 1 | 2 | 6 | 4 | 0 | 1 | 0 |

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TIVERTON(CONT.) | | | | | | | | | | | | |
| 416 | 7 | 0 | 1 | 3 | 2 | 1 | 1 | 3 | 2 | 0 | 1 | 0 |
| 417 | 5 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 2 | 0 | 0 | 0 |
| WARREN | 6 | 2 | 3 | 3 | 1 | 0 | 1 | 2 | 1 | 3 | 0 | 0 |
| 305 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 306 | 3 | 1 | 2 | 3 | 1 | 0 | 1 | 1 | 0 | 3 | 0 | 0 |
| WARWICK | 62 | 12 | 9 | 22 | 10 | 7 | 3 | 33 | 19 | 11 | 2 | 1 |
| 210 | 11 | 3 | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 211 | 3 | 1 | 1 | 2 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 212 | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 3 | 2 | 1 | 0 | 0 |
| 213 | 7 | 0 | 0 | 2 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 |
| 214 | 4 | 0 | 2 | 1 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 |
| 215 | 8 | 0 | 1 | 1 | 0 | 1 | 0 | 6 | 3 | 0 | 1 | 0 |
| 216 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 217 | 2 | 0 | 0 | 4 | 1 | 1 | 0 | 4 | 3 | 1 | 1 | 0 |
| 218 | 5 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| 219 | 9 | 4 | 2 | 0 | 0 | 2 | 0 | 3 | 2 | 2 | 0 | 1 |
| 220 | 2 | 1 | 0 | 1 | 1 | 0 | 1 | 2 | 2 | 2 | 0 | 0 |
| 221 | 2 | 1 | 0 | 2 | 2 | 1 | 0 | 4 | 3 | 1 | 0 | 0 |
| 222 | 2 | 1 | 0 | 4 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 |
| 223 | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 4 | 3 | 0 | 0 | 0 |
| 224 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WESTERLY | 14 | 5 | 4 | 5 | 2 | 2 | 2 | 3 | 3 | 3 | 0 | 0 |
| 508 | 10 | 3 | 3 | 3 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 0 |
| 509 | 3 | 1 | 0 | 1 | 0 | 1 | 1 | 2 | 2 | 2 | 0 | 0 |
| 510 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WEST GREENWICH-208 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| WEST WARWICK | 20 | 3 | 4 | 9 | 5 | 2 | 5 | 10 | 7 | 1 | 2 | 1 |
| 201 | 8 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 0 |

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1980

| CITY OR TOWN AND CENSUS TRACT | CEREBRO-VASCULAR DISEASES (430-438) | ARTERIO-SCLEROSIS (440) | INFLU-ENZA & PNEUMONIA (480-487) | C.O.P.D. & ALLIED CONDI-TIONS (490-496) | CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571) | CONGEN-ITAL ANOMALIES (740-759) | CERTAIN CONDS IN THE PERINATL PERIOD (760-779) | ALL ACCIDENTS (E800-949) | MOTOR VEHICLE ACCIDENTS (E810-825) | SUICIDE (E950-959) | HOMICIDE (960-978) | OTHER EXTERNAL CAUSES (E980-999) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WEST WARWICK(CONT.) | | | | | | | | | | | | |
| 202 | 4 | 1 | 1 | 3 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 1 |
| 203 | 5 | 1 | 3 | 3 | 2 | 0 | 2 | 4 | 2 | 0 | 0 | 0 |
| 204 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 0 |
| 205 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 4 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WOONSOCKET | 45 | 8 | 15 | 23 | 8 | 2 | 5 | 15 | 4 | 6 | 1 | 0 |
| 172 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 173 | 1 | 0 | 2 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| 174 | 3 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 175 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 |
| 176 | 4 | 0 | 1 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 177 | 6 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 178 | 4 | 0 | 1 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 179 | 5 | 1 | 2 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 |
| 180 | 2 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 181 | 4 | 1 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 182 | 2 | 1 | 1 | 3 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 |
| 183 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 184 | 5 | 4 | 0 | 4 | 2 | 0 | 1 | 5 | 0 | 1 | 0 | 0 |
| 185 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 2 | 2 | 0 | 0 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1980

| TYPE OF ACCIDENT(ICD CODE) | ALL AGES | AGE IN YEARS UNDER 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-84 | 85 & OVER |
|---|---|---|---|---|---|---|---|---|---|
| ALL ACCIDENTS(E800-949) | 328 | 1 | 5 | 22 | 80 | 76 | 38 | 73 | 33 |
| RAILWAY ACCIDENTS(800-807) | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS(810-825) | 140 | 0 | 0 | 9 | 57 | 47 | 11 | 16 | 0 |
| COLLISION WITH ANOTHER MOTOR VEHICLE(812) | 43 | 0 | 0 | 1 | 18 | 15 | 5 | 4 | 0 |
| COLLISION WITH PEDESTRIAN(814) | 29 | 0 | 0 | 6 | 5 | 5 | 2 | 11 | 0 |
| OTHER COLLISION ACCIDENTS(810,811, 813,815) | 46 | 0 | 0 | 1 | 24 | 16 | 4 | 1 | 0 |
| NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818) | 17 | 0 | 0 | 0 | 8 | 9 | 0 | 0 | 0 |
| UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819) | 3 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 |
| MOTOR VEHICLE NON-TRAFFIC ACCIDENTS (820-825) | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| WATER TRANSPORT ACCIDENTS(830-838) | 5 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 0 |
| AIR AND SPACE TRANSPORT ACCIDENTS (840-845) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| POISONING(850-869) | 23 | 0 | 0 | 0 | 6 | 11 | 2 | 0 | 3 |
| BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858) | 13 | 0 | 0 | 0 | 3 | 7 | 1 | 0 | 2 |
| BY OTHER SOLIDS, LIQUIDS, GASES, AND VAPORS(860-869) | 10 | 0 | 0 | 0 | 3 | 4 | 2 | 0 | 1 |
| FALLS(880-888) | 77 | 1 | 1 | 0 | 0 | 4 | 8 | 36 | 27 |
| FIRES AND FLAMES(890-899) | 25 | 0 | 3 | 6 | 2 | 3 | 6 | 5 | 0 |
| DROWNING AND SUBMERSION(910) | 16 | 0 | 1 | 3 | 4 | 6 | 1 | 1 | 0 |
| INHALATION OF FOOD OR OTHER OBJECT (911-912) | 9 | 0 | 0 | 0 | 0 | 0 | 2 | 6 | 1 |
| ELECTRIC CURRENT(925) | 6 | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 0 |
| ALL OTHER (RESIDUAL) | 25 | 0 | 0 | 3 | 2 | 3 | 6 | 9 | 2 |

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1980
(Rhode Island Residents; Rate per 100,000 Population, except Total Rate per 1,000)

| Rank Order | Cause of Death (ICD, 1975) | Number | Rate |
|---|---|---|---|
| | BOTH SEXES | | |
| | TOTAL | 9,300 | 9.8 |
| 1. | Diseases of the Heart (390-398,402,404-429) | 3,831 | 404.5 |
| 2. | Malignant Neoplasms# (140-208) | 2,127 | 224.6 |
| 3. | Cerebrovascular Diseases (430-438) | 723 | 76.3 |
| 4. | Accidents and Adverse Effects (E800-E949) | 328 | 34.6 |
| 5. | Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496) | 279 | 29.5 |
| 6. | Pneumonia and Influenza (480-487) | 206 | 21.7 |
| 7. | Diabetes Mellitus (250) | 199 | 21.0 |
| 8. | Chronic Liver Disease and Cirrhosis (571) | 148 | 15.6 |
| 9. | Atherosclerosis (440) | 135 | 14.3 |
| 10. | Suicide (E950-E959) | 108 | 11.4 |
| | All Other Causes | 1,216 | 128.4 |
| | MALE | | |
| | TOTAL | 4,832 | 10.7 |
| 1. | Diseases of the Heart (390-398,402,404-429) | 1,981 | 439.0 |
| 2. | Malignant Neoplasms# (140-208) | 1,111 | 246.2 |
| 3. | Cerebrovascular Diseases (430-438) | 274 | 60.7 |
| 4. | Accidents and Adverse Effects (E800-E949) | 216 | 47.9 |
| 5. | Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496) | 191 | 42.3 |
| 6. | Chronic Liver Disease and Cirrhosis (571) | 107 | 23.7 |
| 7. | Diabetes Mellitus (250) | 99 | 21.9 |
| 8. | Pneumonia and Influenza (480-487) | 92 | 20.4 |
| 9. | Suicide (E950-E959) | 79 | 17.5 |
| 10. | Atherosclerosis (440) | 61 | 13.5 |
| | All Other Causes | 621 | 137.6 |
| | FEMALE | | |
| | TOTAL | 4,466 | 9.0 |
| 1. | Diseases of the Heart (390-398,402,404-429) | 1,850 | 373.1 |
| 2. | Malignant Neoplasms# (140-208) | 1,016 | 204.9 |
| 3. | Cerebrovascular Diseases (430-438) | 449 | 90.5 |
| 4. | Pneumonia and Influenza (480-487) | 114 | 23.0 |
| 5. | Accidents and Adverse Effects (E800-E949) | 112 | 22.6 |
| 6. | Diabetes Mellitus (250) | 100 | 20.2 |
| 7. | Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496) | 88 | 17.7 |
| 8. | Atherosclerosis (440) | 74 | 14.9 |
| 9. | Chronic Liver Disease and Cirrhosis (571) | 41 | 8.3 |
| 10. | Nephritis, Nephrotic Syndrome, and Nephrosis (580-589) | 37 | 7.5 |
| | All Other Causes | 585 | 118.0 |

# For complete category title, see International Classification of Diseases, 1975.

Table 32-Five Leading Causes of Death in Specified Age Groups: Rhode Island,1980
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups)

| Age Group & Rank | Cause of Death(ICD,1975) | Number | Rate | Per Cent of Total |
|---|---|---|---|---|
| Under Five Years | ALL CAUSES | 151 | 266.4 | 100.1 |
| 1. | Certain Conditions Originating in the Perinatal Period(760-779) | 69 | 121.7 | 45.7 |
| 2. | Congenital Anomalies(740-759) | 41 | 72.3 | 27.2 |
| 3. | Accidents and Adverse Effects(E800-E949) | 6 | 10.6 | 4.0 |
| 4. | Sudden Infant Death Syndrome(798.0) | 5 | 8.8 | 3.3 |
| 5. | Homicide(E960-E969) | 3 | 5.3 | 2.0 |
| 5. | Acute Bronchitis & Bronchiolitis(466) | 3 | 5.3 | 2.0 |
| | All Other Causes | 24 | 42.3 | 15.9 |
| 5-19 Years | ALL CAUSES | 107 | 47.5 | 99.9 |
| 1. | Accidents and Adverse Effects(E800-E949) | 62 | 27.5 | 57.9 |
| 2. | Malignant Neoplasms*(140-208) | 12 | 5.3 | 11.2 |
| 3. | Homicide(E960-E969) | 7 | 3.1 | 6.5 |
| 4. | Suicide(E950-E959) | 6 | 2.7 | 5.6 |
| 5. | Congenital Anomalies(740-759) | 4 | 1.8 | 3.7 |
| | All Other Causes | 16 | 7.1 | 15.0 |
| 20-44 Years | ALL CAUSES | 448 | 133.7 | 100.1 |
| 1. | Accidents and Adverse Effects(E800-E949) | 116 | 34.6 | 25.9 |
| 2. | Malignant Neoplasms*(140-208) | 93 | 27.8 | 20.8 |
| 3. | Suicide(E950-E959) | 54 | 16.1 | 12.1 |
| 4. | Diseases of Heart(390-398,402,404-429) | 50 | 14.9 | 11.2 |
| 5. | Homicide(E960-E969) | 31 | 9.3 | 6.9 |
| | All Other Causes | 104 | 31.0 | 23.2 |

* For complete category title, see International Classification of Diseases, 1975 Revision.

Table 32-Five Leading Causes of Death in Specified Age Groups: Rhode Island,1980
(Rhode Island Residents;Rates per 100,000 Population for Specified Groups)(cont'd)

| Age Group & Rank | Cause of Death(ICD,1975) | Number | Rate | Per Cent of Total |
|---|---|---|---|---|
| 45-64 Years | ALL CAUSES | 1,904 | 937.9 | 100.0 |
| 1. | Diseases of Heart(390-398,402,404-429) | 680 | 335.0 | 35.7 |
| 2. | Maignant Neoplasms*(140-208) | 653 | 321.7 | 34.3 |
| 3. | Chronic Liver Disease and Cirrhosis(571) | 85 | 41.9 | 4.5 |
| 4. | Cerebrovascular Diseases(430-438) | 69 | 34.0 | 3.6 |
| 5. | Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496) | 55 | 27.1 | 2.9 |
| | All Other Causes | 362 | 178.3 | 19.0 |
| 65 Years and Over | ALL CAUSES | 6,690 | 5,271.0 | 99.9 |
| 1. | Diseases of Heart(390-398,402,404-429) | 3,097 | 2,440.1 | 46.3 |
| 2. | Malignant Neoplasms*(140-208) | 1,366 | 1,076.3 | 20.4 |
| 3. | Cerebrovascular Diseases(430-438) | 645 | 508.2 | 9.6 |
| 4. | Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496) | 223 | 175.7 | 3.3 |
| 5. | Pneumonia and Influenza(480-487) | 187 | 147.3 | 2.8 |
| | All Other Causes | 1,172 | 923.4 | 17.5 |

* For complete category title, see International Classification of Diseases, 1975 Revision.

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1980

(RHODE ISLAND OCCURRENCES)

| CITY OR TOWN | PERSONS MARRIED | MARRIAGES ACCORDING TO RESIDENCE: GROOM | BRIDE |
|---|---|---|---|
| TOTAL | 14980 | 7490 | 7490 |
| BARRINGTON | 156 | 70 | 86 |
| BRISTOL | 271 | 125 | 146 |
| BURRILVILLE | 189 | 87 | 102 |
| CENTRAL FALLS | 338 | 172 | 166 |
| CHARLESTOWN | 78 | 41 | 37 |
| COVENTRY | 406 | 198 | 208 |
| CRANSTON | 983 | 467 | 516 |
| CUMBERLAND | 305 | 140 | 165 |
| EAST GREENWICH | 127 | 56 | 71 |
| EAST PROVIDENCE | 660 | 318 | 342 |
| EXETER | 60 | 35 | 25 |
| FOSTER | 49 | 23 | 26 |
| GLOCESTER | 94 | 43 | 51 |
| HOPKINTON | 78 | 37 | 41 |
| JAMESTOWN | 52 | 27 | 25 |
| JOHNSTON | 376 | 181 | 195 |
| LINCOLN | 233 | 113 | 120 |
| LITTLE COMPTON | 38 | 19 | 19 |
| MIDDLETOWN | 207 | 95 | 112 |
| NARRAGANSETT | 172 | 93 | 79 |
| NEWPORT | 535 | 258 | 277 |
| NEW SHOREHAM | 15 | 9 | 6 |
| NORTH KINGSTOWN | 332 | 153 | 179 |
| NORTH PROVIDENCE | 428 | 218 | 210 |
| NORTH SMITHFIELD | 115 | 57 | 58 |
| PAWTUCKET | 1066 | 509 | 557 |
| PORTSMOUTH | 166 | 79 | 87 |
| PROVIDENCE | 2182 | 1108 | 1074 |
| RICHMOND | 55 | 23 | 32 |
| SCITUATE | 122 | 60 | 62 |
| SMITHFIELD | 223 | 99 | 124 |
| SOUTH KINGSTOWN | 228 | 108 | 120 |
| TIVERTON | 175 | 73 | 102 |
| WARREN | 173 | 82 | 91 |
| WARWICK | 1267 | 595 | 672 |
| WESTERLY | 226 | 103 | 123 |
| WEST GREENWICH | 37 | 17 | 20 |
| WEST WARWICK | 478 | 245 | 233 |
| WOONSOCKET | 624 | 284 | 340 |
| OTHER STATES OR FOREIGN PLACES | 1661 | 1070 | 591 |

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1980



| AGE OF BRIDE | AGE OF GROOM IN YEARS | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IN YEARS | TOTAL | UNDER 20 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65 & OVER | UNKNOWN |
| TOTAL | 7490 | 427 | 2801 | 2004 | 945 | 454 | 268 | 172 | 138 | 103 | 62 | 115 | 0 |
| UNDER 20 | 1190 | 326 | 711 | 120 | 24 | 7 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| 20-24 | 3184 | 89 | 1800 | 963 | 233 | 64 | 21 | 9 | 3 | 2 | 0 | 0 | 0 |
| 25-29 | 1578 | 10 | 239 | 750 | 389 | 124 | 47 | 11 | 4 | 3 | 0 | 1 | 0 |
| 30-34 | 665 | 0 | 45 | 128 | 225 | 144 | 66 | 34 | 15 | 8 | 0 | 0 | 0 |
| 35-39 | 317 | 2 | 4 | 33 | 53 | 88 | 69 | 49 | 12 | 6 | 1 | 0 | 0 |
| 40-44 | 178 | 0 | 1 | 7 | 18 | 22 | 39 | 36 | 37 | 11 | 6 | 1 | 0 |
| 45-49 | 112 | 0 | 0 | 2 | 2 | 3 | 18 | 22 | 35 | 16 | 8 | 6 | 0 |
| 50-54 | 84 | 0 | 1 | 0 | 1 | 1 | 5 | 7 | 24 | 24 | 12 | 9 | 0 |
| 55-59 | 70 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | 6 | 20 | 17 | 22 | 0 |
| 60-64 | 48 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 9 | 12 | 23 | 0 |
| 65 & OVER | 64 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 7 | 53 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1980

| AGE GROUP IN YEARS | PREVIOUS MARITAL STATUS OF BRIDE | | | | | PREVIOUS MARITAL STATUS OF GROOM | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | SINGLE | WIDOWED | DIVORCED | UNKNOWN | TOTAL | SINGLE | WIDOWED | DIVORCED | UNKNOWN |
| TOTAL | 7490 | 5630 | 238 | 1619 | 3 | 7490 | 5475 | 254 | 1760 | 1 |
| UNDER 20 | 1190 | 1184 | 0 | 6 | 0 | 427 | 424 | 0 | 2 | 1 |
| 20-24 | 3184 | 2990 | 6 | 186 | 2 | 2801 | 2737 | 0 | 64 | 0 |
| 25-29 | 1578 | 1093 | 15 | 469 | 1 | 2004 | 1619 | 3 | 382 | 0 |
| 30-34 | 665 | 243 | 17 | 405 | 0 | 945 | 465 | 6 | 474 | 0 |
| 35-39 | 317 | 52 | 14 | 251 | 0 | 454 | 127 | 14 | 313 | 0 |
| 40-44 | 178 | 25 | 20 | 133 | 0 | 268 | 44 | 13 | 211 | 0 |
| 45-49 | 112 | 15 | 25 | 72 | 0 | 172 | 19 | 21 | 132 | 0 |
| 50-54 | 84 | 11 | 25 | 48 | 0 | 138 | 18 | 28 | 92 | 0 |
| 55-59 | 70 | 9 | 31 | 30 | 0 | 103 | 14 | 34 | 55 | 0 |
| 60-64 | 48 | 5 | 29 | 14 | 0 | 63 | 3 | 35 | 25 | 0 |
| OVER 64 | 64 | 3 | 56 | 5 | 0 | 115 | 5 | 100 | 10 | 0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS
RHODE ISLAND, 1980 (RHODE ISLAND OCCURRENCES)

| NUMBER OF THIS MARRIAGE FOR BRIDE | NUMBER OF THIS MARRIAGE FOR GROOM | | | | |
|---|---|---|---|---|---|
| | TOTAL | FIRST | SECOND | THIRD OR MORE | UNKNOWN |
| TOTAL | 7490 | 5475 | 1813 | 201 | 1 |
| FIRST | 5630 | 4824 | 753 | 53 | 0 |
| SECOND | 1650 | 614 | 930 | 106 | 0 |
| THIRD OR MORE | 208 | 36 | 130 | 42 | 0 |
| UNKNOWN | 2 | 1 | 0 | 0 | 1 |

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1980

| PREVIOUS MARITAL STATUS OF BRIDE | PREVIOUS MARITAL STATUS OF GROOM | | | | |
|---|---|---|---|---|---|
| | TOTAL | SINGLE | WIDOWED | DIVORCED | UNKNOWN |
| TOTAL | 7490 | 5475 | 254 | 1760 | 1 |
| SINGLE | 5630 | 4824 | 40 | 766 | 0 |
| WIDOWED | 238 | 33 | 127 | 78 | 0 |
| DIVORCED | 1619 | 616 | 87 | 916 | 0 |
| UNKNOWN | 3 | 2 | 0 | 0 | 1 |

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED

BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1960

| LAST GRADE COMPLETED BY BRIDE | LAST GRADE COMPLETED BY GROOM | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | HIGH SCHOOL | | COLLEGE | | |
| | TOTAL | 8 YEARS OR LESS | 1 - 3 YEARS | 4TH YEAR | 1 - 3 YEARS | 4TH YEAR OR MORE | NOT STATED |
| TOTAL | 7490 | 413 | 1102 | 2691 | 1486 | 1789 | 9 |
| 8 YEARS OR LESS | 303 | 139 | 70 | 71 | 19 | 3 | 1 |
| HIGH SCHOOL | | | | | | | |
| 1 - 3 YEARS | 1074 | 127 | 418 | 397 | 103 | 28 | 1 |
| 4TH YEAR | 2990 | 120 | 489 | 1483 | 565 | 333 | 0 |
| COLLEGE | | | | | | | |
| 1 - 3 YEARS | 1653 | 22 | 105 | 531 | 514 | 481 | 0 |
| 4TH YEAR OR MORE | 1461 | 5 | 19 | 209 | 284 | 943 | 1 |
| NOT STATED | 9 | 0 | 1 | 0 | 1 | 1 | 6 |

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1980

| AGE OF HUSBAND IN YEARS | AGE OF WIFE IN YEARS | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | UNDER 20 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65 & OVER | UNKNOWN |
| TOTAL | 3593 | 59 | 627 | 900 | 753 | 473 | 278 | 198 | 147 | 78 | 42 | 26 | 21 |
| UNDER 20 | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 351 | 40 | 266 | 39 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 25-29 | 815 | 5 | 239 | 446 | 54 | 15 | 4 | 2 | 0 | 0 | 0 | 0 | 0 |
| 30-34 | 852 | 1 | 55 | 340 | 398 | 50 | 5 | 0 | 0 | 0 | 0 | 0 | 3 |
| 35-39 | 536 | 0 | 8 | 50 | 224 | 224 | 25 | 2 | 1 | 0 | 0 | 0 | 2 |
| 40-44 | 348 | 0 | 2 | 15 | 44 | 129 | 121 | 22 | 9 | 0 | 2 | 2 | 2 |
| 45-49 | 238 | 0 | 1 | 4 | 17 | 27 | 83 | 78 | 20 | 5 | 0 | 2 | 1 |
| 50-54 | 191 | 0 | 1 | 2 | 7 | 17 | 24 | 62 | 63 | 11 | 3 | 1 | 0 |
| 55-59 | 136 | 0 | 0 | 0 | 4 | 7 | 10 | 22 | 45 | 37 | 7 | 4 | 0 |
| 60-64 | 64 | 0 | 0 | 1 | 0 | 2 | 4 | 4 | 9 | 21 | 19 | 1 | 3 |
| 65 & OVER | 35 | 0 | 1 | 1 | 0 | 0 | 0 | 4 | 0 | 2 | 11 | 16 | 0 |
| UNKNOWN | 22 | 0 | 3 | 2 | 2 | 1 | 2 | 1 | 0 | 2 | 0 | 0 | 9 |

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1980
(RHODE ISLAND OCCURRENCES)

| NUMBER OF HUSBAND'S MARRIAGES | TOTAL DIVORCES | NUMBER OF WIFE'S MARRIAGES | | | | |
|---|---|---|---|---|---|---|
| | | FIRST | SECOND | THIRD | FOURTH OR MORE | UNKNOWN |
| TOTAL DIVORCES | 3593 | 2947 | 513 | 64 | 17 | 152 |
| FIRST | 2820 | 2567 | 222 | 16 | 6 | 9 |
| SECOND | 549 | 249 | 252 | 36 | 9 | 3 |
| THIRD | 67 | 26 | 30 | 10 | 1 | 0 |
| FOURTH OR MORE | 10 | 1 | 8 | 1 | 0 | 0 |
| UNKNOWN | 147 | 4 | 1 | 1 | 1 | 140 |

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1980

(RHODE ISLAND OCCURRENCES)

| AGE GROUP IN YEARS | HUSBAND | | | | WIFE | | | |
|---|---|---|---|---|---|---|---|---|
| | TOTAL DIVORCES | FIRST MARRIAGE | REMARRIAGE | STATUS UNKNOWN | TOTAL DIVORCES | FIRST MARRIAGE | REMARRIAGE | STATUS UNKNOWN |
| TOTAL | 3593 | 2820 | 626 | 147 | 3593 | 2847 | 594 | 152 |
| UNDER 20 | 5 | 5 | 0 | 0 | 50 | 49 | 0 | 1 |
| 20-24 | 351 | 343 | 2 | 6 | 627 | 603 | 12 | 12 |
| 25-29 | 815 | 748 | 56 | 11 | 900 | 791 | 91 | 18 |
| 30-34 | 852 | 699 | 133 | 20 | 753 | 588 | 144 | 21 |
| 35-39 | 536 | 393 | 120 | 23 | 473 | 304 | 135 | 34 |
| 40-44 | 348 | 221 | 94 | 33 | 278 | 187 | 73 | 18 |
| 45-49 | 238 | 158 | 69 | 11 | 198 | 135 | 45 | 18 |
| 50-54 | 191 | 122 | 53 | 16 | 147 | 100 | 38 | 9 |
| 55-59 | 136 | 75 | 52 | 9 | 78 | 45 | 24 | 9 |
| 60-64 | 64 | 34 | 22 | 8 | 42 | 27 | 13 | 2 |
| OVER 64 | 35 | 14 | 19 | 2 | 26 | 11 | 12 | 3 |
| UNKNOWN | 22 | 8 | 6 | 8 | 21 | 7 | 7 | 7 |

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1980

(RHODE ISLAND OCCURRENCES)

| | HUSBAND | WIFE |
|---|---|---|
| TOTAL DIVORCES GRANTED TO REMARRIED PERSONS | 626 | 594 |
| NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY: | | |
| DIVORCE ONLY: | 545 | 506 |
| DEATH ONLY: | 40 | 44 |
| COMBINATION OF DEATH AND DIVORCE: | 6 | 10 |
| UNKNOWN: | 35 | 34 |

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1980

(RHODE ISLAND OCCURRENCES)

| NUMBER OF CHILDREN PER DIVORCE | TOTAL CHILDREN UNDER 18 AFFECTED | TOTAL DIVORCES | NUMBER OF DIVORCES BY COUNTY | | | | |
|---|---|---|---|---|---|---|---|
| | | | BRISTOL | KENT | NEWPORT | PROVIDENCE | WASHINGTON |
| TOTAL | 3695 | 3593 | 145 | 636 | 333 | 2080 | 399 |
| NONE | 0 | 1084 | 39 | 185 | 93 | 645 | 122 |
| ONE | 920 | 920 | 48 | 161 | 89 | 514 | 108 |
| TWO | 1616 | 808 | 31 | 155 | 72 | 469 | 81 |
| THREE | 858 | 286 | 9 | 54 | 33 | 155 | 35 |
| FOUR | 312 | 78 | 1 | 12 | 13 | 42 | 10 |
| FIVE | 120 | 24 | 1 | 6 | 1 | 15 | 1 |
| SIX | 48 | 8 | 0 | 2 | 2 | 4 | 0 |
| SEVEN | 21 | 3 | 1 | 0 | 0 | 2 | 0 |
| NOT STATED | * | 332 | 15 | 61 | 30 | 234 | 42 |

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1980

(RHODE ISLAND OCCURRENCES)

| LAST GRADE COMPLETED | HUSBAND | | WIFE | |
|---|---|---|---|---|
| | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL | 3593 | 100.0 | 3593 | 100.0 |
| 8 YEARS OR LESS | 308 | 8.6 | 161 | 4.5 |
| HIGH SCHOOL | | | | |
| 1 - 3 YEARS | 601 | 16.7 | 625 | 17.4 |
| 4 YEARS | 1317 | 36.7 | 1561 | 43.4 |
| COLLEGE | | | | |
| 1 - 3 YEARS | 479 | 13.3 | 535 | 14.9 |
| 4 YEARS OR MORE | 544 | 15.1 | 383 | 10.7 |
| NOT STATED | 344 | 9.6 | 328 | 9.1 |